

November 23, 2011

MEDLINE INDUSTRIES INC  
ATTN ASHLEY BRUST  
ONE MEDLINE PLACE  
MUNDELEIN IL 60060

**Re: Assigned HCPCS Codes for DME Billing**

**Xref #:** 16561463

**Product:** SURESITE ROLL, 2"x11 YARDS and SURESITE ROLL, 4"X11 YARDS

**Model number:** MSC2402, MSC2404

Dear Ms. Brust:

The Pricing, Data Analysis, and Coding (PDAC) Contractor provides Healthcare Common Procedural Coding System (HCPCS) assistance to manufacturers to ensure proper coding of Durable Medical Equipment, Prosthetics, Orthotics, and Supplies (DMEPOS). The PDAC has reviewed the above listed products. It is our determination that the Medicare HCPCS code to use when billing the four Durable Medical Equipment Medicare Administrative Contractors (DME MACs) is:

A4450 - TAPE, NON-WATERPROOF, PER 18 SQUARE INCHES

The code requested, A6259, is for a sterile, transparent film dressing which measures 48" square inches or greater. The product submitted for review is non-sterile and most consistent with tape.

The PDAC provides coding decisions based on the coding guidelines established by the Local Coverage Determination (LCD) and associated policy article developed by the DME MACs. All products submitted to PDAC for a coding verification review are carefully examined by coders and professionals following a formal, standardized process.

This decision applies to the application that we received on October 18, 2011. If information submitted in that application has changed or were to change, it could impact our decision. Therefore, a new application would need to be submitted for HCPCS coding verification review. This coding decision will be available within ten (10) working days on the Durable Medical Equipment Coding System (DMECS), which is

located on the PDAC web site, [www.dmepdac.com](http://www.dmepdac.com). Please take the time to verify that this coding decision is correctly reflected in DMECS.

It is the responsibility of manufacturers and distributors to notify the PDAC immediately of any changes involving their products, related to their current listing on the Product Classification List (PCL) on DMECS. Further information for requesting updates to the PCL can be found on the PDAC website at <https://www.dmepdac.com/review/notifying.html>.

The assignment of a HCPCS code to these products is not an approval or endorsement of the products by Medicare or Noridian Administrative Services, LLC; nor does it imply or guarantee claim reimbursement or coverage. If you have questions about claim coverage or reimbursement, please contact the DME MAC for your jurisdiction.

If you have questions about claim coverage or reimbursement, please contact the DME MAC for your jurisdiction. For other questions, contact the PDAC Contact Center at the address listed above or by telephone at (877) 735-1326. The Contact Center is open Monday through Friday from 8:30 a.m. to 4 p.m. CT.

PDAC  
Noridian Administrative Services, LLC  
[www.dmepdac.com](http://www.dmepdac.com)