

Diagnostic Capital

Capital equipment for the diagnosing and monitoring of patients





Diagnostic Desktop Set



Desk Set Configurations

- All desk set configurations come with a desk charger, two rechargeable batteries, two handles, otoscope and ophthalmoscope heads
- LED or Xenon fiber optic illumination
- Rheotronic capabilities—handles allow for brightening and dimming of light output with the twist of the collar
- Auto shut off after 180 seconds to save battery and bulb life
- 3 hour charging time to full charge, ~8.5 hours battery life per full charge
- Two-year warranty

Item No.	Description	Pkg.
MDS107032	LED L2 Otoscope/Xenon L2 Ophthalmoscope set, 3.5V, C-handle	1 ea
MDS107042	LED L3 Otoscope/Xenon L2 Ophthalmoscope set, 3.5V, C-handle	1 ea
MDS107052	LED L3 Otoscope/Xenon L3 Ophthalmoscope set, 3.5V, C-handle	1 ea
MDS2212203E	LED EliteVue/LED L2 Ophthalmoscope set, 3.5V, C-handle	1 ea
★ MDS3763E	Xenon EliteVue/Xenon L2 Ophthalmoscope set, 3.5V, C-handle	1 ea

Build your diagnostic set.
Desktop. Portable. Wall systems.
Replacement parts. We have it all.

Visit today at <https://diagnostics.medline.com>

Invest in long-term performance.

You're committed to the care of your patients, so you need diagnostic equipment you can count on. Trust our dedicated capital equipment experts to not only help you select the high-quality equipment that best suits your long-term needs, but to customize financial solutions and arrange delivery as well.

- 3 Diagnostic Instruments
- 9 Exam Lighting
- 10 Blood Pressure Devices
- 11 Thermometers
- 13 Vital Signs Monitors
- 18 Patient Monitors
- 20 Blood Pressure Cuffs
- 21 Holter Monitors
- 22 ECG Monitors
- 24 Fetal Monitors and Handheld Dopplers
- 26 Ultrasound Monitors


★ Best seller

Diagnostic Wall System

Our fully modular system can be customized to your needs and expanded or upgraded at any time.

- Non-slip, ergonomically designed handles with patented technology for 100% light output with variable light adjustment and automatic safety shut-down after 2 minutes
- LED or xenon illumination options for instrument heads with a new **EliteVue macro-otoscope that exceeds the magnification of the market leader¹**
- Wall systems available with or without premounted gray plastic mounting board that measures 31" x 16" x 1/4"
- Three-year warranty on all wall systems

Customizable to fit your needs.



Model Featured: MDS36533018B

Diagnostic Wall System Components chart

Item Number	Wall Transformer	Otoscopies				Ophthalmoscopes		Thermometer	Specula Dispenser	Blood Pressure	
	MDS3653300	MDS10565301 L2 LED	MDS10580301 L2 Xenon	MDS10512301E LED EliteVue Otoscope	MDS10513301E Xenon EliteVue Otoscope	MDS10571301 L2 Xenon	MDS10573301 L3 Xenon	MDS3658 Covidien Oral Predictive Therm	MDS3654	MDSL3655109 Aneroid	MDS1742 Automatic
MDS36533001	•	•				•					
MDS36533002	•		•			•					
MDS36533003	•	•				•			•		
MDS36533004	•		•			•			•		
MDS36533005	•	•				•			•	•	
MDS36533006	•		•			•			•	•	
MDS36533007	•	•					•		•	•	
MDS36533011	•	•				•			•		•
MDS36533012	•		•			•			•		•
MDS36533013	•	•					•		•		•
MDS36533014	•	•				•		•	•	•	
MDS36533015	•	•				•		•	•	•	
MDS36533016	•	•					•	•	•	•	
MDS36533017	•	•					•	•	•	•	
MDS36533018	•					•	•	•	•	•	•
MDS36533018B	•					•	•	•	•	•	•
MDS36533019	•					•	•	•	•	•	•
MDS36533019B	•					•	•	•	•	•	•
MDS36533020	•			•		•		•	•	•	•
MDS36533020B	•			•		•		•	•	•	•
MDS36533021	•			•		•		•	•	•	•
MDS36533021B	•			•		•		•	•	•	•
MDS36533022	•			•		•	•	•	•	•	•
MDS36533023	•			•		•	•	•	•	•	•
MDS36533025B	•			•		•		•	•		•
MDS36533026B	•			•		•		•	•		•

■ These models come pre-mounted to a wallboard. Get any other model above mounted to a wallboard by adding MDS12717 to your order.

Choose between LED and xenon illumination in your otoscopes

LED Illumination

- Uniform illumination of the examination field in pure white light
- LED illumination shows colors as they really are, which is helpful for efficient diagnosis
- 100,000 lifetime hours per bulb, meaning less replacements and lower replacement cost over time

Xenon Illumination (XL)

- Xenon illumination has a yellower tint to the lighting
- Offers between 20,000 and 30,000 hours per bulb

Don't see what you're looking for? Customize your own wall system at <https://diagnostics.medline.com>

Otoscopies

- Available with rechargeable lithium-ion batteries, lithium batteries or C cell alkaline batteries
- Fiber optic LED or Xenon (XL) lighting options available for optimal light transmission
- Rheotronic capabilities—handles allow for brightening and dimming of light output with the twist of the collar
- Auto shut off after 180 seconds to save battery and bulb life
- Bi-directional swiveling, sealing optical glass with 3x magnification (L2 and L3)
- Suitable for pneumatic tests (supplied without bulb)
- Two-year warranty



L2 Otoscope

- 3x magnification with optional operation lens with 4x magnification available
- For use with specula MDSK10321 (2.5 mm) or MDSK10331 (4.25 mm)

Item No.	Description	Battery Type	Pkg.
MDS3716	2.5V Xenon	●	1 ea
MDS3703	3.5V LED	●	1 ea
MDS3703550	3.5V LED	●	1 ea

L3 Otoscope

- Operation lens with 4x magnification and glass mini-optic ease the insertion of instruments
- Easy-to-operate SpecEjec specula ejection button on the rear side of instrument head to reduce risk of cross contamination
- For use with SpecEjec speculas MDS10803533 (3 mm) or MDS10803534 (4 mm)

Item No.	Description	Battery Type	Pkg.
MDS3701	2.5V Xenon	●	1 ea
MDS3704	3.5V LED	●	1 ea
MDS3704550	3.5V LED	●	1 ea

Elite Vue Otoscope

- More than 5-fold magnification with twice the field of view
- Complete view of tympanic membrane, outperforming the market leader
- Wheel to adjust focal depth
- Comes standard with SpecEjec feature at the rear side of the otoscope to reduce risk of cross contamination
- Must use SpecEjec speculas MDS10803533 (3 mm) or MDS10803534 (4 mm)

Item No.	Description	Battery Type	Pkg.
MDS2200202E	2.5V, Xenon	●	1 ea
MDS2200204E	2.5V, LED	●	1 ea

Batteries sold separately unless noted

Ophthalmoscopes

- Available with rechargeable lithium-ion batteries, lithium batteries or C cell alkaline batteries
- LED or Xenon (XL) lighting options
- Filter wheel engageable for all apertures with symbol display, red-free filter, blue filter and polarization filter
- Fully enclosed optics prevent any dust particles from entering the ophthalmoscope head
- Two-year warranty

L2 Ophthalmoscope



- Diopter wheel with 29 corrective lenses Plus 1-10, 12, 15, 20, 40; Minus 1-10, 15, 20, 25, 30, 35
- Easy-to-operate aperture hand-wheel with semi-circle, small/medium/large circle, fixation star, and slit

Item No.	Description	Battery Type	Pkg.
MDS3725	3.5V Xenon	●	1 ea
MDS3725550	3.5V Xenon	●	1 ea

L3 Ophthalmoscope



- Diopter wheel with 89 corrective lenses—Plus 1-45 in single steps, Minus 1-44 in single steps
- Easy-to-operate aperture hand-wheel with semi-circle, small/medium/large circle, fixation star, slit and grid
- Focusing device with zero retention force for the quick correction of ametropias

Item No.	Description	Battery Type	Pkg.
MDS3726	3.5V Xenon	●	1 ea
MDS3726550	3.5V Xenon	●	1 ea

Batteries sold separately unless noted

Batteries and Other Accessories

Item No.	Description	Pkg.
● MPHBCZ	Alkaline batteries, C-handle	1 ea
● MDS10708002	Plug-In charger with Li-ion battery for C-handle	1 ea
● MDSRL123AB	Lithium disposable battery set	1 ea
MDSK10321*	2.5 mm for L2 Otoscope and E-Scope Pocket Otoscope Only	8,500/cs
MDSK10331*	4.25 mm for L2 Otoscope and E-Scope Pocket Otoscope Only	8,500/cs
MDS10803533	3 mm SpecEjec Speculas for EliteVue and L3 Oscopes Only	1,000/bg
MDS10803534	4 mm SpecEjec Speculas for EliteVue and L3 Oscopes Only	1,000/bg
MDS109601	Bulb for Pneumatic Test	1 ea
MDS10708002	Connector for Pneumatic Test	1 ea

* Available in child items H (34/pk) and Z (850/bg)
 ** Only needed with e-scope pocket otoscopes



MDS3725



MDSK10321



MDSK10331

Diagnostic Instrument Sets



e-scope Otoscope/Ophthalmoscope Sets (Pocket Instruments)

e-scope pocket instruments are available with LED or Xenon light sources.

- Innovative 3.7V LED illumination provides a higher contrast for a more efficient diagnosis
- Diopter disc with 18 corrective lenses (+/- 1, 2, 3, 4, 6, 8, 10, 15, 20 diopters)
- Easy-to-use aperture wheel with six different apertures (fixation star, large circle, small circle, red free filter, blue filter, semi circle)
- High performance optics with aspherical condenser lens
- Spectacle protection
- Parallel optical path
- Two-year warranty
- For use with AA alkaline batteries, MPHBA

Fiber optic-2.5V Xenon, Otoscope/Ophthalmoscope

Item No.	Description	Pkg.
MDS2130202	White, hard case	1 ea
MDS2131202	Black, hard case	1 ea

Fiber optic-3.7V LED, Otoscope/Ophthalmoscope

Item No.	Description	Pkg.
MDS2130203	White, hard case	1 ea
MDS2131203	Black, hard case	1 ea

* Also available as single instruments. Contact your Medline representative for more information

Batteries sold separately unless noted

Diagnostic Instrument Sets

Set contains one C cell handle, one otoscope head, one ophthalmoscope head, 1 sleeve of 10 specula and case

- Two-year warranty

L2 Otoscope and Ophthalmoscope Diagnostic Sets

Item No.	Description	Battery Type	Pkg.
MDS3746004	3.5V LED L2 otoscope, Xenon L2 Ophthalmoscope	●	1 ea
MDS3760	3.5V LED L2 otoscope, Xenon L2 Ophthalmoscope head (battery included)	●	1 ea

L3 Otoscope and Ophthalmoscope Diagnostic Sets

Item No.	Description	Battery Type	Pkg.
MDS3746006	3.5V LED L3 Otoscope head, Xenon L2 Ophthalmoscope head	●	1 ea

Elite Vue Otoscope and L2 Ophthalmoscope Diagnostic Sets

Item No.	Description	Battery Type	Pkg.
MDS2210202E	2.5V Xenon EliteVue otoscope head, Xenon L2 Ophthalmoscope head	●	1 ea
★ MDS2210203E	3.5V LED EliteVue otoscope head, Xenon L2 Ophthalmoscope head	●	1 ea
★ MDS3762E	3.5V XL EliteVue otoscope, Xenon L2 Ophthalmoscope (battery included)	●	1 ea



★ MDS3762E

Exam Lighting

Ri-focus LED Headlight with Bulb and Headband

- Ideal exam light with a white LED that focuses at a distance of 40 cm
- Built to last with a lamp that keeps going for around 15,000 hours
- Headband is balanced and infinitely adjustable for extra comfort
- Available with Plug-in 120V charger and four AAA NiMH rechargeable batteries included (MDS6092)

Item No.	Description	Pkg.
MDS6090	LED Headlamp with Focusable Light, 6 V, Lithium Battery Powered (Lithium batteries included, MDSRL123AB)	1 ea
MDS6092	Headlight, LED Wireless: 6V LED Wireless Rechargeable Headlight with Charger and Four Rechargeable Batteries	1 ea
MDSRL123AB	Batteries for use with MDS6090	2/pk



MDS6090

Ri-Magic LED Exam Lamp

- White high performance LED, 50,000 hour bulb life
- Flexible arm can be bent in all directions and remain in position
- Includes low friction, anti-static casters on mobile stand version
- Wide-range power cord for 230V/120V

Item No.	Description	Pkg.
★ MDS6252004	LED Exam Lamp, 120 V, Floor Model with Mobile Stand	1 ea
MDS6240002	LED Exam Lamp, 230 V, Wall-Mount Model	1 ea
MDS6230002	LED Exam Lamp, 230 V, Desk-Mount Model with Camp	1 ea



★ MDS6252004

Blood Pressure Devices

RBP-100 Digital Blood Pressure Monitor

Small, light and practical clinical-grade blood pressure monitor with easy-to-read 4" LCD screen.

- 30 to 40 second read time with memory recall for past 210 readings
- Rechargeable battery with 1,000 measurements per full charge
- Includes medium and large/XL cuffs and cuff basket
- Clinically validated for patients, including elderly and children ages 3+
- Two-year warranty



MDS1740

MDS1742

Item No.	Description	Pkg.
MDS1740	RBP-100 Tabletop	1 ea
MDS1741	RBP-100 Mobile (mobile stand included)	1 ea
MDS1742	RBP-100 Wall	1 ea

Accessories and Replacement Cuffs

Item No.	Description	Size	Pkg.
MDS10392	Small Basket for Mobile Stand	9.84" x 3.54" x 7.87"	1 ea
MDS10393	Large Basket for Mobile Stand	9.06" x 9.06" x 9.84"	1 ea
MDS162	Small Cuff	14–22 cm Arm Circumference	1 ea
MDS163	Medium Cuff	22–32 cm Arm Circumference	1 ea
MDS164	Large/XL Cuff	32–52 cm Arm Circumference	1 ea



Cuffs compatible with the RBP-100



MDS1741

Disposable Cuffs

Item No.	Description	Size	Pkg.
MDS9910MQML	Infant	9–14.8 cm	1 ea
MDS9911MQML	Child	13.8–21.5 cm	1 ea
MDS9912MQML	Small Adult	20.5–28.5 cm	1 ea
MDS9913MQML	Adult	27.5–36.5 cm	1 ea
MDS9913MQMLL	Adult Long	27.5–36.5 cm	1 ea
MDS9914MQML	Large Adult	35.5–46 cm	1 ea
MDS9914MQMLL	Large Adult Long	35.5–46 cm	1 ea
MDS9915MQML	Thigh	45–56.5 cm	1 ea

Reusable Cuffs

Item No.	Description	Size	Pkg.
MDS9910MQRE	Infant	9–14.8 cm	1 ea
MDS9910MQLRE	Infant Long	9–14.8 cm	1 ea
MDS9911MQRE	Child	13.8–21.5 cm	1 ea
MDS9911MQLRE	Child Long	13.8–21.5 cm	1 ea
MDS9912MQRE	Small Adult	20.5–28.5 cm	1 ea
MDS9913MQRE	Adult	27.5–36.5 cm	1 ea
MDS9913MQLRE	Adult Long	27.5–36.5 cm	1 ea
MDS9914MQRE	Large Adult	35.5–46 cm	1 ea
MDS9914MQLRE	Large Adult Long	35.5–46 cm	1 ea
MDS9915MQRE	Thigh	45–56.5 cm	1 ea

Thermometers

RightTemp Tympanic Thermometer

- This premium easy-to-use ear thermometer is perfect for practically every department and patient
- Simple-to-read backlit LCD displays readings in Fahrenheit or Celsius
- Accuracy: $\pm 0.4^\circ\text{F}$, $\pm 0.2^\circ\text{C}$
- Stores 10 readings
- Auto shut off feature
- Rigid disposable probe covers help reduce the risk of cross-contamination; unit is supplied with 20 covers; additional are sold separately



MDS8700

Item No.	Description	Pkg.
MDS8700	RightTemp Tympanic Thermometer	1 ea
MDS8701	RightTemp Tympanic Thermometer Probe Cover	5000/cs
MDS8701Z	RightTemp Tympanic Thermometer Probe Cover	200/bx
MDS8701H	RightTemp Tympanic Thermometer Probe Cover	20/pk

Exergen® Temporal Scanner® Thermometer

Simply scan across the temporal artery area of the forehead and touch behind the earlobe and an accurate reproducible temperature is measured in about three seconds.

- Completely non-invasive
- Easy snap-on probe caps
- Three-year warranty for EXGTAT2000; Lifetime warranty for EXGTAT5000



EXGTAT2000

EXGTAT5000

Item No.	Description	Pkg.
EXGTAT5000	Infrared Temporal Artery Thermometer	1 ea
EXGTAT2000	Infrared Temporal Artery Thermometer	1 ea
EXGTAT2000C*	Infrared Temporal Artery Thermometer, Consumer Model	1 ea
EXG134203	Disposable Probe Caps for EXGTAT2000/5000	1000/cs
EXG134203H	Disposable Probe Caps for EXGTAT2000/5000	50/pk

*Disposable probe caps are not compatible with EXGTAT2000C

Thermometers

No-touch forehead thermometer

- One-touch operation
- Displays green light for healthy temperature and red light for fever
- Two measurement modes: human mode (head symbol) and surface mode (bottle symbol)
- Dual scale (Fahrenheit/Celsius)

Item No.	Description	Pkg.
MDSNOTOUCH	Forehead thermometer	1 ea



MDSNOTOUCH

Vital Signs Monitors

Vital Signs Monitor with Medline CareConnection®

We offer an integrated solution that allows Long-Term Care and Skilled Nursing Facility caregivers to measure vital signs and auto-document the data in just two minutes.

- Hand documenting a day's worth of rounds, vitals, weights and more is not just time consuming. It runs the risk of documentation errors, omissions and time delays that can compromise quality of care for patients and residents.
- Compatible with multiple EMR systems:
 - PointClickCare
 - MatrixCare SNF
 - MatrixCare LPC
 - American HealthTech
 - Cantata Health
 - Sigma Care
 - Well Sky
- Speeds clinical information to your EMR system using the Wi-Fi enabled CareConnection touchscreen tablet†

Item No.	Description	Pkg.
MDSM3SNTC	M3 Vital Signs Monitor, Bp, SpO2, Oral Temp	1 ea
MDSM3SNTT	M3 Vital Signs Monitor, Bp, SpO2, Ear Temp	1 ea
MDSVMSNTC	Medline Vital Signs Monitor, Bp, SpO2, Oral Temp	1 ea
MDSVMSNTT	Medline Vital Signs Monitor, Bp, SpO2, Ear Temp	1 ea
CQCMDLN0003	CareConnection rolling stand with basket/wraps and power strip	1 ea
CQCTAB300EKIT	CareConnection Tablet Kit—Includes tablet, enclosure, cables, 3-year warranty and software	1 ea

Additional Parts

CQCBTHERM	Bluetooth, non-contact thermometer (optional, bracket mount also available)	1 ea
MDSSP02ADL***	Adult Pulse Oximeter Finger Sensor, Reusable	1 ea
MDSSP02PED**	Pediatric Pulse Oximeter Finger Sensor, Reusable	1 ea
MDSSP02PEDDSP**	Pediatric Pulse Oximeter Finger Sensor, Disposable	1 ea
MDS9911HPREH*	Blood Pressure Cuff, Child (13.8–21.5 cm)	1 ea
MDS9913HPREH*	Blood Pressure Cuff, Adult (27.5–36.5 cm)	1 ea
MDS9914HPREH*	Blood Pressure Cuff, Large Adult (35.5–46 cm)	1 ea
MDS9915HPREH*	Blood Pressure Cuff, Thigh (45–56.5 cm)	1 ea
MDSM3AWRRNTY	Additional 1-Year extended warranty for Edan M3 or Medline vital signs monitors only (does not apply to other CareConnection items)	1 ea
KDL502000	Oral Probe Covers for Filac 3000	2,000/cs
MDSM3A7208058	Ear Probe Covers	200/bx

* Additional Medline cuff options also available. Refer to page 20 for 1-Tube HP Connector Cuffs.
 ** Will need to purchase MDSSP02EXT.
 *** Only compatible with M3 vitals monitors listed above
 † Additional software component required. For more details contact careconnection@medline.com.

Temperature and Facial Recognition Tablet

Provide a front line defense for your staff, residents and visitors when entering your facility.

- Easy to set up and use
- Accurate within 0.54°F
- 30,000 face database
- Local storage (no cloud based data) and no monthly fees
- Can integrate with access control system
- Tablet is NDAA compliant

Item No.	Description	Pkg.
SEC-TEMPKIT	Non-contact temperature scanning tablet NDAA compliant (includes power cord and wall bracket)	1 ea
SEC-TABDESK	Desktop stand for InVidTech SEC-TEMPKIT	1 ea
IPM-TABPED3	Floor stand for InVidTech temperature scanning tablets	1 ea



Also available: IPM-TABPED3 floor stand (sold separately)



Vital Signs Monitors

Medline VSM Vital Signs Monitors

Medline's new Vital Signs Monitor provides best-in-class user experience with EMR enabled connectivity for our CareConnection Solution.

- Lightweight, ultra-low profile design with large 8" touchscreen display and intuitive controls
- Over 16,000,000 readings of internal memory and 1,000 individual patient profiles
- Included: (1) adult reusable NIBP cuff, (1) reusable adult SPO2 sensor, (1) box of probe covers (thermometer models), (1) reusable SPO2 extension cable MDSSPO2CABLE
- Available in different configurations to meet your clinical needs
- Industry leading 3-year warranty for monitor; 1-year for accessories. Additional 1-year extended warranty for monitor is also available—sold separately at time of purchase (MDSM3AWRRNTY)

Choose Your Configuration

Item No.	NIBP	SpO2	Oral Temp	Ear Temp	Printer	Pkg.
MDSVSMN1	•	•				1 ea
MDSVMSNTC	•	•	•			1 ea
MDSVMSNTT	•	•		•		1 ea

SPO2 Accessories

Item No.	Description	Pkg.
MDSSPO2CABLE	SPO2 Extension Cable for Sensors—Replacement	1 ea
MDSSPO2NEO*	Reusable, Neonatal Wrap Pulse Oximetry Sensor	1 ea
MDSSPO2PED*	Reusable, Pediatric Finger Pulse Oximetry Sensor	1 ea
MDSSPO2ADULT*	Reusable, Adult Finger Pulse Oximetry Sensor	1 ea
MDSSPO2NEODSP*	Disposable, Neonatal Finger Pulse Oximetry Sensor	1 ea
MDSSPO2PEDDSP*	Disposable, Pediatric Finger Pulse Oximetry Sensor	1 ea
MDSSPO2DISP*	Disposable, Adult Finger Pulse Oximetry Sensor	1 ea
MDSSPO2EAR*	Reusable, Pulse Oximeter Ear Sensor	1 ea

*Will require MDSSPO2CABLE

Thermometer Accessories

Item No.	Description	Pkg.
MDSM3A7208058	Ear Probe Covers	200/bx
MDSPROBELOAD	Ear Probe Cover Dispenser	1 ea
KDL502000	Oral Probe Covers for Filac 3000	2000/cs
KDL502000HH	Oral Probe Covers for Filac 3000	20/bx

Other Accessories

Item No.	Description	Pkg.
MDSVSMSTAND01	Rolling Stand w/ Basket	1 ea
MDSM3AWALL01	Wall Mount w/ Basket and Swinging Arm	1 ea
MDSPOWERCORD	Replacement Power Cord	1 ea
MDSBPTUBEVSM	Replacement NIBP tubing	1 ea
MDSM3AWRRNTY	Additional 1-year extended warranty (required at time of purchase)	1 ea
MDSBATTERYVSM	Replacement lithium-ion battery, 11.1 V, 2400 mAh	1 ea
MDSM3A411782	Wheel replacement, M3A VSM stand, metal	1 ea



See page 20 for blood pressure cuff options.

Edan M3A Vital Signs Monitors

Edan Vital Signs Monitor gives you the ability to provide spot and continuous measurement for NIBP, SpO2 and temperature in one monitor.

- Easy-to-read and user-friendly monitor
- Included: (1) adult reusable NIBP cuff, (1) reusable adult SPO2 sensor, (1) box of probe covers (thermometer models), (1) roll of printer paper (printer models)
- 2 year standard warranty and available in different configurations to meet your clinical needs
- Additional 1-Year extended warranty for monitor available at point-of-sale only (MDSM3AWRRNTY)
- Demo units available for 2 weeks

Choose Your Configuration

Item No.	BP	SpO2	Oral Temp	Ear Temp	Printer	Pkg.
MDSM3ASN1	•	•				1 ea
★ MDSM3ASNTC	•	•	•			1 ea
MDSM3ASNTT	•	•		•		1 ea
MDSM3ASNTCP	•	•	•		•	1 ea
MDSM3ASNTTP	•	•		•	•	1 ea

SPO2 Accessories

Item No.	Description	Pkg.
MDSSPO2EXT	SPO2 Extension Cable for Sensors—Required	1 ea
MDSSPO2ADL	Reusable, Adult Pulse Oximeter Finger Sensor	1 ea
MDSSPO2NEO*	Reusable, Neonatal Pulse Oximeter Finger Sensor	1 ea
MDSSPO2PED*	Reusable, Pediatric Pulse Oximeter Finger Sensor	1 ea
MDSSPO2EAR*	Reusable, Pulse Oximeter Ear Sensor	1 ea
MDSSPO2NEODSP*	Disposable, Neonatal Pulse Oximeter Finger Sensor	1 ea
MDSSPO2PEDDSP*	Disposable, Pediatric Pulse Oximeter Finger Sensor	1 ea
MDSSPO2DISP*	Disposable, Adult, Pulse Oximeter Finger Sensor	1 ea


*Will need to purchase MDSSPO2EXT.

Thermometer Accessories

Item No.	Description	Pkg.
MDSM3A7208058	Ear Probe Covers	200/bx
MDSPROBELOAD	Ear Probe Cover Dispenser	1 ea
KDL502000	Oral Probe Covers for Filac 3000	2000/cs
KDL502000HH	Oral Probe Covers for Filac 3000	20/bx

Other Accessories

Item No.	Description	Pkg.
MDSVSMSTAND01	Rolling Stand w/Storage Basket	1 ea
MDSM3AWALL01	Wall Mount w/Storage Basket	1 ea
MDSM3A78035	Printer Paper	1 ea
MDSPOWERCORD	Replacement Power Cord	1 ea
MDSBPTUBE	NIBP extension tube, 3 meters	1 ea
MDSBATTERY42	Replacement lithium-ion battery, 14.8V, 2500mAh	1 ea
MDSM3A411782	Wheel replacement, M3A VSM stand, metal	1 ea
MDSM3ASSEMBLY	Replacement top basket and assembly parts for MDSVSMSTAND01	1 ea



MDSVSMSTAND01
Rolling stand
sold separately



See page 20 for blood pressure cuff options.

Vital Signs Monitors

8" color touch screen with user-friendly interface and integrated help function



Displays SYS, DIA, MAP, pulse, temp

2 year warranty with option to renew for free

Desk, floor and wall models available

Battery life: 17 hours on-time, 11 hours run-time in continuous monitor mode

Internal memory can hold 5,000,000 individual readings (5,000 measurements for 1,000 patients measurements) and keeps information safe for up to 200 years in the event of a power outage

3 measurement modes: monitor, spot-check and triage

EMR and LAN connectivity

Supports nurse call RJ11 port

4 USB ports (2 on the front, 2 on the side)

MDSRVSBST1

RVS-100 Advanced Vital Signs Monitor

This highly flexible, modular design adapts to many configurations and settings, from hospitals and clinics to offices and long-term care settings.

- Monitor, SpotCheck and Triage monitoring options and BP averaging mode (customizable between 2–5 measurements)
- High performance touch screen with integrated help function
- Wired or wireless connection to the account's EMR (HL7 standard)

Item No.	Description	Pkg.
MDSRVBSB1	RVS 100 vital signs monitor, NIBP, SpO2	1 ea
MDSRVSBST1	RVS 100 vital signs monitor, NIBP, SpO2, thermometer	1 ea
MDSRVSBSTP1	RVS 100 vital signs monitor, NIBP, SpO2, thermometer, printer	1 ea
MDSRVSTAND	Stands: mobile stands for RVS-100	1 ea
MDSRVBSB1B	RVS 100 vital signs monitor, NIBP, SpO2 with wall mount bracket	1 ea
MDSRVSBST1B	RVS 100 vital signs monitor, NIBP, SpO2, thermometer with wall mount bracket	1 ea

Includes

- Oral temperature probe and 1 box of probe covers —included in MDSRVSBST1, MDSRVSBSTP1 and MDSRVSBST1B
- 2 BP cuffs (adult and adult large), connectors and extension tubing
- SpO2 sensor (adult size) and extension tubing

Options

- Internal thermal printer
- Barcode reader
- Wi-fi
- Bluetooth connected non contact thermometer or Bluetooth connected tympanic/ear thermometer available (see next page)

LED illumination Specula dispenser



MDSRVSBST2H

Wide selection of EENT ri-scope L instruments

RVS-200 Vital Signs Wall Diagnostic System

An advanced combination of vital signs monitor and diagnostic system, its modular design can be adapted to your needs while reducing instrument complexity.

Item No.	Description	Pkg.
MDSRVBSB2*	RVS 200 Vital Signs Monitor, BP, SPO2	1 ea
MDSRVSBST2*	RVS 200 Vital Signs Monitor, BP, SPO2, Thermometer	1 ea
MDSRVSBSTP2*	RVS 200 Vital Signs Monitor, BP, SPO2, Thermometer, Printer	1 ea
MDSRVSBST2H	RVS 200 Vital Signs Monitor, BP, SPO2, Thermometer, EliteVue LED Otoscope/L2 Xenon Ophthalmoscope Heads	1 ea

*Otoscope/ophthalmoscope heads must be purchased separately, see next page for options

Options

- Internal thermal printer
- Barcode reader
- WiFi

RVS-Vital Signs Accessories

Item No.	Description	Pkg.
MDSRVSSCANNER	Bar code reader	1 ea
MDSRVSTAND	Mobile stand	1 ea
MDSRVSWIFI**	Wi-Fi	1 ea
MDSRVSSPO20	SpO2 sensor Riester neonatal for RVS-100	1 ea
MDSRVSSPO21	SpO2 sensor Riester child for RVS-100	1 ea
MDSRVSSPO22	SpO2 sensor Riester adult for RVS-100	1 ea
MDSRVSPAPER	Paper for RVS	20 rolls/pack
MDS12688	Probe covers for oral thermometer	500/bx
MDS1840BT*	Non contact Bluetooth thermometer for RVS for use with MDSRVBSB1 or MDSRVBSB1B	1 ea
MDS1835BT*	Tympanic Bluetooth thermometer for RVS for use with MDSRVBSB1 or MDSRVBSB1B	1 ea
MDS12640	Probe covers for MDS1835BT	1 ea
MDS13347	RVS Bluetooth adapter	1 ea

* If you are purchasing the Bluetooth thermometers, you must purchase MDS13347 as well
 ** If you need to integrate to an EMR network, you need to purchase 1ea MDSRVSWIFI per device you're integrating

Blood pressure cuffs

Item No.	Description	Pkg.
MDSRVSI07005	Blood pressure cuff, adult medium*, 25–35 cm	1 ea
MDSRVSI22005	Blood pressure cuff, adult large*, 33–47 cm	1 ea
MDSRVSI29006	Blood pressure cuff, child*, 18–26 cm	1 ea
MDSRVSI34002	Blood pressure cuff, newborn*, 6–11 cm	1 ea

* Blood pressure cuffs are not made with natural rubber latex

Otoscopes

Item No.	Description	Pkg.
MDS10567301	L3 LED otoscope head, 3.5V	1 ea
MDS10512301E	EliteVue LED macro otoscope Head, 3.5V	1 ea

Ophthalmoscopes

Item No.	Description	Pkg.
MDS10571301	L2 LED ophthalmoscope head, 3.5V	1 ea

*LED lighting comes standard on our instruments. It provides crisp, white illumination to help with an accurate diagnosis, and delivers to up to 100,000 hours lifetime

Specula options for otoscopes

Item No.	Description	Pkg.
MDS10803533	3 mm specula for L3 and EliteVue	1,000/bg
MDS10803534	4 mm specula for L3 and EliteVue	1,000/bg
MDS10803539	9 mm nasal specula for L3 and EliteVue	1,000/bg



MDSRVSTAND



MDSRVSSCANNER



MDSRVSSPO22



MDS10565301

L3 otoscope:

- 3x magnification plus additional bent arm magnifier for 4x magnification
- Specula ejection button to reduce cross contamination

EliteVue otoscope:

- 5x magnification
- Complete view of tympanic membrane
- Wheel to adjust focal depth
- Specula ejection button to reduce cross contamination



MDS10571301

See page 20 for blood pressure cuff options.

Patient Monitors

Edan iM Patient Monitors

Each Edan patient monitor provides essential measurement of patient's vital signs.

- Continuous skin temperature probes only
- 3/5 lead ECG, SpO₂, NIBP, 2-temp sensors
- 2-IBP port capability; CO₂ capability
- Operating battery life dependent on unit usage and configuration—ranges from 3.5 to 12 hours before a charge is needed



MDSIM20



MDSIM60TW



MDSIM70TW



MDSIM80T

Monitor Features by Model

Item No.	Screen Size	Battery Life	Built-In Printer	Touchscreen	Wi-Fi	CO2 Compatible**
MDSIM20	5.0"	5.5 hrs		●	●	●
MDSIM50T	8.4"	≥ 3.5 hrs		●		●
MDSIM50PT	8.4"	≥ 3.5 hrs	●	●		●
MDSIM60TW	10.4"	≥ 3.5 hrs		●	●	●
MDSIM60PTW	10.4"	≥ 3.5 hrs	●	●		●
MDSIM60PTWC	10.4"	≥ 3.5 hrs	●	●		Built In
MDSIM70TW	12.1"	≥ 7 hrs		●	●	●
MDSIM70PTW	12.1"	≥ 7 hrs	●	●		●
MDSIM70PTWC	12.1"	≥ 7 hrs	●	●		Built In
MDSIM80PT	15"	6–12 hrs	●	●		●
MDSIM80T	15"	6–12 hrs		●		●

**Additional parts are required for these parameters.

Edan iM Series Patient Monitor Accessories

Item No.	Description	Pkg.
MDS040187	Reusable skin temperature probe	10/pk
MDSM3A78035	Replacement Paper for the Patient Monitor Printer	1 ea
MDS0157471095	Replacement 3-Lead Leadwire Cable F/ Edan iM Series	1 ea
MDS0157471022	5-Lead Leadwire Cable F/ Edan iM Series	1 ea

Edan iM Series SPO₂ Accessories

Item No.	Description	Pkg.
MDSSPO2ADL	Adult Pulse Oximeter Finger Sensor, Reusable	1 ea
MDSSPO2DISP*	Adult Pulse Oximeter Finger Sensor, Disposable	1 ea
MDSSPO2PEDDSP*	Pediatric Pulse Oximeter Finger Sensor, Disposable	1 ea
MDSSPO2NEODSP*	Neonatal Pulse Oximeter Finger Sensor, Disposable	1 ea
MDSSPO2PED*	Pediatric Pulse Oximeter Finger Sensor, Reusable	1 ea
MDSSPO2NEO*	Neonatal Pulse Oximeter Finger Sensor, Reusable	1 ea
MDSSPO2EAR*	Pulse Oximeter Ear Sensor	1 ea
MDSSPO2EXT	SpO ₂ Extension Cable, 2 meters long— Required	1 ea

*Will need to purchase MDSSPO2EXT.

CO₂ Modules**

Item No.	Description	Pkg.
MDSIMRESP	Module, CO ₂ , Sidestream, F/Edan iM Series	1 ea

Edan iM Series Patient Monitor Mounting Accessories

Item No.	Description	Pkg.
MDSVSMSTAND01	Rolling Stand w/ iM50 Mounting Plate	1 ea
MDSM3AWALL01	Swinging Wall Mount w/ iM50 Mounting Plate	1 ea
MDSPLATEIM	Mounting Plate for iM60 and iM70 (Needed to attach monitor to wall mount and/or mobile stand)	1 ea
MDSPLATEIM80	Mounting Plate for iM80 (Needed to attach monitor to wall mount and/or mobile stand)	1 ea

*iM50 does not need additional mounting plate

X Series Patient Monitors

The X series patient monitors are fast, accurate and cost effective. They measure NIBP, SpO₂, ECG, temperature and optional CO₂ anywhere and anytime. They can be designed in a variety of configurations to fulfill your primary clinical requirements for practically any healthcare environment. With their compact, light-weight design, the monitors can easily be carried by the built-in handle or attached to a rolling stand and wall mount.

Choose your configuration

Item No.	Screen Size	NIBP	SpO ₂	Skin Temp	ECG	Printer	CO ₂	Wi-Fi	Pkg.
MDSX8	8.0"	●	●	●	●			●	1 ea
MDSX8PT	8.0"	●	●	●	●			●	1 ea
MDSX8PTC	8.0"	●	●	●	●	●		●	1 ea
MDSX10	10.1"	●	●	●	●			●	1 ea
MDSX10PT	10.1"	●	●	●	●			●	1 ea
MDSX10PTC	10.1"	●	●	●	●	●		●	1 ea
MDSX12	12.1"	●	●	●	●			●	1 ea
MDSX12PT	12.1"	●	●	●	●			●	1 ea
MDSX12PTC	12.1"	●	●	●	●	●		●	1 ea

SPO₂ Accessories

Item No.	Description	Pkg.
MDSSPO2CABLE	Extension cable for X-series SpO ₂ sensors	1 ea
MDSSPO2SENS	Reusable, adult finger pulse oximetry sensor (connects directly to device)	1 ea
MDSSPO2ADULT*	Reusable, adult pulse oximetry finger sensor	1 ea
MDSSPO2PED*	Reusable, pediatric pulse oximeter finger sensor	1 ea
MDSSPO2NEO*	Reusable, neonatal pulse oximeter finger sensor	1 ea
MDSSPO2EAR*	Reusable, pulse oximeter ear sensor	1 ea
MDSSPO2DISP*	Disposable, adult pulse oximeter finger sensor	1 ea
MDSSPO2PEDDSP*	Disposable, pediatric pulse oximeter finger sensor	1 ea
MDSSPO2NEODSP*	Disposable, neonatal pulse oximeter finger sensor	1 ea

*Requires MDSSPO2CABLE (sold separately)

Other Accessories

Item No.	Description	Pkg.
MDSVSMSTAND01	Rolling stand w/storage basket	1 ea
MDSPOWERCORD	Replacement power cord	1 ea
MDSM3A411782	Wheel replacement, M3A VSM stand, metal	1 ea
MDSBPTUBEVSM	Replacement BP Tube: HP connector, 3M	1 ea
MDSPMPAPERPAK	Replacement printer paper	1 pk/4 ea
MDSBATTERYX	Replacement rechargeable lithium-ion battery	1 ea
MDSM3AWALL01	Wall mount (Mounting plate for X8/X10 included, Mounting plate for X12 sold separately)	1 ea
MDSPLATEIM	Mounting plate for X12 (sold separately)	1 ea
MDS02012105	Dewatering Cup for G2 CO ₂	1 ea



MDSX8



MDSX10



MDSX12

ECG and Temperature Accessories

Item No.	Description	Pkg.
MDSVECG3LS	Replacement 3 lead ECG leadwire	1 ea
MDSVECG5LS	5 lead ECG leadwire	1 ea
MDS0115040225	Replacement adult skin temp	1 ea

See page 20 for blood pressure cuff options.

Blood Pressure Cuffs

Medline Reusable BP Cuffs

Our reusable cuffs are built to last.

- A strong polymer that can withstand up to 10,000 inflations
- Stain and fluid resistant material for durability
- Color-coding, size guide and range marker for a proper fit



Item No.	Description	Pkg.
MDS9910HPRE	Infant (9-14.8 cm)	5/bg
MDS9911HPRE	Child (13.8-21.5 cm)	5/bg
MDS9912HPRE	Small Adult (20.5-28.5 cm)	5/bg
MDS9913HPRE	Adult (27.5-36.5 cm)	5/bg
MDS9914HPRE	Large Adult (35.5-46 cm)	5/bg
MDS9915HPRE	Thigh (45-56.5 cm)	5/bg

See pages 13–15 and 18–19 for compatible monitors

Medline Disposable BP Cuffs

Our disposable cuffs help reduce the risk of cross-contamination.

- Soft, pliable material with rounded corners and finished edges for patient comfort
- Attached tubing is thrown away with the cuff to further reduce contamination risk
- Patient initial box helps confirm each cuff is used on only one patient
- Color-coding, size guide and range marker for a proper fit



Item No.	Description	Pkg.
MDS9910HP	Infant (9-14.8 cm)	5/bg
MDS9911HP	Child (13.8-21.5 cm)	5/bg
MDS9912HP	Small Adult (20.5-28.5 cm)	5/bg
MDS9913HP	Adult (27.5-36.5 cm)	5/bg
MDS9914HP	Large Adult (35.5-46 cm)	5/bg
MDS9915HP	Thigh (45-56.5 cm)	5/bg

See pages 13–15 and 18–19 for compatible monitors

Holter Monitors

Edan SE-2003 Holter Monitors

- Lightweight and compact design for patient comfort; holter weighs only 50g
- IP27 rated to help prevent unexpected damage from water or dust
- OLED screen displays waveforms in real time
- Has advanced software analysis including pacemaker detection
- Records up to eight days with one battery



MDSECG2003

Item No.	Description	Pkg.
MDSECG2003	3-Channel Holter Monitor w/Software	1 ea
MDSECG2003H	3-Channel Holter Monitor	1 ea

Accessories

Item No.	Description	Pkg.
MDSHOLTERSOF	Holter Software, for SE-2003, SE-2012	1 ea
MDSSEBELT	Holter Recorder, Belt	1 ea
MDSSEHOLDER	Holter Recorder, Holder	1 ea
MDSUSBCABLE	USB Cable for Holter Connection w/PC	1 ea
MDESCABLE5	5-Lead ECG Cable	1 ea
MDESCABLE7	7-Lead ECG Cable	1 ea
MDESCABLE10	12-Lead ECG Cable	1 ea
MDSM611905H	MedGel Stress/Diaphoretic Foam Electrodes	5/pk

ECG Monitors

12-Lead Interpretive ECG Monitor

Portable ECG accurately records, stores and shares cardiac rhythms for diagnosis and care—with an advanced analog/digital converter technology that detects weak signals.

- Anti-noise technology and comprehensive filters for more accurate patient readings
- Real-time ECG waveform freezing and review to assist with diagnosis
- Communicates with most PCs, networks or printers; interfaces using USB, SD card, Ethernet and more
- Built-in thermal printer; connects to most USB printers
- Stores up to 200 ECGs in internal memory

Item No.	Description	Pkg.
MDSECGSE1201	12-Lead ECG Monitor, SE 1201—Medline Exclusive	1 ea
MDSECGSE12EXP	12-Lead ECG Monitor, SE-12 Express (Stress Test Kit Sold Separately)	1 ea

Accessories

Item No.	Description	Pkg.
MDS0157040172	Alligator Clips for ECG	10/pk
MDS0157107048	Replacement Leadwire for ECG	1 ea
GCO32017349	Replacement ECG thermal paper for SE-1201	1 ea
MDSECGEXPKIT	Stress ECG kit for MDSECGSE12EXP (includes software upgrade and cable)	1 ea
MDSM616201H	MedGel ECG Resting Tab Electrodes, Size Adult	100/pk
MDSM616201Z	MedGel ECG Resting Tab Electrodes, Size Adult	500/bx
MDSECGSTAND01	Rolling Stand for Edan ECG Monitors	1 ea
MDSECGSE12P	Replacement recording paper for SE-12 Express	1 ea

PC-Based ECG with Software and Sampling Boxes

Edan PC-based ECG devices are compact and easy to use, 12-lead resting ECG solutions with one button operation. Uses PC-based software (not Mac compatible) that works as a PC ECG and data management system, and is available in wired or wireless Bluetooth.

- Includes reliable, interpretive SEMIP® algorithm for better diagnosis reference
- Color-coded lead map and ECG waveforms facilitate instant signal quality indications; arrhythmia segments can be detected highlighted and save automatically
- The built-in ECG glossary consists of rich diagnostics templates with detailed feature descriptions and integrated results
- Resting ECG: Supports up to 30 minutes of ECG acquisition with full disclosure waveforms; VCG, TVCG, SAECG, QTD, HRV, and HRT analysis are also available for corresponding applications
- Stress Test: Supports unlimited user-defined protocols with automatic 12-lead reports; reporting options also include ST Assessment, METs, Double Product, Duke Score and FAI%

Item No.	Description	Pkg.
MDSECGDP12*	Wired ECG Sampling Box, 12-lead	1 ea
MDSECGDX12*	Wireless ECG Sampling Box, 12-lead	1 ea
MDSM611905H	MedGel Stress/Diaphoretic Foam Electrodes	5/pk
MDS0157471499	Replacement Leadwire for DP12	1 ea
MDS0157471279	Replacement Leadwire for DX12	1 ea

*SE-1515 Software Included



MDSECGSE1201



MDSECGSE12EXP



MDSECGDX12



MDSECGDP12

12-Lead Interpretive Touchscreen ECG Monitor


Compact and lightweight for portability, this touchscreen ECG machine features easy, one-button operation.

- The high-resolution color touchscreen can display 12-lead waveforms simultaneously
- Include a built-in thermal printer and also connect to most USB external printers
- Support bidirectional communication with SE-1515 data management system, sold separately
- Additional features include comprehensive filters, anti-noise technology and a built-in rechargeable Lithium battery

Item No.	Description	Pkg.
MDSECGSE301	Touchscreen 3-Channel ECG Machine	1 ea
MDSECGSE301C	Touchscreen 3-Channel ECG Machine; includes WiFi with Exporting Functions	1 ea


Accessories

Item No.	Description	Pkg.
MDS015778076	Paper Roll for MDSECGSE301	1 ea
MDS0157107048	Replacement Leadwire for ECG	1 ea
MDSECGSTAND01	Rolling Stand for Edan ECG Monitors	1 ea
MDSPLATESE301	Mounting plate F/SE 301—required to connect to MDSECGSTAND01	1 ea
MDSM611905H	MedGel Stress/Diaphoretic Foam Electrodes	5/pk



MDSECGSE301

How it works:



Contact Medline for a list of compatible systems.

Fetal Monitors and Handheld Dopplers

Edan F6 Express Fetal Monitor

This fetal monitor features a large, foldable high-resolution color TFT-LCD screen that can display waveforms and numeric values simultaneously.

- It offers great waveform storage and playback
- Separate fetal and maternal parameters available
- Additional components include a built-in long life thermal printer for fast printing of stored traces and built-in rechargeable battery for continuous work
- Highly sensitive, water-resistant fetal heart rate monitor (MDSFHR) is included with monitor (Additional MDSFHR is required to monitor twins)

Item No.	Description	Pkg.
MDSFETALF6E	F6 Express Monitor with MCG, HR/PR, NIBP, SpO2 and Temp	1 ea
MDSFETALF6	F6 Monitor with Twins FHR, Toco, AFM, Fetal Movement	1 ea

Accessories

Item No.	Description	Pkg.
MDSFHR	Fetal Heart Rate Transducer with 12-Crystal Probe	1 ea
MDSPAPERF6F9	Replacement Monitor Paper for F6/F9 Express Fetal Monitor	1 ea
MDSMT803	Luxury Trolley for F6 Express Fetal Monitor	1/bx
MDSVSMSTAND01	Rolling Stand with Basket (Requires MDSPLATEF6)	1 ea
MDSPLATEF6	Mounting Plate for F6 Express Fetal Monitor and MDSVSMSTAND01 Rolling Stand	1 ea



MDSFETALF6E

Edan Fetal Pocket SD1 Doppler

This compact, all-in-one handheld Doppler emits an extremely low radiation level for a safer, more comfortable application.

- Built-in speaker with adjustable volume
- Digital display of FHR; touch panel for easy control
- 3 MHz probe detects fetal heartbeat
- Normal AA batteries for easy replacement



MDSSD1F

Edan Fetal Pocket SD1 Doppler with Built-in Probe

Item No.	Description	Pkg.
MDSSD1F	Handheld 3 MHz Fetal Doppler	1 ea

Edan Sonotrax Fetal and Vascular Doppler

Have the power of two dopplers in one, with the versatile and lightweight Sonotrax doppler. Equipped with exceptional sound quality and advanced probe sensitivity, this unit provides fast and accurate detection for both vascular and fetal heart rate applications

- Lightweight, portable design with headphone plug
- LCD screen displays FHR and probe frequency
- Interchangeable waterproof probe design

Item No.	Description	Pkg.
MDSDOPPLERF	Fetal Doppler with 2 MHz Probe	1 ea
MDSDOPPLERVF	Fetal Doppler with 2 MHz and 4 MHz Probes	1 ea
MDSDOPPLERV	Vascular Doppler with 4 MHz Probe	1 ea
MDSDOPPLERV8	Vascular Doppler with 8 MHz Probe	1 ea

Additional Sonotrax Probe Options

Item No.	Description	Pkg.
MDSPROBEF	Fetal Probe, 2 MHz	1 ea
MDSPROBEF3	Fetal Probe, 3 MHz	1 ea
MDSPROBEV	Vascular Probe, 4 MHz	1 ea
MDSPROBEV5	Vascular Probe, 5 MHz	1 ea
MDSPROBEV8	Vascular Probe, 8 MHz	1 ea

Additional Accessories

Item No.	Description	Pkg.
MDSDOPSTAND	Rolling Stand for Edan Doppler	1 ea



MDSDOPPLERF

Edan SD3 Fetal and Vascular Doppler

Versatile, compact and portable, our SD3 Ultrasonic Pocket Doppler makes quick vascular and fetal heart rate detection easier than ever. This doppler is designed with excellent sensitivity, interchangeable probes and superior sound quality for optimal results.

- 2 MHz and 3 MHz Interchangeable probes available for fetal heart rate detection
- 4, 5 and 8 MHz interchangeable probes available for vascular blood flow applications
- Real-time monitoring for daily use; record and play with audio playback and numeric display
- Built-in Li-ion rechargeable battery ensures long working time

Edan Fetal and Vascular SD3 Doppler

Item No.	Description	Pkg.
MDSSD3F	Fetal Doppler with 2 and 3 MHz Probes	1 ea
MDSSD3V	Vascular Doppler with 5 and 8 MHz Probes	1 ea
MDSSD3BASE	SD3 Doppler Charging Base	1 ea
MDSSD3F2	Fetal Doppler with 2 MHz Probe	1 ea
MDSSD3V4	Vascular Doppler with 4 MHz Probe	1 ea

Additional SD3 Probe Options

Item No.	Description	Pkg.
MDSSD3PROBE2	SD3 Fetal Probe, 2MHz	1 ea
MDSSD3PROBE3	SD3 Fetal Probe, 3MHz	1 ea
MDSSD3PROBE4	SD3 Vascular Probe, 4MHz	1 ea
MDSSD3PROBE5	SD3 Vascular Probe, 5MHz	1 ea
MDSSD3PROBE8	SD3 Vascular Probe, 8MHz	1 ea

Additional Accessories

Item No.	Description	Pkg.
MDSDOPSTAND	Rolling Stand for Edan Doppler— requires MDSDOPPLERPL to connect	1 ea



MDSSD3F

Ultrasound Monitors

Ultrasound Monitors

Ultrasound Monitors



MDSUS60V11



MDSU50X



MDSU60



MDSAX3

Ultrasound	Applications									Screen Size	Battery Life	Weight	Color Screen	Touch screen		Needle Enhancement Imaging	Tissue Adaptive Imaging	DICOM	Wi-Fi	Harmonic Imaging	Speckle Reduction Imaging	Transducer Options					
	Abdomen	Gynecology	Obstetrics	Cardiology	Small Parts	MSK	Urology	Vascular	Pediatric													Convex	Linear	Linear (High Frequency)	Phased	Endocavity	
MDSUS60V11	●	●	●	●	●	●	●	●	●	12.1"	120 min	7 kg			MDSUS60V11			●		●	●	●	●	●	●		
MDSU50X	●	●	●	●	●		●	●	●	12.1"	90 min	7 kg	●		MDSU50X			●		●	●	●	●	●	●	●	●
MDSU60	●	●	●	●	●		●	●	●	15"	80 min	8.5 kg	●		MDSU60			●		●	●	●	●	●	●	●	●
MDSAX3	●	●	●	●	●	●	●	●	●	15.6"	60 min	4.2 kg	●	●	MDSAX3	●	●	●	●	●	●	●	●	●	●	●	●

* Subject to Regulatory approval.

Edan DUS60 Transducers and Accessories (MDSUS60V11)


Item No.	Description
MDSC3612	2–6 MHz Convex Array Transducer
MDSC6112	5–8 MHz Micro-Convex Array Transducer
MDSL7432	5–10 MHz Linear Array Transducer, FOV 40mm
MDSE6112	5–8MHz Endocavity Micro Convex Array Transducer
MDSE7412	5–10 MHz Endocavity Linear Convex Array Transducer
MDSL7612	5–10 MHz Linear Array Transducer, FOV 60mm
MDSMT805	Rolling stand for DUS60, U50 and U60

Edan U50X and U60 Transducers and Accessories (MDSU50X and MDSU60)

Item No.	Description
MDSP51B	1.8–4.3 MHz Phased Array Transducer
MDSC52B	2–6 MHz Convex Array Transducer
MDSC422UB	2.6–5.5 MHz Micro-Convex Array Transducer
MDSL552UB	3.7–7.6 MHz Linear Array Transducer
MDSC6152UB	4.3–9.3 MHz Micro-Convex Array Transducer
MDSC612UB	4.7–9.5 MHz Micro-Convex Array Transducer
MDSE612UB	5–8 MHz Endocavity Micro-Convex Array Transducer
MDSL742UB	5–10 MHz Linear Array Transducer
MDSL157B	7–16 MHz Linear Array Transducer
MDSL1042UB	8–12 MHz Linear Array Transducer
MDSMT805	Rolling stand for DUS60, U50 and U60

Edan Acclarix AX3 Compact Ultrasound Systems Accessories (MDSAX3)

Item No.	Description
MDSP51Q	1–5 MHz Phased Array Transducer
MDSC52Q	2–5 MHz Convex Array Transducer
MDSE84Q	4–8 MHz Endocavity Micro Convex Array Transducer
MDSL125Q	5–12 MHz Linear Array Transducer
MDSAX7STAND	Mobile Stand for AX3



**We make
healthcare
run better™**

Medline Industries, LP
 Three Lakes Drive, Northfield, IL 60093
 Medline United States | 1-800-MEDLINE (633-5463)
 medline.com | info@medline.com

Medline Canada
 1-800-268-2848 | medline.ca | canada@medline.com
Medline México
 01-800-831-0898 | medlinemexico.com | mexico@medline.com

Follow us    

Some products may not be available for sale in Mexico or Canada. We reserve the right to correct any errors that may occur within this brochure. All product names, regardless of whether or not they appear with a trademark symbol, are the property of their respective companies unless otherwise noted. Trademark designations refer to trademarks registered or pending in the United States only.

© 2022 Medline Industries, LP. All rights reserved. Medline is a registered trademark of Medline Industries, LP. MKT19W3054686 / LIT906R / 87