



Article Information Sheet

Copyright,2014,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

Document Group:	10-5846-0	Version Number:	1.00
Issue Date:	08/06/14	Supersedes Date:	Initial Issue

SECTION 1: Identification

1.1. Product identifier

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125

Product Identification Numbers

70-0704-3293-8, 70-0704-3294-6, 70-2004-7695-3, 70-2005-0097-6, 70-2005-0101-6, 70-2005-0451-5, 70-2005-0452-3, 70-2005-0453-1, 70-2005-0455-6, 70-2005-0525-6, 70-2005-0526-4, 70-2005-0527-2, 70-2005-0528-0, 70-2005-0529-8, 70-2005-0530-6, 70-2005-0531-4, 70-2005-0532-2, 70-2005-0547-0, 70-2005-0548-8, 70-2005-0549-6, 70-2005-0550-4, 70-2005-1400-1, 70-2005-1401-9, 70-2005-1402-7, 70-2005-1403-5, 70-2005-1404-3, 70-2005-1405-0, 70-2005-1406-8, 70-2005-1407-6, 70-2005-1408-4, 70-2005-1409-2, 70-2005-1410-0, 70-2005-1411-8, 70-2005-1412-6, 70-2005-1413-4, 70-2005-1414-2, 70-2005-1415-9, 70-2005-1416-7, 70-2005-1417-5, 70-2005-2025-5, 70-2005-2138-6, 70-2005-2139-4, 70-2005-2140-2, 70-2005-2141-0, 70-2005-2142-8, 70-2005-2143-6, 70-2005-2174-1, 70-2005-3154-2, 70-2005-3155-9, 70-2005-3160-9, 70-2005-3495-9, 70-2005-3869-5, 70-2005-4300-0, 70-2005-4304-2, 70-2005-4308-3, 70-2005-4309-1, 70-2005-4312-5, 70-2005-4353-9, 70-2005-4356-2, 70-2005-4709-2, 70-2005-4710-0, 70-2005-5905-5, 70-2005-5906-3, 70-2005-5907-1, 70-2005-5908-9, 70-2005-7709-9, 70-2005-7711-5, 70-2005-7712-3, 70-2005-7713-1, 70-2005-7714-9, 70-2005-7715-6, 70-2005-7716-4, 70-2005-7720-6, 70-2005-7721-4, 70-2005-8315-4, 70-2005-8316-2, 70-2005-8319-6, 70-2005-8321-2, 70-2005-8634-8, 70-2005-9004-3, 70-2006-1963-6, 70-2006-2900-7, 70-2006-4325-5, 70-2006-4816-3, 70-2006-5215-7, 70-2006-5216-5, 70-2006-5217-3, 70-2006-5336-1, 70-2006-5419-5, 70-2006-5468-2, 70-2006-5470-8, 70-2006-5471-6, 70-2006-5472-4, 70-2006-5738-8, 70-2006-5740-4, 70-2006-5746-1, 70-2006-5747-9, 70-2006-5748-7, 70-2006-5749-5, 70-2006-5899-8, 70-2006-5900-4, 70-2006-6817-9, 70-2006-6818-7, 70-2006-7604-0, 70-2006-8304-6, 70-2007-2852-8, 70-2007-2853-6, 70-2007-2854-4, 70-2007-2862-7, 70-2007-2863-5, 70-2007-2864-3, 70-2007-2997-1, 70-2007-2999-7, 70-2007-3203-3, 70-2007-3422-9, 70-2007-3424-5, 70-2007-3639-8, 70-2007-3640-6, 70-2007-3643-0, 70-2007-3644-8, 70-2007-3645-5, 70-2007-3646-3, 70-2007-3658-8, 70-2007-3659-6, 70-2007-4207-3, 70-2007-4289-1, 70-2007-4290-9, 70-2007-4291-7, 70-2007-4483-0, 70-2007-4484-8, 70-2007-4485-5, 70-2007-4907-8, 70-2007-4908-6, 70-2007-4909-4, 70-2007-4916-9, 70-2007-4917-7, 70-2007-4918-5, 70-2007-4920-1, 70-2007-4921-9, 70-2007-4922-7, 70-2007-4927-6, 70-2007-4930-0, 70-2007-4932-6, 70-2007-6129-7, 70-2007-7709-5

1.2. Recommended use and restrictions on use

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125 08/06/14

Recommended use

I.V. secural and wound management.

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Critical & Chronic Care Solutions Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Silicone coated paper liner	Unknown	5 - 65
Polyethylene-cellulose silicone carrier liner	Unknown	0 - 35
Acrylate polymer	Trade Secret*	5 - 25
Urethane polymer	Mixture	5 - 15
Polyester Backing	Unknown	0 - 10
Rayon backing	Unknown	0 - 10
Polyethylene film	Unknown	0 - 1

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125
08/06/14

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Not applicable.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Physical Form:	Solid
Odor, Color, Grade:	Transparent film contained by 2 paper liners.
Odor threshold	Not Applicable
pH	Not Applicable
Melting point	No Data Available
Boiling Point	Not Applicable
Flash Point	Not Applicable
Evaporation rate	Not Applicable
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Vapor Pressure	Not Applicable
Vapor Density	Not Applicable
Density	Not Applicable
Specific Gravity	Not Applicable
Solubility in Water	Nil
Solubility- non-water	Not Applicable
Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	Not Applicable
Viscosity	Not Applicable
Volatile Organic Compounds	No Data Available
VOC Less H2O & Exempt Solvents	No Data Available

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125
08/06/14

SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

SECTION 11: Toxicological information

Inhalation:

No health effects are expected

Skin Contact:

No health effects are expected

Eye Contact:

No health effects are expected

Ingestion:

No health effects are expected

Additional Information:

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a significant release of components to the environment or because those components that may be released are expected to have insignificant environmental impact.

SECTION 13: Disposal considerations

Dispose of contents/container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory requirements.

Commercial use of this material is regulated by the FDA.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125
08/06/14

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	10-5846-0	Version Number:	1.00
Issue Date:	08/06/14	Supersedes Date:	Initial Issue

DISCLAIMER: The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the AIS available directly from 3M.

3M USA AISs are available at www.3M.com

Material Safety Data Sheet

DYND75223

Component 05488

SECTION 1

ISSUE DATE: 10-12-96

IDENTITY: **Alcohol Swabs**

MARKETED OR DISTRIBUTED BY:

Medline Industries, Inc.
One Medline Place
Mundelein, IL 60060
1.800.MEDLINE

Emergency Telephone Number:
Contact Your Local Poison Control Center

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

HAZARDOUS COMPONENTS (SPECIFIC CHEMICAL IDENTITY, COMMON NAME(S)) CAS #	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	% (OPTIONAL)
Isopropyl alcohol (99%) CAS #67-63-0				
Each individual swab contains approximately 0.6 mL of application solution. The application solution consists of 70% isopropyl alcohol and 30% purified water.				

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

BOILING POINT: N/A	SP GRAVITY (WATER=1): Not applicable to swabs
VAPOR PRESSURE (MM HG): 4.4 kPa @ 20°C (for 99% alcohol only)	MELTING POINT: N/A
VAPOR DENSITY (AIR=1):2.07 (for 99% alcohol only)	EVAPORATION RATE(BUTYL ACETATE=1): 2.35 (for 99% alcohol only)
SOLUBILITY IN WATER: Not applicable for swabs	VOLATILITY/VOL(%): 99 (for 99% alcohol only)
APPEARANCE AND ODOR: Individually sealed alcohol impregnated swab with an alcohol odor when opened.	

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT(METHOD USED): 12 °C, TCC (for 99% alcohol only)		
FLAMMABLE LIMITS: Flammable liquid on combustible tissue. AUTO IGNITION TEMPERATURE: 460°C (for 99% alcohol only)	LEL: 2 (for 99% alcohol only)	UEL: 12 (for 99% alcohol only)
EXTINGUISHING MEDIA: Dry chemical, carbon dioxide, alcohol foam, water.		
SPECIAL FIRE FIGHTING PROCEDURES: Hazardous combustion products are fumes, smoke, and oxides of carbon.		
UNUSUAL FIRE AND EXPLOSIVE HAZARDS: Keep away from sources of extreme heat and from sources of ignition.		

Material Safety Data Sheet

DYND75223

SECTION 5 - REACTIVITY DATA

STABILITY: Stable	CONDITIONS TO AVOID: N/A
INCOMPATIBILITY (MATERIALS TO AVOID): Strong oxidizing agents	
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: N/A	
HAZARDOUS POLYMERIZATION: Will not Occur	CONDITIONS TO AVOID: N/A

SECTION 6 - HEALTH HAZARD DATA

ROUTE(S) OF ENTRY: INHALATION: N/A	SKIN: N/A	INGESTION: N/A	
HEALTH HAZARDS (ACUTE AND CHRONIC): For 99% alcohol only: Inhalation: Low to moderate toxicity. Vapors in high concentrations are irritating and anesthetic. Eye Contact: May cause irritation and lead to damage if exposure persists. Skin Contact: Frequent or prolonged use may cause skin irritation and dermatitis. Ingestion: Low order of toxicity.			
CARCINOGENICITY? N/A	NTP? N/A	IARC? N/A	OSHA REGULATED?N/A
SIGNS AND SYMPTOMS OF EXPOSURE: N/A			
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A			
EMERGENCY AND FIRST AID PROCEDURES: For 99% alcohol only: Contact with Eyes: If eye contact occurs immediately flush with water for 15 minutes. If irritation persists obtain medical attention. Contact with Skin: Wash with soap and water. Inhalation: Remove from contaminated area. Apply artificial respiration if breathing has stopped. Call physician. Ingestion of Swabs: Not normal route of exposure. However, if ingested, remove swab and rinse mouth with water. Do not induce vomiting. Keep at rest and call a physician.			

SECTION 7 - SPILL, LEAK, AND WASTE DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Due to product packaging (swabs), the chance of a spill is negligible.
WASTE DISPOSAL METHOD: Disposed of used swab as normal household trash.
PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store product in cool place. The individual swabs are for external application only.

SECTION 8 - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): N/A		
VENTILATION:	LOCAL EXHAUST: N.A.	SPECIAL: N/A
	MECHANICAL (GENERAL): N/A	OTHER: N/A
PROTECTIVE GLOVES: N/A	EYE PROTECTION: N/A	
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A		
WORK/HYGIENIC PRACTICES: N/A		

SECTION 9 - SPECIAL PRECAUTIONS

None

SECTION 10 - ADDITIONAL INFORMATION

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable.

Medline Industries, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.

Revised: 10/25/01 Changed telephone number

Material Safety Data Sheet

DYND75223

Component 51964, 27132

SECTION 1

ISSUE DATE: July 28, 2004

IDENTITY: **Chloraprep® 2%**

MARKETED OR DISTRIBUTED BY:

Medline Industries, Inc.
One Medline Place
Mundelein, IL 60060
1.800.MEDLINE

Emergency Telephone Information:

Contact Your Regional Poison Control Center

SECTION 2 - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific chemical identity, common name(s))	CAS #	OSHA PEL	ACGIH TLV	Other limits Recommended	% (Optional)
Isopropanol or Isopropyl alcohol	67-63-0		400 ppm		70%
Chlorhexidine Gluconate					2% w/v

SECTION 3 - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling point: ° NA	SP Gravity (water=1): 0.880
Vapor pressure (mm Hg): N/A	Melting Point: Unknown
Vapor density (air=1): N/A	Evaporation Rate (butyl acetate=1): Unknown
Solubility in water: Complete	
Appearance and odor: Clear odorless liquid	

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash point (method used): 67°		
Explosive limits: N/A	LEL:	UEL:
Extinguishing media: Water fog, alcohol fog, carbon dioxide, dry chemical halogenated agents.		
Special Fire Fighting Procedures: Self contained breathing apparatus with full face piece and protective clothing.		
Unusual Fire and Explosive Hazards: May explode if exposed to extreme heat or flame.		

SECTION 5 - REACTIVITY DATA

Stability: Stable; vapors are violent
Conditions to avoid: Extreme heat or flame
Incompatibility (materials to avoid): Oxidizing materials
Hazardous decomposition or byproducts: Carbon dioxide, carbon monoxide, nitrogen oxides, ammonia
Hazardous polymerization: Will not Occur

Material Safety Data Sheet

DYND75223

SECTION 6 - HEALTH HAZARD DATA

Route(s) of Entry: Inhalation:		Skin:		Ingestion:	
Health Hazards (acute and chronic):					
Carcinogenicity?		NTP?	IARC?	OSHA Regulated?	
Signs and symptoms of exposure:					
Medical conditions generally aggravated by exposure:					
Emergency and First Aid procedures:					
Skin contact: Wash materials off the skin with copious amounts of water. If redness or a burning sensation develops, seek medical attention and discontinue use. See product label.					
Eye contact: Flush with copious amounts of water. After initial flushing remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and treated by medical personnel immediately.					
Ingestion: Give individual at least two glasses of water to drink. If gastrointestinal symptoms develop.					

SECTION 7 - SPILL, LEAK, AND WASTE DISPOSAL PROCEDURES

Steps to be taken in case material is released or spilled: For small spills, mop up and rinse to sewer serviced by a wastewater treatment facility. For large spills, eliminate sources of ignition and ventilate spill area. Wear skin, eye and respiratory protection during cleanup. Soak up liquid with absorbent and shovel into waste container. Cover container and remove from work area. Wash residue from spill area with water and flush to sewer serviced by a waste water treatment facility.
Waste Disposal Method: Follow all local, state and federal regulations. Is not a hazardous waste
Precautions to be taken in handling and storing: Avoid prolonged exposure (ingestion, inhalation, or skin) Avoid breathing vapors.
Other precautions: Store in cool dry, well ventilated area. Keep container closed

SECTION 8 - CONTROL MEASURES

Respiratory Protection (specify type): If needed, use MSHA-NIOSH approved respirator for organic vapors.		
Ventilation:	Local Exhaust:	Special:
As need to stay below exposure limits.	Mechanical (General):	Other:
Protective gloves: Rubber		Eye Protection: Safety glasses. Full face shield in addition if splashing is possible.
Other protective clothing or equipment: Apron		
Work/hygienic practices:		

SECTION 9 - SPECIAL PRECAUTIONS

None

SECTION 10 - ADDITIONAL INFORMATION

The information provided in this Material Safety Data Sheet has been obtained from sources believed to be reliable.

Medline Industries, Inc. provides no warranties, either expressed or implied and assumes no responsibility for the accuracy or completeness of the data contained herein.

Document Revision History:

Issued: July 28, 2004 New document