



Date: Dec 3, 2010

**USA**  
Coloplast Corp.  
1601 West River Road North  
Minneapolis, MN 55411  
Telephone: 800-788-0293  
Fax: 612-337-7802  
Customer Service: 800-533-0464  
www.us.coloplast.com

**CANADA**  
Coloplast Canada Corporation  
3300 Ridgeway Drive, Unit 12  
Mississauga, Ont. L5L 5Z9  
Telephone: 1-866-293-6349  
  
www.coloplast.ca

**EUROPE**  
Coloplast A/S  
Holtedam 1  
DK-3050 Humlebaek  
Telephone: +45 49 11 11 11  
Fax: +45 49 11 19 32  
  
www.coloplast.com

**MATERIAL SAFETY DATA SHEET:**

Reference: This MSDS is prepared to comply with: 29 CFR 1910.1200; Directive 91/155/EEC.

**SECTION 1. ----- IDENTIFICATION OF PRODUCT AND COMPANY -----**

**Product Name:** O.A.D.®

**Manufacturer:** Coloplast Manufacturing US, LLC  
1940 Commerce Drive  
North Mankato, MN 56003 USA  
Telephone: 507-345-6200 Fax: 507-345-3291

**EMERGENCY TELEPHONE NUMBER: 1-800-222-1222 (US), 1-866-293-6349 (Canada)**

**Product Information:** Accessory to ostomy appliances

**SECTION 2. ----- COMPOSITION / INFORMATION ON INGREDIENTS -----**

<b>Chemical Name:</b> Isopropyl Alcohol			
<b>CAS #</b> 67-63-0	<b>EINECS</b> 200-661-7	13	%
<b>Chemical Name:</b>	<b>EINECS</b>		%
<b>CAS #</b>	<b>EINECS</b>		%
<b>Chemical Name:</b>	<b>EINECS</b>		%
<b>CAS #</b>	<b>EINECS</b>		%

**INCI Ingredient Declaration:**

Purified Water, Isopropyl Alcohol, Nonoxynol-9, Sodium Lauroyl Lactylate & Propylene Glycol, Disodium Cocoamphodiacetate, Zinc Ricinoleate & Triethanolamine & Dipropylene Glycol & Lactic Acid, Orange Terpenes, Laureth-4, Styrene/PVP Copolymer, Blue 1

**SECTION 3. ----- HAZARDS IDENTIFICATION -----**

**Eye Contact:** Avoid contact with eyes  
**Skin Contact:** Intended use is for ostomy appliances. Based on product history, lack of customer complaints, and label directions, this product should be safe if used as intended.  
**Inhalation:** May be an inhalation irritant  
**Ingestion:** Do not ingest  
**Health Data:** Eye irritation may occur upon contact

**SECTION 4. ----- FIRST-AID MEASURES -----**

**In Case of Eye Contact:** Immediately flush with water for 15 minutes. Contact physician if irritation persists  
**In Case of Skin Contact:** Wash with soap and water. If irritation occurs, contact a physician. Intended use is for ostomy appliances.  
**If Inhaled:** May be an inhalation irritant. Remove to fresh air. Consult a physician.  
**IF Ingested/Swallowed:** Consult a physician or poison control center.  
**Other:** None known

**SECTION 5. ----- FIRE FIGHTING MEASURES -----**

**Extinguishing Media:** Water, dry chemical, CO2  
**Special Firefighting Procedures:** None  
**Explosion Hazard:** Not Available  
**NFPA Rating**                      **Health:** 1                      **Fire:** 2                      **Reactivity:** 0                      **Other:** None

**SECTION 6. ----- ACCIDENTAL RELEASE MEASURES -----**

If local regulations permit, may be flushed into sewer with water.

**SECTION 7. ----- HANDLING AND STORAGE -----**

Store at room temperature for product stability.

**SECTION 8. ----- EXPOSURE CONTROLS / PERSONAL PROTECTION -----**

**Individual Protective Measures:** None required  
**Special Protective Measures:** None required

**SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----**

**Physical State:** Slightly viscous, opaque, light blue liquid with a characteristic odor.  
**Melting Point/Freezing Point:** Not Available  
**Boiling Point:** 180-200° F  
**Solubility (in water):** Nearly complete  
**Solubility (other):** Not Available  
**pH:** 6.5-8.0  
**Vapor Pressure:** @17  
**Density:** Heavier  
**Flash Point:** 80° F (closed cup)  
**Self-ignition Temperature:** Not Available  
**Evaporation Rate (Butyl Acetate =1):** Slower  
**Flammable Limits:**                      **LEL:** Not Available                      **UEL:** Not Available

**SECTION 10. ----- STABILITY AND REACTIVITY -----**

**Materials for Packaging or Bottling:** Not reactive  
**Hazardous Reactions With:** None known  
**Hazardous Decomposition Products:** None known

**SECTION 11. ----- TOXICOLOGICAL INFORMATION -----**

**Acute Effects:** Based on product history, lack of customer complaints, and label directions, this product should be safe if

used as intended.  
**Irritation Data Skin:** Product intended for use in ostomy appliances. There is no history of customer complaints of irritation to the skin.  
**Irritation Data Eyes:** Irritation may occur.  
**Other** None known

**SECTION 12. ----- ECOLOGICAL INFORMATION -----**

**General Advice:** Not Available.  
**Persistence/Degradability:** Should be readily degradable.  
**Behavior in Water Treatment Plants:** Not Available.

**SECTION 13. ----- DISPOSAL CONSIDERATIONS -----**

**Dispose of according to local, state, and federal regulations. Incinerate in an approved center.**  
**Other:** None known.

**SECTION 14. ----- TRANSPORT INFORMATION -----**

**Product classified as hazardous for transportation:** Yes \_\_\_\_\_ No  x   
**DOT (49 CFR) INFORMATION:**  
**DOT Shipping Name:**  
**DOT Hazard Class(es):**  
**Product Identification Number:**  
**Packing Group:**

**SECTION 15. ----- REGULATORY INFORMATION -----**

**EC Classification and Labeling:** Medical device accessory.  
**Symbol:** Not applicable  
**Risk Phrase:** Not applicable  
**Safety Advice:** Avoid contact with eyes. Keep out of reach of children. In case of eye contact, flush eyes with water. If irritation persists, consult a physician. For External Use Only.

**SECTION 16. ----- OTHER INFORMATION -----**

None

The information and data presented are based on our knowledge of the product as of the date above. Except as set forth above, Coloplast makes no warranties, whether express, implied or statutory, as to the product which is the subject of this document. Without limiting the generality of the foregoing, Coloplast makes no warranty of merchantability of the product or of the fitness of the product for any particular purpose. Buyer assumes all risk and liability resulting from the use or sale of the product, whether singly or in combination with other goods. The information set forth herein is furnished free of charge and is based on technical data that Coloplast believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside Coloplast's control, Coloplast makes no warranties, express or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.