



**Becton, Dickinson  
and Company**  
BD, Franklin Lakes, NJ 07417  
USA  
www.bd.com

## Kit Components

Kit Product No.	Kit Product Description
VHD	StatLock™ Stabilization Device, Hemodialysis

Kit Component(s)	Kit Component(s) Description
RM2405548	Skin Protectant Prep Pads - Sterile

### IMDG

UN number or ID number:	Not Regulated.
UN Proper Shipping Name:	Not Regulated.
Transport Hazard Class(es)	
Class:	Not Regulated.
Label(s):	Not Regulated.
EmS No.:	Not Regulated.
Packing Group:	Not Regulated.
Environmental Hazards:	Not Regulated.
Marine Pollutant:	Not Regulated.

Special precautions for user: This material is exempted from dangerous goods labeling and documentation requirements per ADR 3.5.1.4, IATA 2.6.10 and IMDG 3.5.1.4

### IATA

UN number or ID number:	Not Regulated.
Proper Shipping Name:	Not Regulated.
Transport Hazard Class(es):	
Class:	Not Regulated.
Label(s):	Not Regulated.
Packing Group:	Not Regulated.
Environmental Hazards:	Not Regulated.
Marine Pollutant:	Not Regulated.



**Becton, Dickinson  
andCompany**  
BD, Franklin Lakes, NJ 07417  
USA  
[www.bd.com](http://www.bd.com)

---

Special precautions for user:

Please note: If a listed component does not have a corresponding document included, this means that the product is not hazardous and does not require a Safety Data Sheet.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

# SAFETY DATA SHEET

Classified in accordance 29 CFR 1910.1200

## 1. Identification

### Product identifier

Product No.:	Product name:	Common name(s), synonym(s)
RM2405548	Skin Protectant Prep Pads - Sterile	No data available

### Recommended restrictions

**Recommended use:** Skin Antiseptic

**Restrictions on use:** For External Use Only

### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name: CR Bard Inc.  
Address: 8195 Industrial Blvd.  
Covington Ga. 30014  
USA

Telephone: (800) 227-3357  
Contact Person: Business Unit Product Stewardship Team  
E-mail: ucc-materials@bd.com

**Emergency telephone number:** CHEMTREC 1 800 424 9300

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

## 2. Hazard(s) identification

### Hazard Classification

#### Physical Hazards

Flammable liquids Category 1

#### Health Hazards

Serious Eye Damage/Eye Irritation Category 1

Specific Target Organ Toxicity - Single Exposure Category 3

### Label Elements

#### Hazard Symbol:



#### Signal Word:

Danger

#### Hazard Statement:

H224: Extremely flammable liquid and vapor.  
H318: Causes serious eye damage.  
H336: May cause drowsiness or dizziness.

#### Precautionary Statements

#### Prevention:

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P242: Use non-sparking tools.  
P243: Take action to prevent static discharges.  
P261: Avoid breathing dust/fume/gas/mist/vapors/spray.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.

#### Response:

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

P310: Immediately call a POISON CENTER/doctor.  
P370 + P378: In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

**Storage:** P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.

**Disposal:** P501: Dispose of contents/ container to an approved facility in accordance with local, regional, national and international regulations.

**Other hazards which do not result in GHS classification:**

FK: Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment.  
Spark: Sparks may ignite liquid and vapor.  
H241: May cause flash fire or explosion.

**3. Composition/information on ingredients**

**Mixtures**

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) <sup>*</sup>
2-Propanol	No data available.	67-63-0	80%
1-Butanol	No data available.	71-36-3	5%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

**4. First-aid measures**

**Description of first aid measures**

**General information:** Causes serious eye damage. May cause drowsiness or dizziness.

**Inhalation:** Get medical attention if any discomfort continues.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

<b>Skin Contact:</b>	Wash off promptly and flush contaminated skin with water. Promptly remove clothing if soaked through and flush skin with water.
<b>Eye contact:</b>	Important! Immediately rinse with water for 60 minutes. Get medical attention immediately.
<b>Ingestion:</b>	If swallowed, rinse mouth with water (only if the person is conscious). DO NOT induce vomiting. Get medical attention immediately.
<b>Personal Protection for First-aid Responders:</b>	No data available.
<b>Most important symptoms and effects, both acute and delayed Symptoms:</b>	No data available.
<b>Hazards:</b>	Causes serious eye damage. May cause drowsiness or dizziness.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** Get immediate medical advice/attention.

**5. Fire-fighting measures**

<b>General Fire Hazards:</b>	Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Use water to keep fire exposed containers cool and disperse vapors.
<b>Suitable (and unsuitable) extinguishing media</b>	
<b>Suitable extinguishing media:</b>	Water spray, fog, CO2, dry chemical, or alcohol resistant foam.
<b>Unsuitable extinguishing media:</b>	Avoid water in straight hose stream; will scatter and spread fire.
<b>Special hazards arising from the substance or mixture:</b>	Fire or excessive heat may produce hazardous decomposition products.
<b>Special protective equipment and precautions for firefighters</b>	
Special fire fighting procedures:	No unusual fire or explosion hazards noted.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

Special protective equipment for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

## 6. Accidental release measures

**Personal precautions, protective equipment and emergency procedures:**

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Wash thoroughly after dealing with a spillage. Contact local authorities in case of spillage to drain/aquatic environment.

**Accidental release measures:**

No data available.

**Methods and material for containment and cleaning up:**

Absorb spillage with suitable absorbent material. Prevent runoff from entering drains, sewers, or streams. See Section 8 of the SDS for Personal Protective Equipment. For waste disposal, see section 13 of the SDS.

**Environmental Precautions:**

Avoid release to the environment.

## 7. Handling and storage

### Handling

**Technical measures:**

No data available.

**Local/Total ventilation:**

No data available.

**Safe handling advice:**

Wash promptly with soap and water if skin becomes contaminated. Wash at the end of each work shift and before eating, smoking and using the toilet. Read and follow manufacturer's recommendations. Use personal protective equipment as required.

**Contact avoidance measures:**

No data available.

### Storage

**Safe storage conditions:**

Store in tightly closed original container in a dry, cool and well-ventilated place.

**Safe packaging materials:**

No data available.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source	
2-Propanol	TWA	400 ppm      980 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	STEL	500 ppm      1.225 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended	
	TWA	400 ppm      980 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A	
	STEL	500 ppm      1.225 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A	
	AN ESL		200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL		2.000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL		492 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL		4.920 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	TWA PEL	400 ppm      980 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants	
	STEL	500 ppm      1.225 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants	
	TWA	200 ppm	US. ACGIH Threshold Limit Values, as amended	
	STEL	400 ppm	US. ACGIH Threshold Limit Values, as amended	
	STEL	500 ppm      1.225	US. NIOSH: Pocket Guide to Chemical Hazards, as	



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

		mg/m <sup>3</sup>	amended
	REL	400 ppm 980 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	IDLH	2.000 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
	LEL	2,0 %	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
	PEL	400 ppm 980 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended
1-Butanol	Ceiling	50 ppm 150 mg/m <sup>3</sup>	US. OSHA Table Z-1-A (29 CFR 1910.1000), as amended
	Ceiling	50 ppm 150 mg/m <sup>3</sup>	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A, as amended
	AN ESL	20 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL	200 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	AN ESL	61 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	ST ESL	610 µg/m <sup>3</sup>	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality), as amended
	Ceiling	50 ppm 150 mg/m <sup>3</sup>	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants, as amended
	TWA	20 ppm	US. ACGIH Threshold Limit Values, as amended
	Ceil_Time	50 ppm 150 mg/m <sup>3</sup>	US. NIOSH: Pocket Guide to Chemical Hazards, as amended
	IDLH	1.400 ppm	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
	LEL	1,4 %	US. NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended
	PEL	100 ppm 300 mg/m <sup>3</sup>	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000), as amended



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

Please refer to the latest edition of the appropriate source text and consult an industrial hygienist or similar professional, or local agencies, for further information.

### Biological Limit Values

Chemical name	Parameters / Sampling Time	Exposure Limit Values	Source
2-Propanol	acetone  Sampling time: End of shift at end of work week.	40 mg/l (Urine)	ACGIH BEI

### Appropriate Engineering Controls

Adequate ventilation should be provided whenever the material is heated or mists are generated.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection:

Chemical goggles and face shield are recommended.

### Skin Protection

#### Hand Protection:

Material: Chemical resistant gloves

#### Skin and Body Protection:

Wear a lab coat or similar protective clothing.

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

**Respiratory Protection:**

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

**Hygiene measures:**

Do not get in eyes. Wash hands after contact. Observe good industrial hygiene practices.

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

**Appearance**

<b>Physical state:</b>	liquid
<b>Form:</b>	No data available.
<b>Color:</b>	Clear
<b>Odor:</b>	Odorless
<b>Odor Threshold:</b>	No data available.
<b>Freezing point:</b>	No data available.
<b>Boiling Point:</b>	No data available.
<b>Flammability:</b>	No data available.
<b>Upper/lower limit on flammability or explosive limits</b>	
<b>Explosive limit - upper:</b>	No data available.
<b>Explosive limit - lower:</b>	No data available.
<b>Flash Point:</b>	< 73 °F/< 23 °C
<b>Self Ignition Temperature:</b>	No data available.
<b>Decomposition Temperature:</b>	No data available.
<b>pH:</b>	No data available.
<b>Viscosity</b>	
<b>Dynamic viscosity:</b>	No data available.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

<b>Kinematic viscosity:</b>	No data available.
<b>Flow Time:</b>	No data available.
<b>Solubility(ies)</b>	
<b>Solubility in Water:</b>	No data available.
<b>Solubility (other):</b>	No data available.
<b>Partition coefficient (n-octanol/water):</b>	No data available.
<b>Vapor pressure:</b>	No data available.
<b>Relative density:</b>	No data available.
<b>Density:</b>	No data available.
<b>Bulk density:</b>	No data available.
<b>Relative vapor density:</b>	No data available.

**Other information**  
No data available

## 10. Stability and reactivity

<b>Reactivity:</b>	Material is stable under normal conditions.
<b>Chemical Stability:</b>	No data available.
<b>Possibility of hazardous reactions:</b>	None under normal conditions.
<b>Conditions to avoid:</b>	Avoid exposure to high temperatures or direct sunlight.
<b>Incompatible Materials:</b>	Strong oxidizing agents.
<b>Hazardous Decomposition Products:</b>	By heating and fire, harmful vapors/gases may be formed.

## 11. Toxicological information

### Information on toxicological effects



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

**Inhalation:** No data available.  
**Skin Contact:** No data available.  
**Eye contact:** No data available.  
**Ingestion:** No data available.

**Information on likely routes of exposure**

**Acute toxicity (list all possible routes of exposure)**

**Oral**

**Product:** ATEmix: 10.000 mg/kg  
**Components:**  
2-Propanol LD 50 (Rat): 5.045 mg/kg  
1-Butanol No data available.

**Dermal**

**Product:** No data available.  
**Components:**  
2-Propanol No data available.  
1-Butanol No data available.

**Inhalation**

**Product:** No data available.  
**Components:**  
2-Propanol No data available.  
1-Butanol No data available.

**Repeated dose toxicity**

**Product:** No data available.  
**Components:**  
2-Propanol NOAEL (Rat, Inhalation, >= 104 Weeks): 5.000 ppm(m) Experimental result, Key study Inhalation  
1-Butanol LOAEL (Rat(Male), Inhalation): 0,15 mg/l Experimental result, Not specified Inhalation  
NOAEL (Rat(Female, Male), Inhalation): 2,35 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study Inhalation  
NOAEL (Rat(Female, Male), Inhalation): 2,35 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study Inhalation

**Skin Corrosion/Irritation**

**Product:** No data available.  
**Components:**  
2-Propanol No data available.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

1-Butanol No data available.

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Components:**

2-Propanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

1-Butanol Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogens present or none present in regulated quantities

**ACGIH: US.ACGIH Threshold Limit Values:**

No carcinogens present or none present in regulated quantities

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogens present or none present in regulated quantities

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:**

No carcinogens present or none present in regulated quantities

**Germ Cell Mutagenicity**

**In vitro**

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

**In vivo**

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

**Reproductive toxicity**

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

### Specific Target Organ Toxicity - Single Exposure

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

### Specific Target Organ Toxicity - Repeated Exposure

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

### Aspiration Hazard

**Product:** No data available.

**Components:**

2-Propanol No data available.

1-Butanol No data available.

### Information on health hazards

#### Other hazards

**Product:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

#### Fish

**Product:** No negative effects on the aquatic environment are known.

**Components:**

2-Propanol LC 50 (Pimephales promelas, 96 h): 8.680 mg/l  
LC 50 (Fathead minnow (Pimephales promelas), 24 h): 11.160 mg/l  
Mortality  
LC 50 (Fathead minnow (Pimephales promelas), 96 h): 9.230 - 10.000 mg/l  
Mortality  
LC 50 (Bluegill (Lepomis macrochirus), 24 h): > 1.400 mg/l  
Mortality  
LC 50 (Fathead minnow (Pimephales promelas), 24 h): 10.600 mg/l  
Mortality

1-Butanol LC 50 (Pimephales promelas, 96 h): 1.730 mg/l  
LC 50 (Bluegill, 24 h): > 500 mg/l  
LC 50 (Bluegill, 96 h): 100 mg/l  
LC 50 (Pimephales promelas, 96 h): 1.376 mg/l  
Experimental result, Key

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

study  
LC 0 (Pimephales promelas, 96 h): > 100 mg/l Experimental result,  
Supporting study

#### **Aquatic Invertebrates**

**Product:**

No negative effects on the aquatic environment are known.

**Components:**

2-Propanol

LC 50 (Water flea (Daphnia magna), 24 h): > 10.000 mg/l Mortality

LC 50 (Brine shrimp (Artemia salina), 24 h): > 10.000 mg/l Mortality

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 96 h): 750 - 1.650 mg/l Mortality

LC 50 (Common shrimp, sand shrimp (Crangon crangon), 48 h): 900 - 1.950 mg/l Mortality

1-Butanol

No data available.

#### **Toxicity to Aquatic Plants**

**Product:**

No data available.

**Components:**

2-Propanol

No data available.

1-Butanol

No data available.

#### **Toxicity to microorganisms**

**Product:**

No data available.

**Components:**

2-Propanol

No data available.

1-Butanol

No data available.

#### **Chronic hazards to the aquatic environment:**

##### **Fish**

**Product:**

No negative effects on the aquatic environment are known.

**Components:**

2-Propanol

No data available.

1-Butanol

No data available.

##### **Aquatic Invertebrates**

**Product:**

No negative effects on the aquatic environment are known.

**Components:**

2-Propanol

No data available.

1-Butanol

No data available.

##### **Toxicity to Aquatic Plants**

**Product:**

No data available.

**Components:**

2-Propanol

No data available.

1-Butanol

No data available.

##### **Toxicity to microorganisms**

**Product:**

No data available.

**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.

**Persistence and Degradability**

**Biodegradation**

**Product:** No data available.

**Components:**

2-Propanol	53 % (5 d) Experimental result, Key study Detected in water.
1-Butanol	68 % Experimental result, Key study Detected in water. 92 % Experimental result, Key study Detected in water. 87 % Experimental result, Key study Detected in water.

**BOD/COD Ratio**

**Product:** No data available.

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.

**Bioaccumulative potential**

**Bioconcentration Factor (BCF)**

**Product:** No data available.

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.

**Partition Coefficient n-octanol / water (log Kow)**

**Product:** No data available.

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.

**Mobility in soil:**

**Product** No data available.

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.

**Results of PBT and vPvB assessment:**

**Product** No data available.

**Components:**

2-Propanol	No data available.
1-Butanol	No data available.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

**Other adverse effects:**

**Other hazards**

**Product:** No data available.

**13. Disposal considerations**

**General information:** Dispose of waste and residues in accordance with local authority requirements.

**Disposal methods:** Dispose of waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Contaminated Packaging:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**14. Transport information**

**DOTUN number or ID number:** Not regulated.  
**UN Proper Shipping Name:** Not regulated.  
**Transport Hazard Class(es)**  
Class: Not regulated.  
Label(s): Not regulated.  
**Packing Group:** Not regulated.  
**Marine Pollutant:** Not regulated.  
**Limited quantity** Not regulated.  
**Excepted quantity** Not regulated.

**Special precautions for user:** This material is exempted from dangerous goods labeling and documentation requirements per ADR 3.5.1.4, IATA 2.6.10 and IMDG 3.5.1.4



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

**IMDG**

UN number or ID number: Not regulated.  
UN Proper Shipping Name: Not regulated.  
Transport Hazard Class(es)  
Class: Not regulated.  
Subsidiary risk: Not regulated.  
EmS No.: Not regulated.  
Packing Group: Not regulated.  
Environmental Hazards  
Marine Pollutant: Not regulated.

Special precautions for user: This material is exempted from dangerous goods labeling and documentation requirements per ADR 3.5.1.4, IATA 2.6.10 and IMDG 3.5.1.4

**IATA**

UN number or ID number: Not regulated.  
Proper Shipping Name: Not regulated.  
Transport Hazard Class(es):  
Class: Not regulated.  
Subsidiary risk: Not regulated.  
Packing Group: Not regulated.  
Environmental Hazards  
Marine pollutant: Not regulated.

Special precautions for user: This material is exempted from dangerous goods labeling and documentation requirements per ADR 3.5.1.4, IATA 2.6.10 and IMDG 3.5.1.4

**15. Regulatory information**

**US Federal Regulations**

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

None present or none present in regulated quantities.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

**US. Toxic Substances Control Act (TSCA) Section 5(a)(2) Final Significant New Use Rules (SNURs) (40 CFR 721, Subpt E)**

None present or none present in regulated quantities.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended**

None present or none present in regulated quantities.

**CERCLA Hazardous Substance List (40 CFR 302.4):**

**Chemical Identity**

RCRA HAZARDOUS WASTE NO. D001

1-BUTANOL

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Flammable (gases, aerosols, liquids, or solids), Serious eye damage or eye irritation, Specific target organ toxicity (single or repeated exposure), Hazards Not Otherwise Classified (HNOC)

**US. EPCRA (SARA Title III) Section 304 Extremely Hazardous Substances Reporting Quantities and the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) Hazardous Substances**

None present or none present in regulated quantities.



**Becton, Dickinson and Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

**US. EPCRA (SARA Title III Section 313 Toxic Chemical Release Inventory (TRI) Reporting**

<u>Chemical Identity</u>	<u>% by weight</u>
Isopropyl alcohol (Isopropanol) (only persons who manufacture by the strong acid process are subject, no supplier notification)	1,0%
n-Butyl alcohol (1-Butanol)	1,0%

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):**

None present or none present in regulated quantities.

**Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)**

None present or none present in regulated quantities.

**US State Regulations**

**US. California Proposition 65**

No ingredient requiring a warning under CA Prop 65.

<b>16. Other information, including date of preparation or last revision</b>
--

**Issue Date:** 20.02.2023

**Version #:** 1.0



**Becton, Dickinson and  
Company**  
BD, Franklin Lakes, NJ  
07417 USA  
www.bd.com

---

**Further Information:** No data available.

**Disclaimer:** Disclaimer:

The information contained herein has been obtained from various sources and is believed to be correct as of the date issued. However, neither BD nor any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability for a particular use of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. BD provides SDS in electronic form so the information may be more easily accessed. Due to the possibility of errors during transmission, BD makes no representations as to the completeness or accuracy of the information.