

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125  
12/22/15



## Article Information Sheet

Copyright,2015,3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

<b>Document Group:</b>	10-5846-0	<b>Version Number:</b>	2.00
<b>Issue Date:</b>	12/22/15	<b>Supersedes Date:</b>	08/06/14

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125

#### Product Identification Numbers

70-0704-3293-8, 70-0704-3294-6, 70-2004-7695-3, 70-2005-0097-6, 70-2005-0101-6, 70-2005-0451-5, 70-2005-0452-3, 70-2005-0453-1, 70-2005-0455-6, 70-2005-0525-6, 70-2005-0526-4, 70-2005-0527-2, 70-2005-0528-0, 70-2005-0529-8, 70-2005-0530-6, 70-2005-0531-4, 70-2005-0532-2, 70-2005-0547-0, 70-2005-0548-8, 70-2005-0549-6, 70-2005-0550-4, 70-2005-1400-1, 70-2005-1401-9, 70-2005-1402-7, 70-2005-1403-5, 70-2005-1404-3, 70-2005-1405-0, 70-2005-1406-8, 70-2005-1407-6, 70-2005-1408-4, 70-2005-1409-2, 70-2005-1410-0, 70-2005-1411-8, 70-2005-1412-6, 70-2005-1413-4, 70-2005-1414-2, 70-2005-1415-9, 70-2005-1416-7, 70-2005-1417-5, 70-2005-2025-5, 70-2005-2138-6, 70-2005-2139-4, 70-2005-2140-2, 70-2005-2141-0, 70-2005-2142-8, 70-2005-2143-6, 70-2005-2174-1, 70-2005-3154-2, 70-2005-3155-9, 70-2005-3160-9, 70-2005-3495-9, 70-2005-3869-5, 70-2005-4300-0, 70-2005-4304-2, 70-2005-4308-3, 70-2005-4309-1, 70-2005-4312-5, 70-2005-4353-9, 70-2005-4356-2, 70-2005-4709-2, 70-2005-4710-0, 70-2005-5905-5, 70-2005-5906-3, 70-2005-5907-1, 70-2005-5908-9, 70-2005-7709-9, 70-2005-7711-5, 70-2005-7712-3, 70-2005-7713-1, 70-2005-7714-9, 70-2005-7715-6, 70-2005-7716-4, 70-2005-7720-6, 70-2005-7721-4, 70-2005-8315-4, 70-2005-8316-2, 70-2005-8319-6, 70-2005-8321-2, 70-2005-8634-8, 70-2005-9004-3, 70-2006-1963-6, 70-2006-2900-7, 70-2006-4325-5, 70-2006-4816-3, 70-2006-5215-7, 70-2006-5216-5, 70-2006-5217-3, 70-2006-5336-1, 70-2006-5419-5, 70-2006-5468-2, 70-2006-5470-8, 70-2006-5471-6, 70-2006-5472-4, 70-2006-5738-8, 70-2006-5740-4, 70-2006-5746-1, 70-2006-5747-9, 70-2006-5748-7, 70-2006-5749-5, 70-2006-5899-8, 70-2006-5900-4, 70-2006-6817-9, 70-2006-6818-7, 70-2006-7604-0, 70-2006-8304-6, 70-2007-2852-8, 70-2007-2853-6, 70-2007-2854-4, 70-2007-2862-7, 70-2007-2863-5, 70-2007-2864-3, 70-2007-2997-1, 70-2007-2999-7, 70-2007-3203-3, 70-2007-3422-9, 70-2007-3424-5, 70-2007-3639-8, 70-2007-3640-6, 70-2007-3643-0, 70-2007-3644-8, 70-2007-3645-5, 70-2007-3646-3, 70-2007-3658-8, 70-2007-3659-6, 70-2007-4207-3, 70-2007-4289-1, 70-2007-4290-9, 70-2007-4291-7, 70-2007-4483-0, 70-2007-4484-8, 70-2007-4485-5, 70-2007-4907-8, 70-2007-4908-6, 70-2007-4909-4, 70-2007-4916-9, 70-2007-4917-7, 70-2007-4918-5, 70-2007-4920-1, 70-2007-4921-9, 70-2007-4922-7, 70-2007-4927-6, 70-2007-4930-0, 70-2007-4932-6, 70-2007-6129-7, 70-2007-7709-5

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125 12/22/15

## 1.2. Recommended use and restrictions on use

### Recommended use

I.V. secural and wound management.

## 1.3. Supplier's details

**MANUFACTURER:** 3M  
**DIVISION:** Critical & Chronic Care Solutions Division  
**ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA  
**Telephone:** 1-888-3M HELPS (1-888-364-3577)

## 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

## SECTION 2: Hazard identification

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

## SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Polyethylene-Cellulose Silicone Carrier	None	15 - 65
Silicone Coated Paper Liner	Trade Secret*	15 - 65
Acrylate Polymer	Trade Secret*	5 - 30
Polyester Backing	Trade Secret*	5 - 15
Rayon Backing	None	0 - 10
Label Tape	None	0 - 3

\*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

No need for first aid is anticipated.

#### Skin Contact:

No need for first aid is anticipated.

#### Eye Contact:

No need for first aid is anticipated.

#### If Swallowed:

No need for first aid is anticipated.

## SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustibile material such as water or foam.

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125  
12/22/15

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

### 6.2. Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Not applicable.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>General Physical Form:</b>	Solid
<b>Odor, Color, Grade:</b>	Transparent film contained by 2 paper liners.
<b>Odor threshold</b>	<i>Not Applicable</i>
<b>pH</b>	<i>Not Applicable</i>
<b>Melting point</b>	<i>No Data Available</i>
<b>Boiling Point</b>	<i>Not Applicable</i>
<b>Flash Point</b>	<i>Not Applicable</i>
<b>Evaporation rate</b>	<i>Not Applicable</i>
<b>Flammability (solid, gas)</b>	Not Classified
<b>Flammable Limits(LEL)</b>	<i>Not Applicable</i>
<b>Flammable Limits(UEL)</b>	<i>Not Applicable</i>
<b>Vapor Pressure</b>	<i>Not Applicable</i>
<b>Vapor Density</b>	<i>Not Applicable</i>
<b>Density</b>	<i>Not Applicable</i>
<b>Specific Gravity</b>	<i>Not Applicable</i>
<b>Solubility in Water</b>	Nil
<b>Solubility- non-water</b>	<i>Not Applicable</i>
<b>Partition coefficient: n-octanol/ water</b>	<i>No Data Available</i>
<b>Autoignition temperature</b>	<i>No Data Available</i>
<b>Decomposition temperature</b>	<i>Not Applicable</i>
<b>Viscosity</b>	<i>Not Applicable</i>
<b>Volatile Organic Compounds</b>	<i>No Data Available</i>
<b>VOC Less H2O &amp; Exempt Solvents</b>	<i>No Data Available</i>

3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125  
12/22/15

## SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

## SECTION 11: Toxicological information

### Inhalation:

No health effects are expected

### Skin Contact:

No health effects are expected

### Eye Contact:

No health effects are expected

### Ingestion:

No health effects are expected

### Additional Information:

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

## SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a significant release of components to the environment or because those components that may be released are expected to have insignificant environmental impact.

## SECTION 13: Disposal considerations

Dispose of contents/container in accordance with the local/regional/national/international regulations.

## SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

## SECTION 15: Regulatory information

### Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory requirements.

Commercial use of this material is regulated by the FDA.

## SECTION 16: Other information

### NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

**3M™ Tegaderm™ Transparent Dressing 1610, 1614, 1616, 1620, 1621,1622W,1623W,1624W, 1626W, 1626, 1627, 1628, 1629, 1630, H1624,1624WNS, H1626,1626W DTS,1634,1650,1655,9505,9506,9505W,9506W,400,401,1633,1635, 16011,16013, 91123, 91124, 91125 12/22/15**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

<b>Document Group:</b>	10-5846-0	<b>Version Number:</b>	2.00
<b>Issue Date:</b>	12/22/15	<b>Supercedes Date:</b>	08/06/14

DISCLAIMER: The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information,3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the AIS available directly from 3M.

**3M USA AISs are available at [www.3M.com](http://www.3M.com)**



## Article Information Sheet

Copyright, 2016, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical or health risk to employees.

<b>Document Group:</b>	10-5847-8	<b>Version Number:</b>	1.02
<b>Issue Date:</b>	01/19/16	<b>Supersedes Date:</b>	11/13/15

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Transpore™ Surgical Tape Cat. # 1527 series, 1527S-1, 1527S-2

#### Product Identification Numbers

43-9100-9529-8, 43-9101-6118-1, 70-2004-0016-9, 70-2004-0017-7, 70-2005-0829-2, 70-2005-4610-2, 70-2005-4611-0, 70-2006-4252-1, 70-2006-4253-9, 70-2006-4799-1, 70-2006-4925-2, 70-2006-4927-8, 70-2006-4928-6, 70-2006-4929-4, 70-2006-4930-2, 70-2006-4931-0, 70-2006-4932-8, 70-2006-5225-6, 70-2006-5226-4, 70-2006-5230-6, 70-2006-7983-8, 70-2007-3957-4, 70-2007-3958-2, 70-2007-3959-0, 70-2007-3960-8, 70-2007-4347-7, 70-2007-4348-5, DH-9999-7628-4, DH-9999-7630-0, DH-9999-7631-8

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Used to secure tubing, devices and dressings.

#### 1.3. Supplier's details

<b>MANUFACTURER:</b>	3M
<b>DIVISION:</b>	Critical & Chronic Care Solutions Division
<b>ADDRESS:</b>	3M Center, St. Paul, MN 55144-1000, USA
<b>Telephone:</b>	1-888-3M HELPS (1-888-364-3577)

#### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

### SECTION 2: Hazard identification

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Backing	24937-78-8	70 - 80
Acrylate adhesive	9017-68-9	10 - 20
Tackifier	Unknown	1 - 5

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

**Inhalation:**

No need for first aid is anticipated.

**Skin Contact:**

No need for first aid is anticipated.

**Eye Contact:**

No need for first aid is anticipated.

**If Swallowed:**

No need for first aid is anticipated.

### SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

#### 6.2. Environmental precautions

Not applicable.

#### 6.3. Methods and material for containment and cleaning up

Not applicable.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

#### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>General Physical Form:</b>	Solid
<b>Odor, Color, Grade:</b>	Semi-transparent clear to white tape with slight acrylate odor.
<b>Odor threshold</b>	<i>Not Applicable</i>
<b>pH</b>	<i>Not Applicable</i>
<b>Melting point</b>	<i>Not Applicable</i>
<b>Boiling Point</b>	<i>Not Applicable</i>
<b>Flash Point</b>	<i>Not Applicable</i>
<b>Evaporation rate</b>	<i>Not Applicable</i>
<b>Flammability (solid, gas)</b>	Not Classified
<b>Flammable Limits(LEL)</b>	<i>Not Applicable</i>
<b>Flammable Limits(UEL)</b>	<i>Not Applicable</i>
<b>Vapor Pressure</b>	<i>Not Applicable</i>
<b>Vapor Density</b>	<i>Not Applicable</i>
<b>Density</b>	<i>Not Applicable</i>
<b>Specific Gravity</b>	<i>Not Applicable</i>
<b>Solubility in Water</b>	Nil
<b>Solubility- non-water</b>	<i>Not Applicable</i>
<b>Partition coefficient: n-octanol/ water</b>	<i>No Data Available</i>
<b>Autoignition temperature</b>	<i>No Data Available</i>
<b>Decomposition temperature</b>	<i>Not Applicable</i>
<b>Viscosity</b>	<i>Not Applicable</i>
<b>Molecular weight</b>	<i>No Data Available</i>
<b>Volatile Organic Compounds</b>	<i>No Data Available</i>
<b>VOC Less H2O &amp; Exempt Solvents</b>	<i>No Data Available</i>

## SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

## SECTION 11: Toxicological information

### Inhalation:

No health effects are expected

### Skin Contact:

No health effects are expected

### Eye Contact:

No health effects are expected

### Ingestion:

No health effects are expected

### Additional Information:

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

## SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a

significant release of components to the environment or because those components that may be released are expected to have insignificant environmental impact.

### SECTION 13: Disposal considerations

Dispose of contents/container in accordance with the local/regional/national/international regulations.

### SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

### SECTION 15: Regulatory information

#### Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory requirements.

### SECTION 16: Other information

#### NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

<b>Document Group:</b>	10-5847-8	<b>Version Number:</b>	1.02
<b>Issue Date:</b>	01/19/16	<b>Supersedes Date:</b>	11/13/15

DISCLAIMER: The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the AIS available directly from 3M.

3M USA AISs are available at [www.3M.com](http://www.3M.com)

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

---

## Section 1 - PRODUCT AND COMPANY IDENTIFICATION

---

### Material Name

WEBCOL/Curity Alcohol Prep Pads

### Trade Names

5033, 5110, 5750, 6818, 6818-1, 63001, 15033, 16818, 176818, 20339, 681812, 6818-2, 7MJ46621, 7MJ36339, 7RA58200, 7RA71200, 7RI43405, 7R145719, 7RI45720, 7RI45721, 7RI45722, 7RI82380, 7RI82402, 70Y33230, 985629, MKN42634, 693035, 121-6131, 6818M, GS42634

### Synonyms

Isopropyl Alcohol 65-75%

### Chemical Family

ISOPROPYL ALCOHOL

### Product Use

Skin preparation pads for use in medical applications

### Restrictions on Use

For use under medical supervision only.

### Manufacturer Information

Covidien, LP

15 Hampshire Street

Mansfield, MA 02048

USA

Phone: +1-(508) 261-8000 (Monday - Friday 8:00 am to 5:00 pm)

Email: customerservice@medtronic.com

Emergency Telephone Number:

CHEMTREC (800) 424-9300 (for US and Canada)

1(703) 527-3887 (Outside US and Canada)

Collect calls accepted

---

## Section 2 - HAZARDS IDENTIFICATION

---

### Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

### GHS Label Elements

Symbol(s)



# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

**Signal Word**

Danger

**Hazard Statement(s)**

Highly flammable liquid and vapor  
Causes serious eye irritation

**Precautionary Statement(s)**

**Prevention**

Keep away from heat/sparks/open flame/hot surfaces - No smoking  
Wash thoroughly after handling

**Response**

In case of fire: Use appropriate media to extinguish  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention

**Storage**

Store in a cool dry place

**Disposal**

Dispose of contents/container in accordance with local/regional/national/international regulations

**Other Hazards**

No additional information available.

---

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

---

CAS	Component Name	Percent (%)
7732-18-5	Water	25 - 35
67-63-0	Isopropyl alcohol	65 - 75

---

## Section 4 - FIRST AID MEASURES

---

**Inhalation**

Not a likely route of exposure.

**Skin**

It is unlikely that first aid will be required. If skin irritation occurs: Get medical advice/attention.

**Eyes**

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

**Ingestion**

If swallowed, get medical attention.

# Safety Data Sheet

**Material Name: WEBCOL/Curity Alcohol Prep Pads**

**SDS ID: COV-001**

**Indication of any immediate medical attention and special treatment needed**

Treat symptomatically and supportively.

**Most Important Symptoms/Effects**

**Acute**

Causes serious eye irritation.

**Delayed**

No information on significant adverse effects.

---

## Section 5 - FIRE FIGHTING MEASURES

---

**Extinguishing Media**

**Suitable Extinguishing Media**

Use dry chemical, carbon dioxide, alcohol-resistant foam or water spray.

**Unsuitable Extinguishing Media**

None known.

**Special Hazards Arising from the Chemical**

Highly flammable liquid and vapor.

**Hazardous Combustion Products**

Oxides of carbon

**Advice for firefighters**

Avoid inhalation of material or combustion by-products.

**Fire Fighting Measures**

Avoid inhalation of material or combustion by-products.

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

**Personal Precautions, Protective Equipment and Emergency Procedures**

Wear personal protective clothing and equipment.

**Methods and Materials for Containment and Cleaning Up**

Clear up spills immediately and dispose of waste safely.

**Environmental Precautions**

Avoid release to the environment.

---

## Section 7 - HANDLING AND STORAGE

---

**Precautions for Safe Handling**

Keep away from heat/sparks/open flames/hot surfaces.

**Conditions for Safe Storage, Including any Incompatibilities**

Store in a cool dry place

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

## Incompatible Materials

Aldehydes, halogenated compounds, halogens, strong acids, strong oxidizing agents

---

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

---

### Component Exposure Limits

Isopropyl alcohol	67-63-0
ACGIH:	200 ppm TWA
	400 ppm STEL
NIOSH:	400 ppm TWA; 980 mg/m <sup>3</sup> TWA
	500 ppm STEL; 1225 mg/m <sup>3</sup> STEL
	2000 ppm IDLH (10% LEL)
OSHA (US):	400 ppm TWA; 980 mg/m <sup>3</sup> TWA
Mexico:	400 ppm TWA LMPE-PPT; 980 mg/m <sup>3</sup> TWA LMPE-PPT
	500 ppm STEL [LMPE-CT]; 1225 mg/m <sup>3</sup> STEL [LMPE-CT]

### Biological limit value

There are no biological limit values for any of this product's components.

### Engineering Controls

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

### Individual Protection Measures, such as Personal Protective Equipment

#### Eye/face protection

Safety glasses or goggles are recommended when there is a potential for eye contact.

#### Skin Protection

Not required.

#### Respiratory Protection

No respirator is required under normal conditions of use.

#### Glove Recommendations

Hand protection is not required.

---

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	Non-woven cloth saturated with liquid in foil package	<b>Physical State</b>	Liquid
<b>Odor</b>	Alcohol	<b>Color</b>	Colorless
<b>Odor Threshold</b>	Not available	<b>pH</b>	Not available

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

<b>Melting Point</b>	Not available	<b>Boiling Point</b>	82 °C (literature value)
<b>Freezing point</b>	-89 °C (literature value)	<b>Evaporation Rate</b>	Not available
<b>Boiling Point Range</b>	Not available	<b>Flammability (solid, gas)</b>	Not available
<b>Autoignition</b>	399 °C (literature value)	<b>Flash Point</b>	12 °C (estimate based on isopropyl alcohol)
<b>Lower Explosive Limit</b>	2 % (V)	<b>Decomposition</b>	Not available
<b>Upper Explosive Limit</b>	12 % (V)	<b>Vapor Pressure</b>	33 mmHg (@ 20 °C - literature value)
<b>Vapor Density (air=1)</b>	2.1 (literature value)	<b>Specific Gravity (water=1)</b>	0.7855 (@ 20 °C - literature value)
<b>Water Solubility</b>	100%	<b>Partition coefficient: n-octanol/water</b>	0.05 (measured value)
<b>Viscosity</b>	Not available	<b>Solubility (Other)</b>	Not available
<b>Density</b>	Not available		

## Other Information

No additional information available.

---

## Section 10 - STABILITY AND REACTIVITY

---

### Reactivity

Not known to occur.

### Chemical Stability

Stable under normal conditions of use.

### Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

### Conditions to Avoid

Avoid direct sunlight.

### Incompatible Materials

Aldehydes, halogenated compounds, halogens, strong acids, strong oxidizing agents

### Hazardous decomposition products

Oxides of carbon

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

---

## Section 11 - TOXICOLOGICAL INFORMATION

---

### Information on Likely Routes of Exposure

#### Inhalation

Not a likely route of exposure.

#### Skin Contact

None known.

#### Eye Contact

Causes serious eye irritation.

#### Ingestion

None known.

### Acute and Chronic Toxicity

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Isopropyl alcohol (67-63-0)

Oral LD50 Rat 5045 mg/kg (Safety Data Sheet)

Dermal LD50 Rabbit 12800 mg/kg (Safety Data Sheet)

Inhalation LC50 Rat 1600 ppm 4 h (Safety Data Sheet)

#### Immediate Effects

Causes serious eye irritation.

#### Delayed Effects

No information on significant adverse effects.

#### Irritation/Corrosivity Data

Causes serious eye irritation.

#### Respiratory Sensitization

No data available.

#### Dermal Sensitization

No data available.

#### Component Carcinogenicity

Isopropyl alcohol	67-63-0
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977] (Group 3 (not classifiable))

#### Germ Cell Mutagenicity

No data available.

#### Reproductive Toxicity

No data available.

# Safety Data Sheet

**Material Name: WEBCOL/Curity Alcohol Prep Pads**

**SDS ID: COV-001**

**Specific Target Organ Toxicity - Single Exposure**

No information available.

**Specific Target Organ Toxicity - Repeated Exposure**

No information available.

**Aspiration hazard**

No data available.

**Medical Conditions Aggravated by Exposure**

May cause eye damage, eye disorders.

**Additional Data**

No additional information available.

---

## Section 12 - ECOLOGICAL INFORMATION

---

**Ecotoxicity**

Avoid release to the environment.

**Component Analysis - Aquatic Toxicity**

Isopropyl alcohol	67-63-0
Fish:	LC50 96 h Pimephales promelas 9640 mg/L [flow-through]; LC50 96 h Pimephales promelas 11130 mg/L [static]; LC50 96 h Lepomis macrochirus >1400000 µg/L
Algae:	EC50 96 h Desmodesmus subspicatus >1000 mg/L IUCLID; EC50 72 h Desmodesmus subspicatus >1000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 13299 mg/L IUCLID

**Persistence and Degradability**

No information available for the product.

**Bioaccumulative Potential**

No information available for the product.

**Mobility**

No information available for the product.

**Other Toxicity**

No additional information available.

---

## Section 13 - DISPOSAL CONSIDERATIONS

---

**Disposal Methods**

Dispose in accordance with all applicable regulations.

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

---

## Section 14 - TRANSPORT INFORMATION

---

### US DOT Information:

**Shipping Name:** Not applicable

**Hazard Class:** Not applicable

**UN/NA #:** Not regulated per 49 CFR, Special Provision 47 (for rail and road transport in the USA)

**Packing Group:** Not applicable

**Required Label(s):** Not applicable

**Additional information:** No additional information available

### IATA Information:

**Shipping Name:** Not applicable

**Hazard Class:** Not applicable

**UN#:** Not regulated, as per IATA, Special Provision A46

**Packing Group:** Not applicable

**Required Label(s):** Not applicable

**Additional information:** Consult current IATA regulations prior to shipping by air

### IMDG Information:

**Shipping Name:** Not applicable

**Hazard Class:** Not applicable

**UN#:** Not regulated, as per IMDG Code, Special Provision 216

**Packing Group:** Not applicable

**Required Label(s):** Not applicable

**Additional information:** No additional information available

### TDG Information:

**Shipping Name:** Not applicable

**Hazard Class:** Not applicable

**UN#:** Not regulated

**Packing Group:** Not applicable

**Required Label(s):** Not applicable

**Additional information:** No additional information available

---

## Section 15 - REGULATORY INFORMATION

---

### U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b).

Isopropyl alcohol	67-63-0
SARA 313:	1 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

# Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

## Not listed under California Proposition 65

### Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Isopropyl alcohol	67-63-0
	1 %

---

## Section 16 - OTHER INFORMATION

---

### Summary of Changes

New SDS: May 5, 2015

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States; WHMIS - Workplace Hazardous Materials Information System

### Other Information

#### Disclaimer:

The information and recommendations in this safety data sheet are based on sources believed to be accurate as of the date of issue. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Covidien LP makes NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED and usage of this safety data sheet shall not establish a legal, contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose. Covidien LP assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Covidien LP assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Users should ensure that any use or disposal of the material is in accordance with applicable national, country, federal, state, and local laws, directives, orders and regulations.