



SAFETY DATA SHEET

1. Identification

Product identifier	CENTRUM WOMEN MINIS
Other means of identification	
Product code	WH-2043-0001, H000021959
Synonyms	WH-2043-0001 * H000021959
Recommended use	Dietary Supplement
Recommended restrictions	No other uses are advised.
Manufacturer/Importer/Supplier/Distributor information	
COMPANY NAME	GlaxoSmithKline US
Address:	5 Moore Drive Research Triangle Park, NC 27709 USA
Telephone:	+1-888-825-5249 (General Inquiries)
Email:	msds@gsk.com
Website:	www.gsk.com

EMERGENCY CONTACTS

Telephone:	VERISK 3E GLOBAL INCIDENT RESPONSE +(1) 760 476 3971 (In country) +(1) 760 476 3962 or +(1) 866 519 4752 (International) 24/7; multi-language response
Contract Number:	334878

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Hazardous to the aquatic environment, acute hazard Category 3 Hazardous to the aquatic environment, long-term hazard Category 3
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	Harmful to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Avoid release to the environment.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Not available.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Occupational Exposure Limits for constituents are listed in Section 8. 27% of the mixture consists of component(s) of unknown acute oral toxicity. 78.3% of the mixture consists of component(s) of unknown acute dermal toxicity. 70.195% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 70.195% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CALCIUM CARBONATE	CARBONIC ACID, CALCIUM SALT CALCIUM MONOCARBONATE PRECIPITATED CALCIUM CARBONATE CHALK	471-34-1	33.2
MAGNESIUM OXIDE	GI197895X MAGNESIA MAGNESIUM MONOXIDE CALCINED MAGNESIA CALCINATED MAGNESIA CAUSTIC MAGNESITE MAGNESA PREPRATA MAGNESIUM (II) OXIDE SYNTHETIC PERICLASE BURNT MAGNESIA LIGHT MAGNESIA OXIDO DE MAGNESIO ÓXIDO DE MAGNESIO,	1309-48-4	12.8
POTASSIUM CHLORIDE	POTASSIUM CHLORIDE (KCL) POTASSIUM MONOCHLORIDE SUPER K (SALT) POTASSIUM MURIATE	7447-40-7	11.8
MICROCRYSTALLINE CELLULOSE	AVICEL PH MICROCRYSTALLINE CELLULOSE ALPHA-CELLULOSE AVICEL PH101 AVICEL PH102 AVICEL PH103 AVICEL PH105 AVICEL PH112 AVICEL PH200 CELLULOSE (8CI9CI) CELLULOSE CRYSTALLINE CELLULOSE, FOOD GRADE CRYSTALLINE CELLULOSE	9004-34-6	6.8
CALCIUM PHOSPHATE, DIBASIC	CALCIUM ACID PHOSPHATE CALCIUM HYDROGEN ORTHOPHOSPHATE CALCIUM HYDROGEN PHOSPHATE CALCIUM MONOHYDROGEN PHOSPHATE CALCIUM ORTHOPHOSPHATE (CAHPO4) DIBASIC CALCIUM PHOSPHATE DICALCIUM ORTHOPHOSPHATE DICALCIUM PHOSPHATE MONOCALCIUM ACID PHOSPHATE CALCIUM PHOSPHATE	7757-93-9	6.6
L-ASCORBIC ACID	VITAMIN C L-XYLOASCORBIC ACID ASCORBUTINA ANTISCORBUTIC VITAMIN CEVITAMIC ACID ASCORIN (+)-ASCORBIC ACID L-(+)-ASCORBIC ACID L-LYXOASCORBIC ACID 3-KETO-L-GULOFRANOLACTONE L-THREO-HEX-2-ENONIC ACID, GAMA-LACTONE L-3-KETOTHREOHEXURONIC ACID LACTONE 3-OXO-L-GULOFRANOLACTONE	50-81-7	5.795

Chemical name	Common name and synonyms	CAS number	%
FERROUS FUMARATE	IRON FUMARATE IRON FUMARATE (FE(C4H2O4))	141-01-5	4.2
POVIDONE 30	Poly(1-ethenylpyrrolid-2-one) CROSPVIDONE POLY(1-VINYL-2-PYRROLIDINONE) 2-PYRROLIDINONE, 1-VINYL-, POLYMERS	9003-39-8	2.1
NICOTINAMIDE	AMINICOTIN 3-CARBOAMOYL PYRIDINE NIACINAMIDE NICOTONIC AMIDE VITAMIN B3	98-92-0	1.2
CHOLECALCIFEROL (VITAMIN D3)	CALCIOL VITAMIN D3	67-97-0	0.9
ZINC OXIDE	ZINC MONOXIDE	1314-13-2	0.8
TALC	TALCUM, NON-ASBESTOS FORM TALC HYDROUS MAGNESIUM SILICATE	14807-96-6	0.6
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TiO2) PIGMENT WHITE 6	13463-67-7	0.6
COPPER SULFATE MONOHYDRATE		10257-54-2	0.5
MANGANESE SULFATE	MANGANESE(2+) SULFATE MANGANESE SULPHATE MANGANOUS SULFATE MAN-GRO SORBRA-SPRAY MN SULFURIC ACID, MANGANESE(II) SALT SULFURIC ACID, MANGANESE(2+) SALT (1:1) MANGANESE MONOSULFATE MANGANESE(II) SULFATE MANGANESE(II) SULPHATE MANGANESE SULFATE (1:1) MANGANESE SULFATE (MnSO4) MANGANESE(2+) SULFATE (1:1) MANGANESE(2+) SULFATE (MnSO4) SULFURIC ACID, MANGANESE(2+) SAL T OHS13650 RTECS OP1050000	7785-87-7	0.5
POLYETHYLENE GLYCOL	GLYCOLS, POLYETHYLENE ETHYLENE GLYCOL HOMOPOLYMER ETHYLENE GLYCOL POLYMER ETHYLENE OXIDE POLYMER ETHYLENE POLYOXIDE ALPHA, OMEGA-HYDROXPOLY(ETHYLENE OXIDE) POLY(ETHYLENE OXIDES) POLY(ETHYLENE ETHER) GLYCOL ALPH-HYDRO-OMEGA-HYDROXY POLY(OXY-1,2-ETHANEDIYL) POLYETHYLENE GLYCOL POLY(VINYL OXIDE) 1,2-ETHANEDIOL, MONOPOLYMER POLYETHYLENE OXIDE OXIRANE POLYMER CARBOWAX PEG PEG-100 PEG-4 PEG-40 MACROGOL	25322-68-3	0.4

Chemical name	Common name and synonyms	CAS number	%
SILICON DIOXIDE	SILICA SILICA GEL AMORPHOUS SILICA DIATOMACEOUS EARTH INFUSORIAL EARTH CAB-O-SIL M-5	7631-86-9	0.31
STARCH	ARROWROOT STARCH CORN STARCH POTATO STARCH RICE STARCH	9005-25-8	0.305
PYRIDOXINE HYDROCHLORIDE	5-HYDROXY-6-METHYL-3,4-PYRIDINED IMETHANOL, HYDROCHLORIDE PYRIDOXOL, HYDROCHLORIDE PYRIDOXINE HYDROGEN CHLORIDE PYRIDOXINE MONOHYDROCHLORIDE VITAMIN B6 HYDROCHLORIDE	58-56-0	0.2
RIBOFLAVIN	RIBOFLAVINE VITAMIN B2 VITAMIN G FOOD YELLOW 15	83-88-5	0.1
THIAMINE MONONITRATE	THIAMINE NITRATE (SALT) VITAMIN B1 MONONITRATE VITAMIN B1 NITRATE	532-43-4	0.1
CYANOCOBALAMIN	VITAMIN B12 B-12	68-19-9	0.05
SODIUM SELENATE	SELENIC ACID, SODIUM SALT SELENIC ACID, DISODIUM SALT DISODIUM SELENATE P-40 SEL-TOX SSO2 OHS21580 RTECS VS6650000	13410-01-0	0.04
MAGNESIUM STEARATE	STEARIC ACID, MAGNESIUM SALT MAGNESIUM DISTEARATE DIBASIC MAGNESIUM STEARATE MAGNESIUM DISTEARATE, PURE	557-04-0	0.03
POTASSIUM IODIDE	POTASSIUM MONOIODIDE IODIC ACID, POTASSIUM SALT	7681-11-0	0.03
BIOTIN	VITAMIN B7 VITAMIN H	58-85-5	0.003
Other components below reportable levels			10.037

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up. Prevent product from entering drains. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

GSK Components	Type	Value	Note
BIOTIN (CAS 58-85-5)	OHC	1	
CALCIUM PHOSPHATE, DIBASIC (CAS 7757-93-9)	OHC	1	
CHOLECALCIFEROL (VITAMIN D3) (CAS 67-97-0)	OHC	5	SKIN
		0.2 mcg/m3	SKIN
CYANOCOBALAMIN (CAS 68-19-9)	8 HR TWA	5 mg/m3	
	OHC	1	
FERROUS FUMARATE (CAS 141-01-5)	8 HR TWA	1000 mcg/m3	
	OHC	1	
L-ASCORBIC ACID (CAS 50-81-7)	8 HR TWA	5000 mcg/m3	
NICOTINAMIDE (CAS 98-92-0)	8 HR TWA	1000 mcg/m3	
	OHC	1	
POTASSIUM CHLORIDE (CAS 7447-40-7)	8 HR TWA	5000 mcg/m3	
	OHC	1	
POTASSIUM IODIDE (CAS 7681-11-0)	OHC	3	REPRODUCTIVE HAZARD
		3	PROVISIONAL

GSK Components	Type	Value	Note
PYRIDOXINE HYDROCHLORIDE (CAS 58-56-0)	8 HR TWA	400 mcg/m3	
	OHC	2	
RIBOFLAVIN (CAS 83-88-5)	OHC	1	>1000 - <=5000 mcg/m3
THIAMINE MONONITRATE (CAS 532-43-4)	OHC	1	
ZINC OXIDE (CAS 1314-13-2)	OHC	3	>10 - <=100 mcg/m3 REPRODUCTIVE HAZARD

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
CALCIUM CARBONATE (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
MAGNESIUM OXIDE (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
MANGANESE SULFATE (CAS 7785-87-7)	Ceiling	5 mg/m3	
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
SODIUM SELENATE (CAS 13410-01-0)	PEL	0.2 mg/m3	
STARCH (CAS 9005-25-8)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m3	Respirable fraction.
		5 mg/m3	Fume.
		15 mg/m3	Total dust.

US. OSHA Table Z-3 (29 CFR 1910.1000)

Components	Type	Value	Form
MAGNESIUM OXIDE (CAS 1309-48-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
SILICON DIOXIDE (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
TALC (CAS 14807-96-6)	TWA	0.3 mg/m3	Total dust.
		0.1 mg/m3	Respirable.
		20 mppcf	
		2.4 mppcf	Respirable.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
COPPER SULFATE MONOHYDRATE (CAS 10257-54-2)	TWA	1 mg/m ³	Dust and mist.
		0.2 mg/m ³	Fume.
FERROUS FUMARATE (CAS 141-01-5)	TWA	1 mg/m ³	
MAGNESIUM OXIDE (CAS 1309-48-4)	TWA	10 mg/m ³	Inhalable fraction.
MAGNESIUM STEARATE (CAS 557-04-0)	TWA	10 mg/m ³	
MANGANESE SULFATE (CAS 7785-87-7)	TWA	0.1 mg/m ³	Inhalable fraction.
		0.02 mg/m ³	Respirable fraction.
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	TWA	10 mg/m ³	
POTASSIUM IODIDE (CAS 7681-11-0)	TWA	0.01 ppm	Inhalable fraction and vapor.
SODIUM SELENATE (CAS 13410-01-0)	TWA	0.2 mg/m ³	
STARCH (CAS 9005-25-8)	TWA	10 mg/m ³	
TALC (CAS 14807-96-6)	TWA	2 mg/m ³	Respirable fraction.
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m ³	
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m ³	Respirable fraction.
	TWA	2 mg/m ³	Respirable fraction.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
CALCIUM CARBONATE (CAS 471-34-1)	TWA	5 mg/m ³	Respirable.
		10 mg/m ³	Total
COPPER SULFATE MONOHYDRATE (CAS 10257-54-2)	TWA	1 mg/m ³	Dust and mist.
		0.1 mg/m ³	Fume.
FERROUS FUMARATE (CAS 141-01-5)	TWA	1 mg/m ³	
MANGANESE SULFATE (CAS 7785-87-7)	STEL	3 mg/m ³	Fume.
	TWA	1 mg/m ³	Fume.
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)	TWA	5 mg/m ³	Respirable.
		10 mg/m ³	Total
SILICON DIOXIDE (CAS 7631-86-9)	TWA	6 mg/m ³	
SODIUM SELENATE (CAS 13410-01-0)	TWA	0.2 mg/m ³	
STARCH (CAS 9005-25-8)	TWA	5 mg/m ³	Respirable.
		10 mg/m ³	Total
TALC (CAS 14807-96-6)	TWA	2 mg/m ³	Respirable.
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m ³	Dust.

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
	STEL	10 mg/m3	Fume.
	TWA	5 mg/m3	Fume.
		5 mg/m3	Dust.

US. Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
POLYETHYLENE GLYCOL (CAS 25322-68-3)	TWA	10 mg/m3	Particulate.

Biological limit values	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Wear appropriate chemical resistant clothing.
Respiratory protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties**Appearance**

Physical state	Solid.
Form	Solid.
Color	Light pink.
Odor	Not available.
Odor threshold	Not available.
pH	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.

Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Chlorine. Fluorine. Phosphorus.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Knowledge about health hazard is incomplete.
Ingestion	Knowledge about health hazard is incomplete.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components	Species	Test Results
CALCIUM CARBONATE (CAS 471-34-1)		
Acute		
Oral		
LD50	Rat	6450 mg/kg
CALCIUM PHOSPHATE, DIBASIC (CAS 7757-93-9)		
Acute		
Dermal		
LD50	Rabbit	> 7940 mg/kg
Oral		
LD50	Rat	> 10 g/kg
CHOLECALCIFEROL (VITAMIN D3) (CAS 67-97-0)		
Acute		
Dermal		
LD50	Rat	61 mg/kg
Inhalation		
LC50	Rat	2.04 mg/l
Oral		
LD50	Dog	80 mg/kg ; RTECS data
	Mouse	42.5 mg/kg ; RTECS data
	Rat	42 mg/kg ; RTECS data

Components	Species	Test Results
CYANOCOBALAMIN (CAS 68-19-9)		
<u>Acute</u>		
Oral		
LD	Mouse	> 5 g/kg
FERROUS FUMARATE (CAS 141-01-5)		
<u>Acute</u>		
Oral		
LD50	Rat	3850 mg/kg
L-ASCORBIC ACID (CAS 50-81-7)		
<u>Acute</u>		
Oral		
LD50	Rat	11.9 g/kg
<u>Subchronic</u>		
Oral		
NOAEL	Rat	2000 mg/kg/day
MAGNESIUM STEARATE (CAS 557-04-0)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
MICROCRYSTALLINE CELLULOSE (CAS 9004-34-6)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Rat	> 2000 mg/kg
NICOTINAMIDE (CAS 98-92-0)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
POLYETHYLENE GLYCOL (CAS 25322-68-3)		
<u>Acute</u>		
Oral		
LD50	Rat	10000 mg/kg
POTASSIUM CHLORIDE (CAS 7447-40-7)		
<u>Acute</u>		
Oral		
LD50	Rat	2600 mg/kg
POVIDONE 30 (CAS 9003-39-8)		
<u>Acute</u>		
Oral		
LD50	Rat	> 5000 mg/kg
RIBOFLAVIN (CAS 83-88-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 10 g/kg
THIAMINE MONONITRATE (CAS 532-43-4)		
<u>Acute</u>		
Oral		
LD50	Rat	3710 mg/kg

Components	Species	Test Results
TITANIUM DIOXIDE (CAS 13463-67-7)		
<u>Acute</u>		
Inhalation		
LC50	Rat	6820 mcg/m3
Oral		
LD50	Rat	> 24 g/kg
<u>Chronic</u>		
Inhalation		
LOEC	Rat	8.6 mg/m3, 1 years TiO2 accumulated in interstitial macrophages, aggregated interstitial cells and particle laden macrophages in lymphoid tissue.
NOAEC	Rat	250 mg/m3, 2 years Highest dose 5 mg/m3, 24 months
<u>Subacute</u>		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.
Oral		
NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation		
LOEC	Rat	3.2 - 20 mg/m3, 8 min Accumulation of TiO2 in macrophages and evidence of pulmonary inflammation.
ZINC OXIDE (CAS 1314-13-2)		
<u>Acute</u>		
Inhalation		
LC50	Rat	> 200 mg/l
Oral		
LD50	Rat	> 8437 mg/kg
Skin corrosion/irritation	Due to partial or complete lack of data the classification is not possible.	
Irritation Corrosion - Skin		
TITANIUM DIOXIDE	0, Literature data Result: Non-irritant Species: Guinea pig	
L-ASCORBIC ACID	0, Literature data Result: Non-irritant Species: Human Acute dermal irritation; OECD 404 Result: Non-irritant Species: Rabbit Notes: EU SCC Review 1986-1990	
TITANIUM DIOXIDE	Acute dermal irritation; OECD 404, Literature data Result: Non-irritant Species: Rabbit	
Irritation Corrosion - Skin: P.I.I. value		
MAGNESIUM STEARATE	0	
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.	

Eye

L-ASCORBIC ACID

Acute ocular irritation; OECD 405
 Result: Slight irritant
 Species: Rabbit
 Notes: EU SCC Review 1986-1990
 OECD 405, Literature data
 Result: Mild irritant
 Species: Rabbit

TITANIUM DIOXIDE

Eye / Kay and Calandra class - Intact

MAGNESIUM STEARATE

4
 Recovery Period: 2 days

Respiratory or skin sensitization**Respiratory sensitization** Due to partial or complete lack of data the classification is not possible.**Skin sensitization** Due to partial or complete lack of data the classification is not possible.**Sensitization**

TITANIUM DIOXIDE

5 % Optimisation Test, Literature data - Vehicle: petrolatum
 Result: Negative
 Species: Guinea pig
 Test Duration: 48 hour exposure

CYANOCOBALAMIN

Epidemiology
 Result: Hypersensitivity reactions can occur rarely.

TITANIUM DIOXIDE

Patch test, Literature data

Result: Negative

Species: Human

CHOLECALCIFEROL (VITAMIN D3)

SAR / QSAR, DEREK, Lhasa, UK

Result: No structural alerts identified.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.**Mutagenicity**

CHOLECALCIFEROL (VITAMIN D3)

Ames Assay, GLP assay; Literature data

Result: Negative

TITANIUM DIOXIDE

Ames, Literature data

Result: Negative

Micronucleus Assay in vitro, CHO cells, Literature data

Result: Negative

Micronucleus Assay in vitro, cultured human peripheral lymphocytes, Literature data

Result: Positive

Syrian Hamster Embryo (SHE) cell transformation assay

Result: Negative

WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell

lymphoblastoid, Literature data

Result: Positive

Carcinogenicity

Carcinogenic effects are not expected as a result of occupational exposure. Contains a material (Titanium Dioxide, Talc) classified as a carcinogen by external agencies. Risk of cancer cannot be excluded with prolonged exposure. Due to partial or complete lack of data the classification is not possible.

L-ASCORBIC ACID

< 6000 mg/kg/day

Result: Negative

Species: Mouse

Notes: UN SIDS Dossier

TITANIUM DIOXIDE

0.5 mg/m3, Literature data

Result: Negative

Species: Rat

Test Duration: 24 months

0.72 - 14.8 mg/m3, Literature data

Result: Negative

Species: Mouse

10 - 250 mg/m3, Dietary study - Literature data.

Result: Inflammation at all doses with alveolar/bronchiolar adenoma at the highest concentration.

Species: Rat

Test Duration: 24 months

1000 - 2000 mg/kg/day

Result: Negative

Species: Rat

Notes: UN SIDS Dossier

Carcinogenicity

TITANIUM DIOXIDE

25000 - 50000 ppm, Dietary study - Literature data.

Result: Negative

Species: Rat

25000 - 50000 ppm, Dietary study

Result: Negative

Species: Mouse

7.2 - 14.8 mg/m³, Literature data

Result: Lung tumour

Species: Rat

Test Duration: 24 months

SAR / QSAR, DEREK, Lhasa, UK

Result: No structural alerts identified.

CHOLECALCIFEROL (VITAMIN D3)

IARC Monographs. Overall Evaluation of Carcinogenicity

POVIDONE 30 (CAS 9003-39-8)

3 Not classifiable as to carcinogenicity to humans.

SILICON DIOXIDE (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

SODIUM SELENATE (CAS 13410-01-0)

3 Not classifiable as to carcinogenicity to humans.

TALC (CAS 14807-96-6)

2B Possibly carcinogenic to humans.

TITANIUM DIOXIDE (CAS 13463-67-7)

3 Not classifiable as to carcinogenicity to humans.

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Reproductivity

L-ASCORBIC ACID

1.5 - 100 mg/kg/day Embryo-foetal development

Result: No adverse foetal effects observed

Species: Guinea pig

Notes: EU SCC Review 1986-1990

200 - 2000 mg/kg/day Embryo-foetal development

Result: No adverse foetal effects observed

Species: Rat

Notes: EU SCC Review 1986-1990

5.2 - 520 mg/kg/day Embryo-foetal development

Result: No adverse foetal effects observed

Species: Mouse

Notes: EU SCC Review 1986-1990

CHOLECALCIFEROL (VITAMIN D3)

SAR / QSAR, DEREK, Lhasa, UK

Result: As a class vitamin D analogs are suspected of causing foetal malfomation at very high doses; physiological doses are not suspected of causing reproductive hazard

Specific target organ toxicity - single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity - repeated exposure

Not classified.

CHOLECALCIFEROL (VITAMIN D3)

Repeat dose non-clinical studies; clinical observation, Literature data

Organ: Kidney, bone

Species: Human

Organ: Red blood cells, kidneys.

Notes: EU SCC Review 1986-1990

L-ASCORBIC ACID

Aspiration hazard

Due to partial or complete lack of data the classification is not possible.

Chronic effects

Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Components

Species

Test Results

CALCIUM CARBONATE (CAS 471-34-1)

Aquatic

Fish

LC50

Western mosquitofish (*Gambusia affinis*) > 56000 mg/l, 24 hours

Components		Species	Test Results
CHOLECALCIFEROL (VITAMIN D3) (CAS 67-97-0)			
Aquatic			
<i>Acute</i>			
Algae	NOEC	Green algae (Selenastrum capricornutum)	100 mg/l, 96 hours
Crustacea	NOEC	Water flea (Daphnia magna)	100 mg/l, 48 hours
Fish	NOEC	Golden ide/orfe (Adult Leuciscus idus)	> 10000 mg/l, 96 hours
CYANOCOBALAMIN (CAS 68-19-9)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 100 mg/l, 48 hours
L-ASCORBIC ACID (CAS 50-81-7)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	1020 mg/l, 96 hours
MAGNESIUM STEARATE (CAS 557-04-0)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Orange-red killfish (Adult Oryzias latipes)	130 mg/l, 96 hours
NICOTINAMIDE (CAS 98-92-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours
Fish	EC50	Guppy (Juvenile Poecilia reticulata)	> 1000 mg/l, 96 hours
POTASSIUM CHLORIDE (CAS 7447-40-7)			
Aquatic			
<i>Acute</i>			
Algae	NOEC	Green algae (Chlorella vulgaris)	600 mg/l, 4 months
Crustacea	EC50	Water flea (Daphnia magna)	83 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	951 mg/l, 96 hours Static test
		Channel catfish (Adult Ictalurus punctatus)	720 mg/l, 48 hours Static test
		Fathead minnow (Adult Pimephales promelas)	880 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	435 mg/l, 96 hours Static test
POVIDONE 30 (CAS 9003-39-8)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours Static test
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	84 mg/l, 48 hours Static test
	NOEC	Water flea (Daphnia magna)	32 mg/l, 48 hours Static test
SILICON DIOXIDE (CAS 7631-86-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	440 mg/l, 72 hours

Components		Species	Test Results
	NOEC	Green algae (Selenastrum capricornutum)	60 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours Static test
Fish	EC50	Common carp (Juvenile Cyprinus carpio)	> 10000 mg/l, 72 hours
		Zebra fish (Adult Brachydanio rerio)	5000 mg/l, 96 hours Static test
Microtox	EC50	Microtox	8700 mg/l, 15 minutes
TALC (CAS 14807-96-6)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	> 100 g/l, 24 hours Static renewal test
TITANIUM DIOXIDE (CAS 13463-67-7)			
Aquatic			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours Static test
ZINC OXIDE (CAS 1314-13-2)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Daphnia	1 mg/l, 48 hours OECD Guideline 202
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	1.1 mg/l, 96 hours Static test
	LC50	Striped bass (Morone saxatilis)	0.25 - 2.46 mg/l, 48 hours

Persistence and degradability

Photolysis

Half-life (Photolysis-atmospheric)

MAGNESIUM STEARATE	17 Hours Estimated
NICOTINAMIDE	7 Days Estimated

UV/visible spectrum wavelength

CYANOCOBALAMIN	278 nm
MAGNESIUM STEARATE	210 nm

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

L-ASCORBIC ACID	100 %, 15 days Zahn-Wellens
MAGNESIUM STEARATE	77 %, 28 days BOD
POVIDONE 30	0 %, 28 days Modified MITI test, Activated sludge

Percent degradation (Aerobic biodegradation-ready)

CHOLECALCIFEROL (VITAMIN D3)	< 7 %, 28 days MITI test
CYANOCOBALAMIN	< 5 %
MAGNESIUM STEARATE	95 %, 22 days Sturm test
NICOTINAMIDE	96 %, 28 days Modified OECD Screening Test (OECD 301E)

Percent degradation (Aerobic biodegradation-soil)

MAGNESIUM STEARATE	50 %, 13 days
--------------------	---------------

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

L-ASCORBIC ACID	-2.15
NICOTINAMIDE	-0.37
RIBOFLAVIN	-1.46
	-1.46 (Measured).

Bioconcentration factor (BCF)

MAGNESIUM STEARATE	> 9999 Estimated
NICOTINAMIDE	< 1 Estimated
POTASSIUM IODIDE	> 1000 Measured
ZINC OXIDE	> 1000

Mobility in soil

No data available.

Adsorption

Soil/sediment sorption - log K_{oc}

MAGNESIUM STEARATE

5.86 Estimated

NICOTINAMIDE

1.18 Estimated

Mobility in general

Volatility

Henry's law

NICOTINAMIDE

0 atm m³/mol Estimated

RIBOFLAVIN

< 0 atm m³/mol, 25 C Estimated

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D010: Waste Selenium

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as a dangerous good.

Read safety instructions, SDS and emergency procedures before handling.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

MANGANESE SULFATE (CAS 7785-87-7)

Listed.

ZINC OXIDE (CAS 1314-13-2)

Listed.

SARA 304 Emergency release notification

SODIUM SELENATE (CAS 13410-01-0)

100 LBS

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Chemical name	CAS number	Reportable quantity (pounds)	Threshold planning quantity (pounds)	Threshold planning quantity, lower value (pounds)	Threshold planning quantity, upper value (pounds)
SODIUM SELENATE	13410-01-0	100	100		

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)
Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

MANGANESE SULFATE (CAS 7785-87-7)

SODIUM SELENATE (CAS 13410-01-0)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Contains component(s) regulated under the Safe Drinking Water Act.

US state regulations

California Proposition 65



WARNING: This product can expose you to TITANIUM DIOXIDE, which is known to the State of California to cause cancer, and VITAMIN A ACETATE, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

California Proposition 65 - CRT: Listed date/Developmental toxin

VITAMIN A ACETATE (CAS 127-47-9) Listed: July 1, 1989

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

MAGNESIUM OXIDE (CAS 1309-48-4)

SODIUM SELENATE (CAS 13410-01-0)

TALC (CAS 14807-96-6)

TITANIUM DIOXIDE (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 03-30-2020

Version #

01

HMIS® ratings

Health: 0

Flammability: 0

Physical hazard: 0

NFPA ratings

Health: 0

Flammability: 0

Instability: 0

Disclaimer

GlaxoSmithKline cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.