



Article Information Sheet

Copyright, 2021, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Document Group:	10-5847-8	Version Number:	2.04
Issue Date:	07/23/21	Supersedes Date:	02/09/21

SECTION 1: Identification

1.1. Product identifier

3M™ Transpore™ Surgical Tape 1527-0, 1527-1, 1527-2, 1527-3, 1527S-1, 1527S-2

Product Identification Numbers

43-9100-9529-8, 43-9101-6118-1, 70-2004-0016-9, 70-2004-0017-7, 70-2006-4252-1, 70-2006-4253-9, 70-2006-4799-1, 70-2006-4927-8, 70-2006-4928-6, 70-2006-4929-4, 70-2006-4930-2, 70-2006-4931-0, 70-2006-4932-8, 70-2006-5225-6, 70-2006-7983-8, 70-2007-3957-4, 70-2007-3958-2, 70-2007-3959-0, 70-2007-3960-8, CE-1006-8642-3, CE-1006-8652-2, DH-8888-0728-5, DH-8888-0733-5, DH-8888-1432-3, DH-9999-3673-4, DH-9999-7628-4, DH-9999-7629-2, DH-9999-7630-0, DH-9999-7631-8, DH-9999-7931-2, RH-0010-2502-6, UU-0042-4114-5, UU-0087-0367-8, UU-0087-0522-8, UU-0092-4070-4, UU-0092-4071-2, UU-0092-4072-0, UU-0092-4073-8, UU-0103-2255-8, YP-2011-3008-2, YP-2011-3010-8, YP-2011-3013-2, YP-2018-1041-0, YP-2018-1042-8, YP-2020-2037-3, YP-2020-2038-1, YP-2020-2043-1, YP-2020-2044-9, YP-2020-2049-8, YP-2020-2050-6, YP-2020-3003-4, YP-2020-3004-2, YP-2020-3005-9, YP-2020-3006-7, YP-2020-3016-6, YP-2020-3017-4, YP-2020-3018-2, YP-2020-3022-4, YP-2020-3023-2, YP-2020-5014-9, YP-2020-7000-6, YP-2020-7001-4

7000030108, 7100090665, 7100115475, 7100111065, 7000053518, 7000030170, 7000002794, 7000002795, 7000002796, 7000002797, 7000128541, 7000128542, 7000053522, 7000053523, 7100095947, 7000128543, 7100099501, 7000032706, 7000032708, 7000032709, 4000012486, 4100012661, 7100037334, 7100087894, 7000145723, 7000114924, 7000114925, 7000114837, 7000114838, 7000114839, 7000114919, 7000114930, 7000114931, 7000042246, 7000042247, 7000042248, 7000114957, 7000114958, 7000114959, 7000042249, 7000059803, 7000059797, 7000114859, 7000114860, 7000066167, 7000114968, 7000115010, 7000115011, 7000114960, 7000114961, 7100122916, 7100122409, 7000032707, 7100161037, 7100160956, 7100154577, 7100154206, 7100037907, 7000066300, 7100218302

1.2. Recommended use and restrictions on use

Recommended use

Used to secure tubing, devices and dressings.

1.3. Supplier's details

MANUFACTURER:	3M
DIVISION:	Medical Solutions Division
ADDRESS:	3M Center, St. Paul, MN 55144-1000, USA

Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Backing	None	70 - 80
Acrylate Adhesive	Trade Secret*	10 - 20
Rosin Ester	Trade Secret*	1 - 10

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

No need for first aid is anticipated.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Not applicable.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state
Color

Solid
White

Odor

Slight Acrylate

Odor threshold

Not Applicable

pH

Not Applicable

Melting point

Not Applicable

Boiling Point

Not Applicable

Flash Point

Not Applicable

Evaporation rate

Not Applicable

Flammability (solid, gas)

Not Classified

Flammable Limits(LEL)

Not Applicable

Flammable Limits(UEL)

Not Applicable

Vapor Pressure

Not Applicable

Vapor Density

Not Applicable

Density

Not Applicable

Specific Gravity

Not Applicable

Solubility in Water

Nil

Solubility- non-water

Not Applicable

Partition coefficient: n-octanol/ water

No Data Available

Autoignition temperature

No Data Available

Decomposition temperature

Not Applicable

Viscosity

Not Applicable

Molecular weight

No Data Available

Volatile Organic Compounds

No Data Available

VOC Less H2O & Exempt Solvents

No Data Available

SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

SECTION 11: Toxicological information**Inhalation:**

No health effects are expected

Skin Contact:

No health effects are expected

Eye Contact:

No health effects are expected

Ingestion:

No health effects are expected

Additional Information:

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a significant release of components to the environment or because those components that may be released are expected to have insignificant environmental impact.

SECTION 13: Disposal considerations

Dispose of contents/container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information**Chemical Inventories**

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory requirements.

SECTION 16: Other information**NFPA Hazard Classification**

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	10-5847-8	Version Number:	2.04
Issue Date:	07/23/21	Supersedes Date:	02/09/21

DISCLAIMER: The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the AIS available directly from 3M

3M USA AISs are available at www.3M.com



Article Information Sheet

Copyright, 2021, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This Article Information Sheet is provided as a courtesy in response to a customer request. A Safety Data Sheet (SDS) has not been prepared for these product(s) because they are articles. Articles are not subject to the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this standard: "Article" means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and does not pose a physical hazard or health risk to employees.

Document Group:	10-5846-0	Version Number:	5.00
Issue Date:	06/09/21	Supersedes Date:	03/04/20

SECTION 1: Identification

1.1. Product identifier

3M™ Tegaderm™ Transparent Film Dressing 1610, 1614, 1616, 1620, 1621, 1622, 1624, 1626, 1627, 1628, 1629, 1630, 1634, 1650, 1655, 9505, 9506

Product Identification Numbers

ID Number	UPC	ID Number	UPC
70-2005-4308-3	+H-44406-9553C-0	70-2006-5217-3	+H-44436-9243B-0
70-2006-5472-4	+H-44437-1885G-0	70-2007-3424-5	
70-2007-3640-6		70-2007-3644-8	
70-2007-3646-3		70-2007-3659-6	
70-2007-4207-3		70-2007-4483-0	
70-2007-4484-8		70-2007-4485-5	
70-2007-4652-0		70-2007-4907-8	
70-2007-4908-6		70-2007-4909-4	
70-2007-4916-9		70-2007-4917-7	
70-2007-4918-5		70-2007-4920-1	
70-2007-4921-9		70-2007-4922-7	
70-2007-4923-5		70-2007-4924-3	
70-2007-4925-0		70-2007-4927-6	
70-2007-4929-2		70-2007-4930-0	
70-2007-4932-6		70-2007-6127-1	
70-2007-6129-7		70-2007-7709-5	
70-2011-7791-5		70-2011-7792-3	
70-2011-8972-0		70-2011-8973-8	
70-2018-0330-4		70-2018-0331-2	
70-2018-0332-0		70-2018-0333-8	
70-2018-0340-3		70-2018-0341-1	
70-2018-0342-9		70-2018-0343-7	
70-2018-0344-5		70-2018-0345-2	
70-2018-0346-0		70-2018-0347-8	

70-2018-0348-6	70-2018-0349-4
70-2018-0350-2	70-2018-0351-0
70-2018-0352-8	70-2018-0353-6
70-2018-0354-4	70-2018-0355-1
70-2018-0361-9	70-2018-0362-7
AH-0105-6557-2	DH-8888-1362-2
DH-8888-1370-5	H0-0013-0587-1
MH-9001-0044-6	MH-9001-0045-3
MH-9001-0046-1	MH-9001-0047-9
MH-9999-8517-8	UU-0048-9939-7
YP-2027-1007-2	YP-2027-1008-0
YP-2027-1010-6	YP-2027-1015-5
YP-2027-1016-3	YP-2027-1024-7

7000053461, 7000053527, 7000053529, 7000053696, 7100062159, 7000053689, 7100115165, 7100100297, 7100116145, 7000053739, 7100100296, 7000053740, 7100075856, 7000030288, 7000002867, 7000002868, 7000002870, 7000002865, 7000002866, 7000002869, 7000002873, 7000002874, 7100005562, 7000002872, 7000002875, 7100064454, 7010045372, 7100116028, 7000064076, 7000064084, 7000115161, 7000115162, 7000115163, 7000115166, 7000115167, 7000115171, 7100097744, 7100134396, 7000021340, 7100063857, 7000128640, 7100075855, 7100116027, 7100197474, 7100197336, 7100240942, 7100241162, 7100247817, 7100247655, 7100247816, 7100247656, 7100252704, 7100252705, 7100252810, 7100252809, 7100252808, 7100252797, 7100252702, 7100252701, 7100252700, 7100252796, 7100252795, 7100252816, 7100252805, 7100252806, 7100252807, 7100252699, 7100252698, 7100252856

1.2. Recommended use and restrictions on use

Recommended use

I.V. secural and wound management.

1.3. Supplier's details

MANUFACTURER: 3M
DIVISION: Medical Solutions Division
ADDRESS: 3M Center, St. Paul, MN 55144-1000, USA
Telephone: 1-888-3M HELPS (1-888-364-3577)

1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

SECTION 2: Hazard identification

This product is exempt from hazard classification according to OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3: Composition/information on ingredients

Ingredient	C.A.S. No.	% by Wt
Printed Silicone Coated Paper Liner	None	15 - 65
Silicone Coated Paper Liner	Trade Secret*	<= 40
Acrylate Adhesive	Trade Secret*	5 - 25
Polyurethane Backing	Trade Secret*	5 - 15
Border Backing	None	<= 10
Label Tape	None	<= 5

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade

secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

No need for first aid is anticipated.

Skin Contact:

No need for first aid is anticipated.

Eye Contact:

No need for first aid is anticipated.

If Swallowed:

No need for first aid is anticipated.

SECTION 5: Fire-fighting measures

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Not applicable.

6.2. Environmental precautions

Not applicable.

6.3. Methods and material for containment and cleaning up

Not applicable.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. No engineering controls or personal protective equipment (PPE) are necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
Physical state	Solid
Color	Colorless
Odor	Slight Odor
Odor threshold	<i>Not Applicable</i>
pH	<i>Not Applicable</i>
Melting point	<i>No Data Available</i>
Boiling Point	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Evaporation rate	<i>Not Applicable</i>
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	<i>Not Applicable</i>
Flammable Limits(UEL)	<i>Not Applicable</i>
Vapor Pressure	<i>Not Applicable</i>
Vapor Density	<i>Not Applicable</i>
Density	<i>Not Applicable</i>
Specific Gravity	<i>Not Applicable</i>
Solubility in Water	Nil
Solubility- non-water	<i>Not Applicable</i>
Partition coefficient: n-octanol/ water	<i>No Data Available</i>
Autoignition temperature	<i>No Data Available</i>
Decomposition temperature	<i>Not Applicable</i>
Viscosity	<i>Not Applicable</i>
Volatile Organic Compounds	<i>No Data Available</i>
Percent volatile	<i>No Data Available</i>
VOC Less H2O & Exempt Solvents	<i>No Data Available</i>

SECTION 10: Stability and reactivity

This material is considered to be non reactive under normal use conditions.

SECTION 11: Toxicological information

Inhalation:

No health effects are expected

Skin Contact:

No health effects are expected

Eye Contact:

No health effects are expected

Ingestion:

No health effects are expected

Additional Information:

This product, when used under reasonable conditions and in accordance with the directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards.

SECTION 12: Ecological information

This article is expected to present a low environmental risk either because use and disposal are unlikely to result in a significant release of components to the environment or because those components that may be released are expected to have insignificant environmental impact.

SECTION 13: Disposal considerations

Dispose of contents/container in accordance with the local/regional/national/international regulations.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

Chemical Inventories

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory requirements.

Commercial use of this material is regulated by the FDA.

SECTION 16: Other information

NFPA Hazard Classification

Health: 0 **Flammability:** 1 **Instability:** 0 **Special Hazards:** None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document Group:	10-5846-0	Version Number:	5.00
Issue Date:	06/09/21	Supersedes Date:	03/04/20

DISCLAIMER: The information in this Article Information Sheet (AIS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the AIS available directly from 3M

3M USA AISs are available at www.3M.com

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

WEBCOL/Curity Alcohol Prep Pads

Trade Names

5033, 5110, 5750, 6818, 6818-1, 63001, 15033, 16818, 176818, 20339, 681812, 6818-2, 7MJ46621, 7MJ36339, 7RA58200, 7RA71200, 7RI43405, 7R145719, 7RI45720, 7RI45721, 7RI45722, 7RI82380, 7RI82402, 70Y33230, 985629, MKN42634, 693035, 121-6131, 6818M, GS42634

Synonyms

Isopropyl Alcohol 65-75%

Chemical Family

ISOPROPYL ALCOHOL

Product Use

Skin preparation pads for use in medical applications

Restrictions on Use

For use under medical supervision only.

Manufacturer Information

Covidien, LP

15 Hampshire Street

Mansfield, MA 02048

USA

Phone: +1-(508) 261-8000 (Monday - Friday 8:00 am to 5:00 pm)

Email: customerservice@medtronic.com

Emergency Telephone Number:

INFOTRAC (800) 535-5053 (for US and Canada)

1(352) 323-3500 (Outside US and Canada)

Collect calls accepted

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Flammable Liquids - Category 2

Serious Eye Damage/Eye Irritation - Category 2A

GHS Label Elements

Symbol(s)



Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Signal Word

Danger

Hazard Statement(s)

Highly flammable liquid and vapor
Causes serious eye irritation

Precautionary Statement(s)

Prevention

Keep away from heat/sparks/open flame/hot surfaces - No smoking
Wash thoroughly after handling

Response

In case of fire: Use appropriate media to extinguish
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention

Storage

Store in a cool dry place

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations

Other Hazards

No additional information available.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent (%)
7732-18-5	Water	25 - 35
67-63-0	Isopropyl alcohol	65 - 75

Section 4 - FIRST AID MEASURES

Inhalation

Not a likely route of exposure.

Skin

It is unlikely that first aid will be required. If skin irritation occurs: Get medical advice/attention.

Eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

Ingestion

If swallowed, get medical attention.

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Most Important Symptoms/Effects

Acute

Causes serious eye irritation.

Delayed

No information on significant adverse effects.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Use dry chemical, carbon dioxide, alcohol-resistant foam or water spray.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Highly flammable liquid and vapor.

Hazardous Combustion Products

Oxides of carbon

Advice for firefighters

Avoid inhalation of material or combustion by-products.

Fire Fighting Measures

Avoid inhalation of material or combustion by-products.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment.

Methods and Materials for Containment and Cleaning Up

Clear up spills immediately and dispose of waste safely.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from heat/sparks/open flames/hot surfaces.

Conditions for Safe Storage, Including any Incompatibilities

Store in a cool dry place

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Incompatible Materials

Aldehydes, halogenated compounds, halogens, strong acids, strong oxidizing agents

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

Isopropyl alcohol	67-63-0
ACGIH:	200 ppm TWA
	400 ppm STEL
NIOSH:	400 ppm TWA; 980 mg/m ³ TWA
	500 ppm STEL; 1225 mg/m ³ STEL
	2000 ppm IDLH (10% LEL)
OSHA (US):	400 ppm TWA; 980 mg/m ³ TWA
Mexico:	400 ppm TWA LMPE-PPT; 980 mg/m ³ TWA LMPE-PPT
	500 ppm STEL [LMPE-CT]; 1225 mg/m ³ STEL [LMPE-CT]

Biological limit value

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Safety glasses or goggles are recommended when there is a potential for eye contact.

Skin Protection

Not required.

Respiratory Protection

No respirator is required under normal conditions of use.

Glove Recommendations

Hand protection is not required.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Non-woven cloth saturated with liquid in foil package	Physical State	Liquid
Odor	Alcohol	Color	Colorless
Odor Threshold	Not available	pH	Not available

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Melting Point	Not available	Boiling Point	82 °C (literature value)
Freezing point	-89 °C (literature value)	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	399 °C (literature value)	Flash Point	12 °C (estimate based on isopropyl alcohol)
Lower Explosive Limit	2 % (V)	Decomposition	Not available
Upper Explosive Limit	12 % (V)	Vapor Pressure	33 mmHg (@ 20 °C - literature value)
Vapor Density (air=1)	2.1 (literature value)	Specific Gravity (water=1)	0.7855 (@ 20 °C - literature value)
Water Solubility	100%	Partition coefficient: n-octanol/water	0.05 (measured value)
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available		

Other Information

No additional information available.

Section 10 - STABILITY AND REACTIVITY

Reactivity

Not known to occur.

Chemical Stability

Stable under normal conditions of use.

Possibility of Hazardous Reactions

Hazardous polymerization will not occur.

Conditions to Avoid

Avoid direct sunlight.

Incompatible Materials

Aldehydes, halogenated compounds, halogens, strong acids, strong oxidizing agents

Hazardous decomposition products

Oxides of carbon

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

Not a likely route of exposure.

Skin Contact

None known.

Eye Contact

Causes serious eye irritation.

Ingestion

None known.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Isopropyl alcohol (67-63-0)

Oral LD50 Rat 5045 mg/kg (Safety Data Sheet)

Dermal LD50 Rabbit 12800 mg/kg (Safety Data Sheet)

Inhalation LC50 Rat 1600 ppm 4 h (Safety Data Sheet)

Immediate Effects

Causes serious eye irritation.

Delayed Effects

No information on significant adverse effects.

Irritation/Corrosivity Data

Causes serious eye irritation.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

Isopropyl alcohol	67-63-0
ACGIH:	A4 - Not Classifiable as a Human Carcinogen
IARC:	Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977] (Group 3 (not classifiable))

Germ Cell Mutagenicity

No data available.

Reproductive Toxicity

No data available.

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Specific Target Organ Toxicity - Single Exposure

No information available.

Specific Target Organ Toxicity - Repeated Exposure

No information available.

Aspiration hazard

No data available.

Medical Conditions Aggravated by Exposure

May cause eye damage, eye disorders.

Additional Data

No additional information available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity

Avoid release to the environment.

Component Analysis - Aquatic Toxicity

Isopropyl alcohol	67-63-0
Fish:	LC50 96 h Pimephales promelas 9640 mg/L [flow-through]; LC50 96 h Pimephales promelas 11130 mg/L [static]; LC50 96 h Lepomis macrochirus >1400000 µg/L
Algae:	EC50 96 h Desmodesmus subspicatus >1000 mg/L IUCLID; EC50 72 h Desmodesmus subspicatus >1000 mg/L IUCLID
Invertebrate:	EC50 48 h Daphnia magna 13299 mg/L IUCLID

Persistence and Degradability

No information available for the product.

Bioaccumulative Potential

No information available for the product.

Mobility

No information available for the product.

Other Toxicity

No additional information available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable regulations.

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Section 14 - TRANSPORT INFORMATION

US DOT Information:

Shipping Name: Not applicable

Hazard Class: Not applicable

UN/NA #: Not regulated per 49 CFR, Special Provision 47 (for rail and road transport in the USA)

Packing Group: Not applicable

Required Label(s): Not applicable

Additional information: No additional information available

IATA Information:

Shipping Name: Not applicable

Hazard Class: Not applicable

UN#: Not regulated, as per IATA, Special Provision A46

Packing Group: Not applicable

Required Label(s): Not applicable

Additional information: Consult current IATA regulations prior to shipping by air

IMDG Information:

Shipping Name: Not applicable

Hazard Class: Not applicable

UN#: Not regulated, as per IMDG Code, Special Provision 216

Packing Group: Not applicable

Required Label(s): Not applicable

Additional information: No additional information available

TDG Information:

Shipping Name: Not applicable

Hazard Class: Not applicable

UN#: Not regulated

Packing Group: Not applicable

Required Label(s): Not applicable

Additional information: No additional information available

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

This material contains one or more of the following chemicals required to be identified under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b).

Isopropyl alcohol	67-63-0
SARA 313:	1 % de minimis concentration (only if manufactured by the strong acid process, no supplier notification)

Safety Data Sheet

Material Name: WEBCOL/Curity Alcohol Prep Pads

SDS ID: COV-001

Not listed under California Proposition 65

Canadian WHMIS Ingredient Disclosure List (IDL)

Components of this material have been checked against the Canadian WHMIS Ingredients Disclosure List. The List is composed of chemicals which must be identified on MSDSs if they are included in products which meet WHMIS criteria specified in the Controlled Products Regulations and are present above the threshold limits listed on the IDL

Isopropyl alcohol	67-63-0
	1 %

Section 16 - OTHER INFORMATION

Summary of Changes

New SDS: May 5, 2015

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States; WHMIS - Workplace Hazardous Materials Information System

Other Information

Disclaimer:

The information and recommendations in this safety data sheet are based on sources believed to be accurate as of the date of issue. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. Covidien LP makes NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED and usage of this safety data sheet shall not establish a legal, contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose. Covidien LP assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Covidien LP assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Users should ensure that any use or disposal of the material is in accordance with applicable national, country, federal, state, and local laws, directives, orders and regulations.

Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

2 of 2 SDS – CareFusion ChloroPrep® Solutions

1.1. Product identifier

Product name : ChloroPrep® Solutions

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Antimicrobial

1.3. Details of the supplier of the safety data sheet

CareFusion
75 N. Fairway Drive
Vernon Hills, IL 60061
T 800-523-0502 - F 855-329-6985

1.4. Emergency telephone number

Emergency number : Chemtrec 1 800 424 9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 2 H225
Eye Irrit. 2A H319
STOT SE 3 H336
STOT SE 3 H335

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US) :



Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

H225 - Highly flammable liquid and vapor
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H336 - May cause drowsiness or dizziness

Precautionary statements (GHS-US) :

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
P233 - Keep container tightly closed
P240 - Ground/bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/lighting/... equipment
P242 - Use only non-sparking tools
P243 - Take precautionary measures against static discharge
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash ... thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a POISON CENTER/doctor/physician if you feel unwell
P337+P313 - If eye irritation persists: Get medical advice/attention
P370+P378 - In case of fire: Use ... for extinction
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P403+P235 - Store in a well-ventilated place. Keep cool
P405 - Store locked up
P501 - Dispose of contents/container to ...

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

No data available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

ChloraPrep® Clear

Name	Product identifier	%	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0	70	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0	2	Acute Tox. 4 (Oral), H302

ChloraPrep® Teal Green

Name	Product identifier	%	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0	70	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0	2	Acute Tox. 4 (Oral), H302
C.I. Food Green 3	(CAS No) 2353-45-9	0 - 0.1	Muta. 2, H341

ChloraPrep® Hi-Lite Orange

Name	Product identifier	%	GHS-US classification
Isopropyl alcohol	(CAS No) 67-63-0	70	Flam. Liq. 2, H225
Chlorhexidine digluconate	(CAS No) 18472-51-0	2	Acute Tox. 4 (Oral), H302
FD and C Yellow No. 6	(CAS No) 2783-94-0	0 - 0.1	Not classified

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures after inhalation : If symptoms of exposure develop, move to fresh air. Seek medical attention if symptoms persist.
- First-aid measures after skin contact : Wash material off the skin with copious amounts of water. If redness or a burning sensation develops, seek medical attention and discontinue use.
- First-aid measures after eye contact : Flush with copious amounts of water. After initial flushing remove any contact lenses and continue flushing for at least 15minutes. Have eyes examined and treated by medical personnel immediately.
- First-aid measures after ingestion : Give individual one to two glasses of water to drink. If gastrointestinal symptoms develop, consult medical personnel. (Never give anything by mouth to an unconscious person).

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after inhalation : Inhalation of vapors may cause mucous membrane and respiratory irritation and central nervous system depression with symptoms of headache, dizziness and drowsiness.
- Symptoms/injuries after skin contact : May cause irritation, drying, defatting of the skin. Prolonged contact may cause dermatitis.
- Symptoms/injuries after eye contact : Contact may cause severe irritation with redness, tearing and pain with possible eye damage.
- Symptoms/injuries after ingestion : Ingestion may cause mucous membrane and gastrointestinal irritation, abdominal pain, nausea, vomiting, dizziness and drowsiness.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Water fog, alcohol-resistant foam, carbon dioxide or dry chemical. Water spray can be used to cool exposed containers and structures, dilute spills and disperse flammable vapors.
- Unsuitable extinguishing media : None.

5.2. Special hazards arising from the substance or mixture

- Fire hazard : Highly flammable liquid and vapor. Ampoules may explode if exposed to extreme heat or flame. Vapors are heavier than air and will travel along surfaces to remote ignition sources and flash back.
- Explosion hazard : None known.

5.3. Advice for firefighters

Protection during firefighting : Firefighters should wear positive pressure self-contained breathing apparatus and full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No special measures required.

6.1.1. For non-emergency personnel

No additional information available

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop the flow of material, if this is without risk.
 Methods for cleaning up : Wear skin, eye and respiratory protection during cleanup. For small spills, wipe or mop up and rinse to sewer serviced by a wastewater treatment facility. For large spills, eliminate sources of ignition and ventilate spill area. Soak up liquid with inert absorbent and collect into a suitable waste container. Wash residue from spill area with water and flush to sewer serviced by a wastewater treatment facility if permitted.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid prolonged exposure (ingestion, inhalation, or skin contact). Avoid breathing vapors. Use in well-ventilated areas. Keep product away from heat, sparks and flames.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a cool, dry, well-ventilated area away from incompatible chemicals and all sources of ignition.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Isopropyl alcohol (67-63-0)		
USA ACGIH	ACGIH TWA (ppm)	200 ppm
USA ACGIH	ACGIH STEL (ppm)	400 ppm
USA OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m ³
USA OSHA	OSHA PEL (TWA) (ppm)	400 ppm

8.2. Exposure controls

Appropriate engineering controls : Use with adequate general or local exhaust ventilation to maintain exposures below the occupational exposure limits. Use explosion proof equipment where required.
 Hand protection : Latex rubber for limited contact. Butyl rubber or nitrile recommended for prolonged contact.
 Eye protection : Safety glasses or goggles recommended if eye contact is possible.
 Skin and body protection : Wear suitable working clothes.
 Respiratory protection : If the exposure limits are exceeded a NIOSH/EN approved organic vapor respirator appropriate for the form and concentration of the contaminants should be used.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
 Appearance : Clear in product; when activated, clear orange, teal

Color	: Clear, orange, or teal
Odor	: Odorless
Odor threshold	: No data available
pH	: 7 - 7.5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 67 °F
Self ignition temperature	: 2 - 12.7
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity	: 0.88
Solubility	: Water: Complete
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

9.2. Other information

VOC content : 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Will not occur.

10.4. Conditions to avoid

Extreme heat, sparks or flame.

10.5. Incompatible materials

Oxidizing materials

10.6. Hazardous decomposition products

Carbon dioxide, carbon monoxide, nitrogen oxides, ammonia, chlorine compounds.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Isopropyl alcohol (67-63-0)	
LD50 oral rat	4396 mg/kg
LD50 dermal rabbit	12800 mg/kg
LC50 inhalation rat (ppm)	16000 ppm (Exposure time: 8 h)

Chlorhexidine digluconate (18472-51-0)	
ATE (oral)	500.000 mg/kg

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.
 Respiratory or skin sensitisation : Not classified
 Germ cell mutagenicity : Not classified
 Carcinogenicity : Not classified

Isopropyl alcohol (67-63-0)	
IARC group	3 - Not classifiable

C.I. Food Green 3 (2353-45-9)	
IARC group	3 - Not classifiable

FD and C Yellow No. 6 (2783-94-0)	
IARC group	3 - Not classifiable

Reproductive toxicity : Not classified
 Specific target organ toxicity (single exposure) : May cause drowsiness or dizziness. May cause respiratory irritation.
 Specific target organ toxicity (repeated exposure) : Not classified
 Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Isopropyl alcohol (67-63-0)	
LC50 fishes 1	9640 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
EC50 Daphnia 1	13299 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	> 1000 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
LC50 fish 2	11130 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 other aquatic organisms 2	> 1000 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus)

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Isopropyl alcohol (67-63-0)	
Log Pow	0.05 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/regional/national/international regulations.

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1219 Isopropanol Solution, 3, II
 UN-No.(DOT) : 1219
 DOT NA no. : UN1219
 DOT Proper Shipping Name : Isopropanol Solution
 Department of Transportation (DOT) Hazard Classes : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid



Packing group (DOT) : II - Medium Danger

DOT Special Provisions (49 CFR 172.102) : IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.
 T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
 TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling.

DOT Packaging Exceptions (49 CFR 173.xxx) : 4b;150

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202

DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L

DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 60 L

DOT Vessel Stowage Location : B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

SECTION 15: Regulatory information

15.1. US Federal regulations

Isopropyl alcohol (67-63-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Listed on SARA Section 313 (Specific toxic chemical listings)	
EPA TSCA Regulatory Flag	T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA.
SARA Section 313 - Emission Reporting	1.0 % (only if manufactured by the strong acid process, no supplier notification)

C.I. Food Green 3 (2353-45-9)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

Chlorhexidine digluconate (18472-51-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

FD and C Yellow No. 6 (2783-94-0)	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	

15.2. US State regulations

Isopropyl alcohol (67-63-0)	
U.S. - Massachusetts - Right To Know List	
U.S. - Minnesota - Hazardous Substance List	
U.S. - New Jersey - Right to Know Hazardous Substance List	
U.S. - Pennsylvania - RTK (Right to Know) List	

SECTION 16: Other information

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Muta. 2	Germ cell mutagenicity, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis

STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H341	Suspected of causing genetic defects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product