

05/09/2016

Kit Components

Product code	Description
--------------	-------------

256049	Strep A Swabs Veritor System 10 Test
---------------	---

Components:

256049a	Control Swab Positive Veritor Strep A
256049b	Control Swab Negative Veritor Strep A

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016


Reviewed On: 05/09/2016

1 Identification

- **Product Identifier:**
- **Product Name:** Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)
- **Catalog Number:** 256049
- **Application of the substance / the mixture** Laboratory Chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 – 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **NFPA ratings (scale 0-4)**



Health = 0
Flammability = 0
Reactivity = 0

- **HMIS ratings (scale 0-4)**



Health = 0
Flammability = 0
Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

US

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixture**
- **Description:** Mixture consisting of the following components.

- **Dangerous Components:**

9002-93-1	Triton X-100 Aquatic Chronic 2, H411; Acute Tox. 4, H302; Eye Irrit. 2A, H319; Aquatic Acute 2, H401	1.13%
-----------	--	-------

- **Additional information** Risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Information for doctor** Show this product label or this SDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 2)

- **Methods and material for containment and cleaning up:**
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.*
- **Reference to other sections**
*See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.*

7 Handling and storage

- **Handling**
- **Precautions for safe handling** *No special measures required.*
- **Information about protection against explosions and fires:**
No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** *No special requirements.*
- **Information about storage in one common storage facility:**
Store away from oxidizing agents.
- **Further information about storage conditions:**
Store in cool, dry conditions in well sealed containers.
- **Specific end use(s)** *No further relevant information available.*

8 Exposure controls/personal protection

- **Additional information about design of technical systems:**
No further data; see Section 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Exposure controls**
- **Personal Protective Equipment**
- **General protective and hygienic measures**
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** *Not required.*

(Contd. on page 4)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 3)

· Protection of hands:



Chemical resistant gloves (i.e. nitrile, or equivalent).

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form:	Solid.
Color:	White
· Odor:	Characteristic
· Odor threshold:	Not determined.

· pH-value: Not determined

· Change in condition

Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined

· Flash point: Not applicable

· Flammability (solid, gaseous) Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not self igniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

· Vapor pressure: Not determined.

· Density:	Not determined
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 4)

- **Solubility in / Miscibility with Water:** *Not miscible or difficult to mix*
- **Partition coefficient (n-octanol/water):** *Not determined.*
- **Viscosity:**
 - dynamic:** *Not determined.*
 - kinematic:** *Not determined.*
- **Other information** *No further relevant information available.*

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** *No dangerous reactions known*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:**
*Incompatible material: strong oxidizers.
Incompatible materials: acidic material and metals*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*
- **Additional information:**
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
 - **on the skin:** *No irritating effect.*
 - **on the eye:** *No irritating effect.*
- **Sensitization:** *No sensitizing effects known.*
- **Additional toxicological information:**
*The product shows the following dangers according to internally approved calculation methods for preparations:
The product is not subject to OSHA classification according to internally approved calculation methods for preparations.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.*

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 5)

· Carcinogenic categories**· IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity**· Aquatic toxicity:** No further relevant information available.**· Persistence and degradability** No further relevant information available.**· Behavior in environmental systems:****· Bioaccumulative potential** No further relevant information available.**· Mobility in soil** No further relevant information available.**· Ecotoxicological effects:****· Other information:**

The ecological effects have not been thoroughly investigated, but currently none have been identified.

· Results of PBT and vPvB assessment**· PBT:** Not applicable.**· vPvB:** Not applicable.**· Other adverse effects** No further relevant information available.

13 Disposal considerations

· Waste treatment methods**· Recommendation**

Must not be disposed of with solid waste.

Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.

· Uncleaned packagings:**· Recommendation:** Disposal must be made according to state and federal regulations.**· Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 6)

14 Transport information

· UN-Number	
· DOT, ADN, IMDG, IATA	Void
· UN proper shipping name	
· DOT, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture	
· SARA Section 355 (extremely hazardous substances)	None of the ingredients is listed.
· SARA Section 313 (specific toxic chemical listings)	None of the ingredients is listed.
· TSCA (Toxic Substances Control Act)	All ingredients are listed.
· California Proposition 65 - Chemicals known to cause cancer	None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

**Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 7)

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **TLV (Threshold Limit Value established by ACGIH)**

26628-22-8 sodium azide

A4

· **GHS label elements** Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

· **Department issuing SDS:**

Environmental, Health & Safety
Created by Michael J. Spinazzola

· **Contact:** Technical Service Representative

· **Date of preparation / last revision** 05/09/2016 / -

· **Abbreviations and acronyms:**

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- OSHA: Occupational Safety & Health

(Contd. on page 9)



Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 05/09/2016

Product Name: Control Swab Positive Veritor Strep A
(Strep A Swabs Veritor System 10 Test)

(Contd. of page 8)

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

LC50: Lethal concentration, 50 percent

BEI: Biological Exposure Limit

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016


Reviewed On: 04/21/2016

1 Identification

- **Product Identifier:**
- **Product Name:** Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)
- **Catalog Number:** 256049
- **Application of the substance / the mixture** Laboratory Chemicals
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
BD Diagnostic Systems
7 Loveton Circle
Sparks, MD 21152
Telephone: (410) 771 - 0100 or (800) 638 – 8663
Email Address: Technical_Services@bd.com
- **Information Department:** Technical Service
- **Emergency telephone number:**
In case of a chemical emergency, spill, fire, exposure, or accident, contact BD Diagnostic Systems (410) 771-0100 or (800)-638-8663, or ChemTrec at (800) 424-9300.

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **NFPA ratings (scale 0-4)**



Health = 0
Flammability = 0
Reactivity = 0

- **HMIS ratings (scale 0-4)**



HEALTH 0 Health = 0
FIRE 0 Flammability = 0
REACTIVITY 0 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

US

(Contd. on page 2)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixture**
- **Description:** Mixture consisting of the following components.
- **Dangerous Components:** Void
- **Additional information** Risk phrases refer to section 15.

4 First-aid measures

- **Description of first aid measures**
- **General information** No special measures required.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact**
Rinse opened eye for 15 minutes under running water. Then consult a doctor.
- **After swallowing** If symptoms persist consult doctor.
- **Information for doctor** Show this product label or this SDS.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, ABC multipurpose dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture**
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Wipe up with damp sponge or mop.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
Ensure adequate ventilation.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling**· Precautions for safe handling** No special measures required.**· Information about protection against explosions and fires:**

No special measures required.

· Conditions for safe storage, including any incompatibilities**· Storage****· Requirements to be met by storerooms and receptacles:** No special requirements.**· Information about storage in one common storage facility:**

Store away from oxidizing agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems:

No further data; see Section 7.

· Control parameters**· Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation were used as basis.**· Exposure controls****· Personal Protective Equipment****· General protective and hygienic measures**

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure, use a chemical fume hood or a NIOSH/MSHA-approved respirator.

· Protection of hands:

Chemical resistant gloves (i.e. nitrile, or equivalent).

(Contd. on page 4)

US

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 3)

- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing (lab coat).

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

- **Form:** Solid.
- **Color:** White
- **Odor:** Characteristic
- **Odor threshold:** Not determined.

· **pH-value:** Not determined

· **Change in condition**

- **Melting point/Melting range:** Not determined
- **Boiling point/Boiling range:** Not determined

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not self igniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Vapor pressure:** Not determined.

- **Density:** Not determined
- **Relative density** Not determined.
- **Vapor density** Not determined.
- **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **dynamic:** Not determined.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 4)

kinematic: Not determined.
Other information No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:**
Incompatible material: strong oxidizers.
Incompatible materials: acidic material and metals
- **Hazardous decomposition products:** No dangerous decomposition products known.
- **Additional information:**
Sodium azide is present in this product. Contact with acidic solutions and metal compounds over time may form potentially explosive metal azides. Should any of this material be introduced into a sanitary sewer system, flush with copious amounts of water.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritating effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

(Contd. on page 6)

US

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Other information:**
The ecological effects have not been thoroughly investigated, but currently none have been identified.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Must not be disposed of with solid waste.
Dispose of material in accordance with federal (40 CFR 261.3), state and local requirements.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to state and federal regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

- | | |
|----------------------------------|------|
| · UN-Number | |
| · DOT, ADN, IMDG, IATA | Void |
| · UN proper shipping name | |
| · DOT, ADN, IMDG, IATA | Void |

(Contd. on page 7)

US

Safety Data Sheet
acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 6)

· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	Void
· Packing group	
· DOT, IMDG, IATA	Void
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **SARA Section 355 (extremely hazardous substances)**

None of the ingredients is listed.

· **SARA Section 313 (specific toxic chemical listings)**

None of the ingredients is listed.

· **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

· **California Proposition 65 - Chemicals known to cause cancer**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **California Proposition 65 - Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet acc. to OSHA HCS

Date Prepared: 05/09/2016

Reviewed On: 04/21/2016

**Product Name: Control Swab Negative Veritor Strep A
(Strep A Swabs Veritor System 10 Test)**

(Contd. of page 7)

- **Carcinogenic categories**

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

- **GHS label elements** Void

- **Hazard pictograms** Void

- **Signal word** Void

- **Hazard statements** Void

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, neither Becton, Dickinson and Company or any of its subsidiaries assumes any liabilities whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we can not guarantee that these are the only hazards that exist.

- **Department issuing SDS:**

Environmental, Health & Safety

Created by Michael J. Spinazzola

- **Contact:** Technical Service Representative

- **Date of preparation / last revision** 05/09/2016 / -

- **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

LC50: Lethal concentration, 50 percent

BEI: Biological Exposure Limit