

IFEREX 150- polysaccharide-iron complex capsule
Nnodum Pharmaceuticals

iFEREX 150

Statement of identity

iFEREX 150 is an easily assimilated source of iron for treatment of uncomplicated iron deficiency anemia.

Health Claims

iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

Warning

Accidental overdose of iron-containing products is a leading cause in fatal poisoning of children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

Dosage and Administration

Adults: One or two capsules daily or as directed by a physician.

Precautions

General: The type of anemia and underlying cause or causes should be determined before starting therapy with iFerex 150. Since the

anemia may be a result of systemic disturbance, such as recurrent blood loss, the underlying cause or causes should be corrected, if possible.


Safe Handling Warning

KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN.

DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A RESISTANT CLOSURE.

STORAGE: Store at 20°C-25°C (68°F- 77°F); excursions to 15°C-30°C (59°-86°F)

Principal Display Panel - IFEREX 150



ZIKs 63044-0203-01

iFEREX 150

**Polysaccharide Iron
Complex Hematinic**

100 Capsules

EACH CAPSULE CONTAINS:

Iron (elemental).....150 mg
(polysaccharide iron complex 326.1 mg)

INACTIVE INGREDIENTS: Black Iron oxide, FD&C Red #28, FD&C Yellow # 10, FD&C blue #1, FD&C red #40, FD&C yellow #6, gelatin, magnesium stearate, microcrystalline cellulose, Red Iron Oxide, and Titanium Dioxide

DESCRIPTION: iFerex 150 is a brown and orange capsule with marking "ziks 0203".

It is a product of ferric iron complexed to a low molecular weight polysaccharide.

INDICATIONS AND USAGE: iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

CONTRAINDICATIONS: iFerex 150 is indicated in patients with a known hypersensitivity to any of the components of this product. Hemochromatosis and hemosiderosis are

contraindications to iron therapy.

ADVERSE REACTIONS: Adverse reactions with iron therapy may include constipation, diarrhea, nausea, vomiting, dark stools, and abdominal pain. Adverse reactions with iron therapy are usually transient.

WARNING: Accidental overdose of iron-containing products is a leading cause in fatal poisoning of children under 6. Keep this product out of reach of children.

In case of accidental overdose, call a doctor or poison control center immediately.

PRECAUTIONS: General: The type of anemia and underlying cause or causes should be determined before starting therapy with iFerex 150. Since the anemia may be a result of systemic disturbance, such as recurrent blood loss, the underlying cause or causes should be corrected, if possible.

DOSAGE AND ADMINISTRATION: Adults: One or two capsules daily or as directed by a physician.

KEEP THIS AND ALL DRUGS OUT OF REACH OF CHILDREN.

DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A RESISTANT CLOSURE.

STORAGE: Store at 20°C-25°C (68°F- 77°F); excursions to 15°C-30°C (59°F-86°F)

HOW SUPPLIED: iFerex 150 capsules are supplied in 100 capsule per bottle.

Distributed by Nnodum Pharmaceuticals, Cincinnati, OH 45229

NP 6/18/09

LC-10872

3 63044 20301 2

DESCRIPTION: iFerex 150 capsules is a brown and orange capsule with marking "zik's 0203". It is a product of ferric iron complexed to a low molecular weight polysaccharide.

INDICATIONS AND USAGE: iFerex 150 is indicated for the prevention and treatment of iron deficiency anemia and/or nutritional megaloblastic anemias.

CONTRAINDICATIONS: iFerex 150 is contraindicated in patients with a known hypersensitivity to any of the components of this product. Hemochromatosis and hemosiderosis are contraindications to iron therapy.

DOSAGE AND ADMINISTRATION: Adults: 1 capsule daily or as directed by your physician.

ADVERSE EVENTS: You should call your doctor for medical advice about adverse events. To report a serious adverse event, contact Nnodum Pharmaceuticals, 483 Northland Blvd., Cincinnati, OH, 45240.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control immediately.

Supplement Facts
Serving Size 1 capsule Servings Per Container 100

	Amount Per Serving	% Daily Value*
Iron (elemental)	150 mg	833%
(polysaccharide iron complex 326.1 mg)		

*Percent Daily Values based on a 2,000 calorie diet.

Other ingredients: Gelatin, Microcrystalline Cellulose, Magnesium Stearate, Titanium Dioxide, FDA/E172 Red Iron Oxide, D&C Yellow #10, FDA/E172 Black Iron Oxide, D&C Red #28, D&C Red #40, FD&C Blue #1.

KEEP THIS PRODUCT AND ALL DRUGS OUT OF REACH OF CHILDREN. DISPENSE IN A TIGHT, LIGHT-RESISTANT CONTAINER WITH A CHILD RESISTANT CLOSURE.

STORAGE: Store at 20°C-25°C (68°F-77°F); excursions permitted to 15°C-30°C (59°F-86°F).

Distributed by Nnodum Pharmaceuticals, Cincinnati, OH 45240

NP 8/05/13 Rev. 08/13 LC-10872

IFEREX 150

polysaccharide-iron complex capsule

Product Information

Product Type

DIETARY SUPPLEMENT

Item Code (Source)

NHRIC:63044-203

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IRON (UNII: E1UOL152H7) (IRON - UNII:E1UOL152H7)	IRON	150 mg

Inactive Ingredients

Ingredient Name	Strength
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NHRIC:63044-203-61	10 in 1 BOX, UNIT-DOSE		
1		10 in 1 BLISTER PACK		
2	NHRIC:63044-203-01	100 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
dietary supplement		03/01/2018	

Supplement Facts

Serving Size : Serving per Container :

	Amount Per Serving	% Daily Value
color		
color		
imprint		
shape		
size (solid drugs)	7 mm	
scoring	1	

Labeler - Nnodum Pharmaceuticals (960457273)

Establishment

Name	Address	ID/FEI	Business Operations
PD Pharmatech, LLC.		063753431	manufacture

Revised: 6/2018

Nnodum Pharmaceuticals