



1060 Holland Dr., Suite A
Boca Raton, FL 33487
Nationwide: (877) 722-6339
Local: (561) 288-9028
Fax: (561) 288-3929
<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Hemoglobin Meter

Synonyms: CLA-HB2

CAS Number: N/A

Manufacturer: Clarity Diagnostics, LLC

Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339

Recommended use: The Clarity HbCheck hemoglobin Testing system is for the quantitative determination of hemoglobin in non-anticoagulated capillary whole blood or anticoagulated venous whole blood in EDTA or sodium heparin.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols	
Hazard Statements	Precautionary Statements
Non Flammable	Store at room temperature

Section 3: Composition / Information on Ingredients

Component	CAS Number	Weight
-----------	------------	--------

N/A	N/A	N/A
See Section 8 For Exposure Limits		
Section 4: First-Aid Measures		
Skin: None Eye: None Inhalation: None Ingestion: None Medical Information: None		
Section 5: Fire-Fighting Measures		
Suitable Extinguishing Media: None known Fire Fighting Procedures: Use CO ₂ , Foam, or Water Unusual Fire and Explosion Hazards: None Known Combustion Products: None known		
Section 6: Accidental Release Measures		
Accidental release measures: There is no current leakage potential under normal use. If happened, it is not harmful since it is a battery-based meter.		
Section 7: Handling and Storage		
Handling: Handle as directed in the package insert. Storage: Keep in a cool place (35.6-46.4°F (2-8°C))Do not expose to direct light.		
Section 8: Exposure Controls /Personal Protection		
Exposure Limits: None. Engineering Controls: None. Personal Protective Equipment (PPE): None. Ventilation: Normal		
Section 9: Physical and Chemical Properties		
Flashpoint: N.A Auto Ignition Temperature: N.A.		

Boiling Point: N.A
Melting Point:<0.1
Vapor Pressure:<0.1

Vapor Density (Air=1):
% Solubility in Water: N.A.

Pour Point: Not Available
Molecular Formula:N.A.
Odor/Appearance:None Known

Lower Flammability Limit: N.A
Upper Flammability Limit: N.A
Specific Gravity: = N.A. (Water=1)
% Volatile: N.A.
Evaporation Rate (Water=1): N.A.
Viscosity:Not Available.
Octanol/Water Partition Coefficient:Not Available
pH:Not Available
Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non-reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects: None

Eye Contact: N/A.

Skin Contact: N/A.

Inhalation: N/A

Ingestion: N/A.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

- No ecological information available

Section 13: Disposal Considerations* (non-mandatory)

Appropriate Methods of Disposal	Disposal should be made in accordance with existing disposal practices. Observe all Federal, State and Local law requirements.
European Community (EC) Consideration	Use appropriate waste codes based on ingredients.

Section 14: Transport Information* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

Section 15: Regulatory Information* (non-mandatory)

European Labeling in accordance with EC Directives	
Hazard Symbols	N.A
Safety Phrases	Keep out of the reach of children
Risk Phrases	None
Additional Information	Consult country codes for specific requirements

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).