



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** CERAVE SUNSCREEN SPF 30 FACE  
**Other means of identification**  
**SDS number** 00-54-0000024  
**Recommended use** Personal care product used on the skin for cosmetic effect and sun protection.  
**Recommended restrictions** None known.  
**Manufacturer/Importer/Supplier/Distributor information**

**US Address:** L'Oreal USA Products, Inc  
133 Terminal Avenue  
Clark, NJ 07066  
USA

**Canadian Address:** L'Oreal Canada  
4895 rue Hickmore  
Ville St-Laurent, H4T 1K5  
Canada

**Emergency Phone # :** 1-800-535-5053 (International: 352-323-3500)  
In Canada - 1-613-996-6666 (Canutec (\*666 Cellular))

**For further information:** 1-732-499-2741

**Poison Control # :** 412-390-3326

## 2. Hazard(s) identification

**Physical hazards** Not classified.  
**Health hazards** Not classified.  
**OSHA defined hazards** Not classified.

### Label elements

**Hazard symbol** None.  
**Signal word** None.  
**Hazard statement** The mixture does not meet the criteria for classification.

### Precautionary statement

**Prevention** Observe good industrial hygiene practices.  
**Response** Wash hands after handling.  
**Storage** Store away from incompatible materials.  
**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN		56-81-5	7

Chemical name	Common name and synonyms	CAS number	%
TITANIUM DIOXIDE		13463-67-7	6
ZINC OXIDE		1314-13-2	4.98
GLYCERYL STEARATE		31566-31-1	3
ISODODECANE		93685-81-5	3
STEARIC ACID		57-11-4	1.15
NIACINAMIDE		98-92-0	1

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

<b>Inhalation</b>	Move to fresh air. Call a physician if symptoms develop or persist.
<b>Skin contact</b>	Wash off with soap and water. Get medical attention if irritation develops and persists.
<b>Eye contact</b>	Rinse with water. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Rinse mouth. Get medical attention if symptoms occur.
<b>Most important symptoms/effects, acute and delayed</b>	Not available.
<b>Indication of immediate medical attention and special treatment needed</b>	Treat symptomatically.
<b>General information</b>	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ).
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.
<b>Specific hazards arising from the chemical</b>	During fire, gases hazardous to health may be formed.
<b>Special protective equipment and precautions for firefighters</b>	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
<b>Fire fighting equipment/instructions</b>	Move containers from fire area if you can do so without risk.
<b>Specific methods</b>	Use standard firefighting procedures and consider the hazards of other involved materials.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
<b>Methods and materials for containment and cleaning up</b>	This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.  Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.  Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.  Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
<b>Environmental precautions</b>	Avoid discharge into drains, water courses or onto the ground.

#### 7. Handling and storage

<b>Precautions for safe handling</b>	Avoid prolonged exposure. Observe good industrial hygiene practices.
<b>Conditions for safe storage, including any incompatibilities</b>	Store in original tightly closed container. Keep out of the reach of children. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	Form
GLYCERIN (CAS 56-81-5)	PEL	5 mg/m <sup>3</sup> 15 mg/m <sup>3</sup>	Respirable fraction. Total dust.
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m <sup>3</sup>	Total dust.
ZINC OXIDE (CAS 1314-13-2)	PEL	5 mg/m <sup>3</sup> 5 mg/m <sup>3</sup> 15 mg/m <sup>3</sup>	Respirable fraction. Fume. Total dust.

#### US. ACGIH Threshold Limit Values

Components	Type	Value	Form
GLYCERYL STEARATE (CAS 31566-31-1)	TWA	10 mg/m <sup>3</sup>	
STEARIC ACID (CAS 57-11-4)	TWA	10 mg/m <sup>3</sup>	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m <sup>3</sup>	
ZINC OXIDE (CAS 1314-13-2)	STEL	10 mg/m <sup>3</sup>	Respirable fraction.
	TWA	2 mg/m <sup>3</sup>	Respirable fraction.

#### US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
ZINC OXIDE (CAS 1314-13-2)	Ceiling	15 mg/m <sup>3</sup>	Dust.
	STEL	10 mg/m <sup>3</sup>	Fume.
	TWA	5 mg/m <sup>3</sup> 5 mg/m <sup>3</sup>	Dust. Fume.

### Biological limit values

No biological exposure limits noted for the ingredient(s).

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

#### Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

#### Other

Wear suitable protective clothing.

#### Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

### Appearance

**Physical state** Liquid.

**Color** White

**Odor** Not available.

**Odor threshold** Not available.

**pH** 7.6 - 8.2

**Melting point/freezing point** Not available.

<b>Initial boiling point and boiling range</b>	Not available.
<b>Flash point</b>	> 212.0 °F (> 100.0 °C)
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not available.
<b>Flammability limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not available.
<b>Vapor density</b>	Not available.
<b>Specific gravity</b>	Not available.
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	Not available.
<b>Partition coefficient (n-octanol/water)</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition temperature</b>	Not available.
<b>Viscosity</b>	Not available.
<b>Other information</b>	
<b>Explosive properties</b>	Not explosive.
<b>Oxidizing properties</b>	Not oxidizing.

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Contact with incompatible materials.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation</b>	Prolonged inhalation may be harmful.
<b>Skin contact</b>	No adverse effects due to skin contact are expected.
<b>Eye contact</b>	No adverse effects due to eye contact are expected.
<b>Ingestion</b>	Expected to be a low ingestion hazard.

**Symptoms related to the physical, chemical and toxicological characteristics** Not available.

### Information on toxicological effects

**Acute toxicity** Not known.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
GLYCERIN (CAS 56-81-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 18700 mg/kg bw
<b>Inhalation</b>		
LC50	Rat	> 570 mg/L air, 1 h

Components	Species	Test Results
<b>Oral</b>		
LD50	Rat	27200 mg/kg bw
GLYCERYL STEARATE (CAS 31566-31-1)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 2000 mg/kg, 24 Hours
ISODODECANE (CAS 93685-81-5)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 5000 mg/kg OECD 402
<b>Inhalation</b>		
<i>Vapor</i>		
LC50	Rat	> 21.3 mg/l, 1 h
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg OECD 401
NIACINAMIDE (CAS 98-92-0)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg bw OECD 402
<b>Inhalation</b>		
<i>Aerosol</i>		
LC50	Rat	> 3.8 mg/L air, 4 h OECD 436
<b>Oral</b>		
LD50	Rat	> 2500 mg/kg bw OECD 423
STEARIC ACID (CAS 57-11-4)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rabbit	> 2000 mg/kg bw OECD 434
<b>Inhalation</b>		
LC50	Rat	> 0.1621 mg/L air, 4 h
<b>Oral</b>		
LD50	Rat	> 5000 mg/kg bw OECD 401
TITANIUM DIOXIDE (CAS 13463-67-7)		
<b>Acute</b>		
<b>Inhalation</b>		
LC50	Rat	> 6.82 mg/L air, 4 hours
<b>Oral</b>		
LD50	Rat	> 25000 mg/kg
ZINC OXIDE (CAS 1314-13-2)		
<b>Acute</b>		
<b>Dermal</b>		
LD50	Rat	> 2000 mg/kg, 24 Hours

\* Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** No adverse effects due to skin contact are expected.

**Irritation Corrosion - Skin**

ISODODECANE

OECD 404  
Result: Not Irritating  
Species: Rabbit

NIACINAMIDE

OECD 404  
Result: Not Irritating  
Species: Rabbit

**Irritation Corrosion - Skin**

GLYCERIN

Result: Not Irritating

Species: Rabbit

STEARIC ACID

Result: Not Irritating

Species: Rabbit

**Serious eye damage/eye irritation**

No adverse effects due to eye contact are expected.

**Irritation Corrosion - Eye**

NIACINAMIDE

OECD 405

Result: Irritating

Species: Rabbit

ISODODECANE

OECD 405

Result: Not Irritating

Species: Rabbit

GLYCERIN

Result: Not Irritating

Species: Rabbit

STEARIC ACID

Result: Not Irritating

Species: Rabbit

**Respiratory or skin sensitization****Respiratory sensitization**

Not a respiratory sensitizer.

**Skin sensitization**

This product is not expected to cause skin sensitization.

**Skin sensitization**

GLYCERIN

167 mg/m<sup>3</sup> air OECD 413, Inhalation

Result: NOAEL

Species: Rat

Test Duration: 90 d

ISODODECANE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

NIACINAMIDE

OECD 406

Result: Not Sensitizing

Species: Guinea pig

GLYCERIN

Result: Not Sensitizing

Species: Guinea pig

STEARIC ACID

Result: Not Sensitizing

Species: Guinea pig

**Germ cell mutagenicity**

No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

**Mutagenicity**

GLYCERIN

Result: In vitro and in vivo tests did not show mutagenic effects.

ISODODECANE

Result: In vitro and in vivo tests did not show mutagenic effects.

NIACINAMIDE

Result: In vitro and in vivo tests did not show mutagenic effects.

STEARIC ACID

Result: In vitro tests did not show mutagenic effects

**Carcinogenicity**

Not classifiable as to carcinogenicity to humans.

**IARC Monographs. Overall Evaluation of Carcinogenicity**

TITANIUM DIOXIDE (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**US. National Toxicology Program (NTP) Report on Carcinogens**

Not listed.

**Reproductive toxicity**

This product is not expected to cause reproductive or developmental effects.

**Developmental effects**

ISODODECANE

>= 5220 mg/m<sup>3</sup> air OECD 414

Result: NOAEL

Species: Rat

STEARIC ACID

1000 mg/kg bw/d OECD 422

Species: Rat

GLYCERIN

1310 mg/kg bw/d, No effects on development

Result: NOAEL

Species: Rat

**Developmental effects**

NIACINAMIDE

50 mg/kg bw/d OECD 414, No effects on development  
Result: NOAEL  
Species: Rabbit**Reproductivity**

ISODODECANE

>= 1000 mg/kg bw/d OECD 414  
Result: NOAEL  
Species: Rat

STEARIC ACID

1000 mg/kg bw/d OECD 422  
Species: Rat

GLYCERIN

2000 mg/kg bw/d, No effects on fertility  
Result: NOAEL  
Species: Rat**Specific target organ toxicity - single exposure** Not classified.**Specific target organ toxicity - repeated exposure** Not classified.

ISODODECANE

>= 200 ppm OECD 413, Inhalation  
Result: NOAEL  
Species: Rat  
>= 5000 mg/kg bw/d OECD 408, Oral  
Result: NOAEL  
Species: Rat  
Test Duration: 90 d

STEARIC ACID

1000 mg/kg bw/d OECD 422  
Result: NOAEL  
Species: Rat

NIACINAMIDE

215 mg/kg bw/d OECD 407, Oral  
Result: NOAEL  
Species: Rat

GLYCERIN

Test Duration: 28 d  
8000 mg/kg bw/d, Oral  
Result: NOAEL  
Species: Rat  
Test Duration: 2 yr**Aspiration hazard** Not an aspiration hazard.**12. Ecological information****Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
<b>GLYCERIN (CAS 56-81-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EC0	Scenedesmus quadricauda	> 10000 mg/l, 8 d
Crustacea	EC50	Daphnia magna	> 10000 mg/l, 24 h
Fish	LC50	Oncorhynchus mykiss	54000 mg/l, 96 h
Other	NOEC	Pseudomonas putida	> 10000 mg/l, 16 h
<b>ISODODECANE (CAS 93685-81-5)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	EL50	Pseudokirchneriella subcapitata	> 1000 mg/l, 72 h OECD 201
Crustacea	EL50	Daphnia magna	> 1000 mg/l, 48 h OECD 202
Fish	LL50	Oncorhynchus mykiss	> 1000 mg/l, 96 h OECD 203
Other	EC0	Pseudomonas putida	> 100 mg/l, 24 h
<b>NIACINAMIDE (CAS 98-92-0)</b>			
<b>Aquatic</b>			
<i>Acute</i>			
Algae	IC50	Desmodesmus subspicatus	> 1000 mg/l, 72 h OECD 201

Components		Species	Test Results
Crustacea	EC50	Daphnia magna	> 1000 mg/l, 24 h OECD 202
Fish	LC50	Poecilia reticulata	> 1000 mg/l, 96 h OECD 203
Other	NOEC	Pseudomonas putida	4235 mg/l, 18 h OECD 209
<b>STEARIC ACID (CAS 57-11-4)</b>			
<b>Aquatic</b>			
Algae	EC0	Pseudokirchneriella subcapitata	> 0.9 mg/l, 72 h
Crustacea	EC0	Daphnia magna	> 4.8 mg/l, 48 h
Fish	LC50	Leuciscus idus	> 10000 mg/l, 48 h
Other	EC50	Pseudomonas putida	> 883 mg/l, 30 min
<b>TITANIUM DIOXIDE (CAS 13463-67-7)</b>			
<b>Aquatic</b>			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
<i>Acute</i>			
Algae	EC50	Lemna minor	> 100 mg/l, 7 d OECD 221
Crustacea	EC50	Daphnia magna	> 100 mg/l, 48 h OECD 202
Fish	LC50	Oncorhynchus mykiss	> 1.1 mg/l, 14 d OECD 204
Other	EC50	Activated sludge of a predominantly domestic sewage	> 1000 mg/l, 3 h OECD 209
<i>Chronic</i>			
Crustacea	NOEC	Daphnia magna	>= 5 mg/l, 21 d OECD 211
Fish	NOEC	Danio rerio	> 160 mg/l, 6 d OECD 210
<b>ZINC OXIDE (CAS 1314-13-2)</b>			
<b>Aquatic</b>			
Fish	LC50	Fathead minnow (Pimephales promelas)	2246 mg/l, 96 hours

\* Estimates for product may be based on additional component data not shown.

#### Persistence and degradability

##### Biodegradability

##### Percent degradation (Aerobic biodegradation)

GLYCERIN	OECD 301 Result: Readily Biodegradable
ISODODECANE	31.3 % OECD 301 F Result: Not Readily Biodegradable
STEARIC ACID	Result: Readily Biodegradable

##### Bioaccumulative potential

##### Partition coefficient n-octanol / water (log Kow)

GLYCERIN	-1.76
ISODODECANE	6.4
NIACINAMIDE	-0.37
	-0.38 OECD 107
STEARIC ACID	8.23

##### Bioconcentration factor (BCF)

NIACINAMIDE	3.162
-------------	-------

##### Bioaccumulation

NIACINAMIDE	Result: Bioaccumulation is unlikely.
-------------	--------------------------------------

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

**Hazardous waste code** Not regulated.

**Waste from residues / unused products**

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Contaminated packaging**

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**14. Transport information**

**General information**

IMDG Regulated Marine Pollutant. DOT Regulated Marine Pollutant.

**DOT**

**FINISHED GOODS**

Not regulated as dangerous goods.

**BULK**

Not regulated as dangerous goods.

**IATA**

**FINISHED GOODS**

Not regulated as dangerous goods.

**BULK**

Not regulated as dangerous goods.

**IMDG**

**FINISHED GOODS**

Not regulated as dangerous goods.

**BULK**

Not regulated as dangerous goods.

**15. Regulatory information**

**US federal regulations**

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

ZINC OXIDE (CAS 1314-13-2) Listed.

**SARA 304 Emergency release notification**

Not regulated.

**OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

**Hazard categories**

Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance**

Not listed.

**SARA 311/312 Hazardous chemical** No

**SARA 313 (TRI reporting)**

Chemical name	CAS number	% by wt.
ZINC OXIDE	1314-13-2	4.98

**Other federal regulations**

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

**16. Other information, including date of preparation or last revision****Issue date** 06-29-2018**Version #** 01**NFPA ratings** Health: 0  
Flammability: 1  
Instability: 0**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.