



## Crew® Clinging Toilet Bowl Cleaner

Revision: 2023-06-16

Version: 01.1

### 1. IDENTIFICATION

**Product name:** Crew® Clinging Toilet Bowl Cleaner  
**SDS #:** MS0800445  
**Recommended use:**

- Restroom Care
- Industrial/Institutional
- This product is intended to be used neat.

**Uses advised against:** Uses other than those identified are not recommended

**Manufacturer, importer, supplier:**

|                                                                                                                                                                                                          |                                                                                                                                     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| US Headquarters<br>Diversey, Inc.<br>1300 Altura Rd., Suite 125<br>Fort Mill, SC 29708<br>Phone: 1-888-352-2249<br>SDS Internet Address: <a href="https://sds.diversey.com">https://sds.diversey.com</a> | Canadian Headquarters<br>Diversey Canada, Inc.<br>6150 Kennedy Road Unit 3<br>Mississauga, Ontario L5T 2J4<br>Phone: 1-800-668-7171 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|

**Emergency telephone number:** 1-800-851-7145; 1-651-917-6133 (Int'l)

### 2. HAZARDS IDENTIFICATION

#### Classification for the undiluted product

|                                   |             |
|-----------------------------------|-------------|
| Skin corrosion/irritation         | Category 1A |
| Serious eye damage/eye irritation | Category 1  |
| Metal Corrosion:                  | Category 1  |



**Signal word:** Danger.

#### Hazard Statements

**CAUSES SEVERE SKIN BURNS AND SERIOUS EYE DAMAGE. MAY BE CORROSIVE TO METALS.**

#### Precautionary Statements

Causes burns/ serious damage to mouth, throat and stomach. Keep container tightly closed. Keep only in original container. Avoid contact with eyes, skin and clothing. Wash affected areas thoroughly after handling. Wear protective gloves, protective clothing and eye or face protection. IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Immediately call a Poison Center (1-800-851-7145) or physician. Absorb spillage to prevent material damage. Store locked up. Store in corrosive-resistant container with a resistant inner liner. Dispose of in accordance with all federal, state and local applicable regulations.

**Health hazards not otherwise classified (HHNOC)** - Not applicable

**Physical hazards not otherwise classified (PHNOC)** - Not applicable

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Classified Ingredients

| Ingredient(s)                                                         | CAS #      | Weight %     |
|-----------------------------------------------------------------------|------------|--------------|
| Hydrochloric acid                                                     | 7647-01-0  | 5 - 10%      |
| Ethoxylated oleyl amine                                               | 13127-82-7 | 1 - 5%       |
| Alcohols, C12-15, ethoxylated (7-<15EO)                               | 68131-39-5 | 0.5 - 1.5%   |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride     | 68956-79-6 | > 0.1 - < 1% |
| quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 68391-01-5 | > 0.1 - < 1% |

## 4. FIRST AID MEASURES

### Undiluted Product:

**Eyes:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes.

**Skin:** IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water for at least 15 minutes.

**Inhalation:** IF INHALED: Remove person to fresh air and keep comfortable for breathing.

**Ingestion:** IF SWALLOWED: Rinse mouth. DO NOT induce vomiting unless directed to do so by medical personnel. Drink a cupful of milk or water.

**Notes to physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

**Most Important Symptoms/Effects:** No information available.

**Immediate medical attention and special treatment needed:** Not applicable.

**Aggravated Medical Conditions:** Persons with pre-existing skin disorders may be more susceptible to irritating effects.

## 5. FIRE-FIGHTING MEASURES

**Specific methods:**

No special methods required

**Suitable extinguishing media:**

The product is not flammable. Extinguish fire using agent suitable for surrounding fire.

**Specific hazards:**

Corrosive material (See sections 8 and 10).

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**Extinguishing media which must not be used for safety reasons:** No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:**

Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions and clean-up methods:**

Clean-up methods - large spillage. Material is toxic to fish. Do not discharge into lakes, streams, ponds, or public water unless in accordance with an NPDES permit. Prevent product from entering drains. Water runoff can cause environmental damage. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

**Handling:** Can react to release hazardous gases. Do not mix with other products or chemicals except as directed on the label. Mix only with water. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Absorb spillage to prevent material damage. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

**Storage:** Store in corrosive-resistant container with a resistant inner liner. Keep tightly closed in a dry, cool and well-ventilated place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure Guidelines:**

| Ingredient(s)     | ACGIH           | OSHA                                             |
|-------------------|-----------------|--------------------------------------------------|
| Hydrochloric acid | 2 ppm (Ceiling) | 5 ppm (Ceiling)<br>7 mg/m <sup>3</sup> (Ceiling) |

**Undiluted Product:****Engineering measures to reduce exposure:**

Good general ventilation should be sufficient to control airborne levels.

**Personal Protective Equipment**

It is the responsibility of the employer to determine the potential risk of exposure to hazardous chemicals for employees in the workplace in order to determine the necessity, selection, and use of personal protective equipment.

|                                  |                                                                                                                                                                                                                   |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye protection:</b>           | Chemical-splash goggles.                                                                                                                                                                                          |
| <b>Hand protection:</b>          | Chemical-resistant gloves.                                                                                                                                                                                        |
| <b>Skin and body protection:</b> | Protective footwear. Wear suitable protective clothing.                                                                                                                                                           |
| <b>Respiratory protection:</b>   | No personal protective equipment required under normal use conditions. If aerosols, mists, or vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over-exposure. |
| <b>Hygiene measures:</b>         | Handle in accordance with good industrial hygiene and safety practice.                                                                                                                                            |

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**Physical State** Liquid

**Evaporation Rate:** No information available

**Odor threshold:** No information available.

**Melting point/freezing point (°C):** Not determined

**Autoignition temperature:** No information available

**Solubility in other solvents:** No information available

**Density:** 1.05 Kg/L

**Bulk density:** No information available

**Flash point (°F):** > 200.1 °F > 93.4 °C

**Viscosity:** No information available

**VOC:** 0.2 % \*

**Flammability (Solid or Gas):** Not applicable

**Sustained combustion:** Not applicable

**Explosion limits:** - upper: Not determined - lower: Not determined

**Color:** Clear , Green

**Odor:** Minty

**Boiling point/range:** Not determined

**Decomposition temperature:** Not determined

**Solubility:** Completely Soluble

**Relative Density (relative to water):** 1.05

**Vapor density:** No information available

**Vapor pressure:** No information available.

**Partition coefficient (n-octanol/water):** No information available

**Elemental Phosphorus:** 0.00 % by wt.

**pH:** =< 2

**Corrosion to metals:** Metal corrosive

\* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

**10. STABILITY AND REACTIVITY**

**Reactivity:**

Not Applicable

**Stability:**

The product is stable

**Possibility of hazardous reactions:**

May vigorously react with strong alkaline products resulting in spattering and excessive heat.

**Hazardous decomposition products:**

None reasonably foreseeable.

**Materials to avoid:**

Strong bases. Ammonia. Do not mix with chlorinated products (such as bleach). Do not mix with any other product or chemical unless specified in the use directions.

**Conditions to avoid:**

None known.

**11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure:**

Skin contact, Inhalation, Ingestion, Eye contact

**Delayed, immediate, or chronic effects and symptoms from short and long-term exposure**

**Skin contact:** Corrosive. Causes severe burns. Symptoms may include burns, blisters, redness and pain (which may be delayed).

**Eye contact:** Corrosive. Causes serious eye damage. Symptoms may include pain, burning sensation, redness, watering, blurred vision or loss of vision.

**Ingestion:** Causes burns/ serious damage to mouth, throat and stomach. Symptoms may include stomach pain and nausea.

**Inhalation:** May cause irritation and corrosive effects to nose, throat and respiratory tract. Symptoms may include coughing and difficulty breathing.

**Sensitization:** No known effects.

**Target Organs (SE):** None known

**Target Organs (RE):** None known

**Numerical measures of toxicity**

ATE - Oral (mg/kg): >2000  
ATE - Dermal (mg/kg): >2000  
ATE - Inhalatory, gases (mg/l): >20000  
ATE - Inhalatory, mists (mg/l): >5  
ATE - Inhalatory, vapors (mg/l): >20

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** No information available.

**Persistence and Degradability:** No information available.

**Bioaccumulation:** No information available.

**Mobility:** No information available.

**Other adverse effects** No information available.

**13. DISPOSAL CONSIDERATIONS**

Do not contaminate water, food, or feed by storage or disposal.

**Waste from residues / unused products (undiluted product):**

This product, as sold, if discarded or disposed, is a hazardous waste according to Federal regulations (40 CFR 261). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the waste solution meets RCRA criteria for hazardous waste. Dispose in compliance with all Federal, state, provincial, and local laws and regulations.

**Pesticide Storage:**

Refer to product label.

**Pesticide Disposal:**

Refer to product label.

**Container Disposal:**

Refer to product label.

**RCRA Hazard Class (undiluted product):** D002 Corrosive Waste.

**Contaminated Packaging:** Do not re-use empty containers.

**14. TRANSPORT INFORMATION**

**DOT/TDG/IMDG:** The information provided below is the full transportation classification for this product. This description does not account for the package size(s) of this product, that may fall under a quantity exception, according to the applicable transportation regulations. When shipping dangerous goods, please consult with your internal, certified hazardous materials specialist to determine if any exceptions can be applied to your shipment.

**DOT (Ground) Bill of Lading Description:** UN1789, HYDROCHLORIC ACID SOLUTION, 8, II, MARINE POLLUTANT (Ethoxylated oleyl amine, quaternary ammonium compounds)

**IMDG (Ocean) Bill of Lading Description:** UN1789, HYDROCHLORIC ACID SOLUTION, 8, II, MARINE POLLUTANT (Ethoxylated oleyl amine, quaternary ammonium compounds)

**15. REGULATORY INFORMATION****International Inventories at CAS# Level**

TSCA

All components are listed or otherwise exempt

DSL

All components are listed or otherwise exempt

EPA Reg. No. : 70627-5

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

**DANGER: CORROSIVE.** Causes irreversible eye damage or skin burns. Do not get in eyes, on skin or on clothing. Harmful if swallowed, absorbed through skin or inhaled. Avoid breathing vapors. Wear chemical splash-proof goggles, protective clothing and chemical resistant gloves. Wash thoroughly with soap and water after handling. Remove and wash clothing before reuse. **CHEMICAL HAZARDS: NEVER USE WITH CHLORINE PRODUCTS...** these can react to give chlorine gas. If this occurs, flush toilet to remove chemicals and leave area. Do not return for half hour. Ventilate if possible. Never use or mix with other cleaners or chemicals. Clean up spills right away.

#### **CERCLA/ SARA**

| <b>Ingredient(s)</b>                                                  | <b>CAS #</b> | <b>Weight %</b> | <b>CERCLA/SARA RQ (lbs)</b> | <b>Section 302 TPQ (lbs)</b> | <b>Section 313</b> |
|-----------------------------------------------------------------------|--------------|-----------------|-----------------------------|------------------------------|--------------------|
| Hydrochloric acid                                                     | 7647-01-0    | 5 - 10%         | 5000                        | 5000                         | X                  |
| Ethoxylated oleyl amine                                               | 13127-82-7   | 1 - 5%          |                             |                              |                    |
| Alcohols, C12-15, ethoxylated (7-<15EO)                               | 68131-39-5   | 0.5 - 1.5%      |                             |                              |                    |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chloride     | 68956-79-6   | > 0.1 - < 1%    |                             |                              |                    |
| quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides | 68391-01-5   | > 0.1 - < 1%    |                             |                              |                    |

#### **Clean Air Act/Clean Water Act**

| <b>Ingredient(s)</b> | <b>CAA HAP</b> | <b>CAA ODS</b> | <b>CWA Priority Pollutants</b> |
|----------------------|----------------|----------------|--------------------------------|
| Hydrochloric acid    | X              |                |                                |

#### **Canadian Regulations**

| <b>Ingredient(s)</b> | <b>CAS #</b> | <b>NPRI</b> |
|----------------------|--------------|-------------|
| Hydrochloric acid    | 7647-01-0    | X           |

### **16. OTHER INFORMATION**

#### **NFPA (National Fire Protection Association)**

Rating Scale: (Low Hazard) 0 - 4 (Extreme Hazard)

**Health** 3

**Flammability** 0

**Instability** 0

**Special Hazards** -

**Revision:** 2023-06-16

**Version:** 01.1

**Reason for revision:**

Not applicable

**Prepared by:**

North American Regulatory Affairs

**Additional advice:**

• Contains an added fragrance, see "Odor" heading in section 9 for specific description

*Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.*